
```
import cv2
import numpy as np
from keras.datasets import mnist
from keras.layers import Dense, Flatten, MaxPooling2D, Dropout
from keras.layers.convolutional import Conv2D
from keras.models import Sequential
from tensorflow.keras.utils import to_categorical
import matplotlib.pyplot as plt

(X_train, y_train), (X_test, y_test) = mnist.load_data()
plt.imshow(X_train[0], cmap="gray")
plt.show()
print (y_train[0])
```



```
print ("Shape of X_train: {}".format(X_train.shape))
print ("Shape of y_train: {}".format(y_train.shape))
print ("Shape of X_test: {}".format(y_test.shape))
print ("Shape of y_test: {}".format(y_test.shape))
Shape of X_train: (60000, 28, 28)
Shape of y_train: (60000,)
Shape of X_test: (10000, 28, 28)
Shape of y_test: (10000,)

# Reshaping so as to convert images for our model
X_train = X_train.reshape(60000, 28, 28, 1)
X_test = X_test.reshape(10000, 28, 28, 1)
```

```
print ("Shape of X_train: {}".format(X_train.shape))
print ("Shape of y_train: {}".format(y_train.shape))
print ("Shape of X_test: {}".format(X_test.shape))
print ("Shape of y_test: {}".format(y_test.shape))

Shape of X_train: (60000, 28, 28, 1)
Shape of y_train: (60000,)
Shape of X_test: (10000, 28, 28, 1)
Shape of y_test: (10000,)
```