Data Visualization and Pre-processing Assignment -2

Assignment Date	26 September 2022
Team ID	PNT2022TMID03423
Project Name	AI BASED DISCOURSE FOR BANKING INDUSTRY
Student Name	MAHESWARA PANDIAN G
Student Roll Number	212219220029
Maximum Marks	2 Marks

Question-1. Download dataset

Solution:

wNuml	Customer	Surname	CreditScor	Geograph	Gender	Age	Tenure	E	Balance	NumOfPro	HasCrCar	c IsActiveM	Estimated Ex	ited
1	15634602	Hargrave	619 F	rance	Female		42	2	0	1	j	1 1	101348.9	1
2	15647311	Hill	608 9	Spain	Female		41	1	83807.86	1	() 1	112542.6	0
3	15619304	Onio	502 F	rance	Female		42	8	159660.8	3	j	1 0	113931.6	1
4	15701354	Boni	699 F	rance	Female		39	1	0	2	(0 0	93826.63	0
5	15737888	Mitchell	850 9	Spain	Female		43	2	125510.8	1	j	1 1	79084.1	0
6	15574012	Chu	645 9	Spain	Male		44	8	113755.8	2	1	1 0	149756.7	1
7	15592531	Bartlett	822 F	rance	Male		50	7	0	2	j	1 1	10062.8	0
8	15656148	Obinna	376 (Germany	Female		29	4	115046.7	4	1	1 0	119346.9	1
9	15792365	He	501 F	rance	Male		44	4	142051.1	2	(1	74940.5	0
10	15592389	H?	684 F	rance	Male		27	2	134603.9	1	1	1 1	71725.73	0
11	15767821	Bearce	528 F	rance	Male		31	6	102016.7	2	(0	80181.12	0
12	15737173	Andrews	497 9	Spain	Male		24	3	0	2	1	1 0	76390.01	0
13	15632264	Kay	476 F	rance	Female		34	10	0	2	1	1 0	26260.98	0
14	15691483	Chin	549 F	rance	Female		25	5	0	2	(0	190857.8	0
15	15600882	Scott	635 9	Spain	Female		35	7	0	2	1	1 1	65951.65	0
16	15643966	Goforth	616	Germany	Male		45	3	143129.4	2	(1	64327.26	0
17	15737452	Romeo	653 (Germany	Male		58	1	132602.9	1	1	1 0	5097.67	1
18	15788218	Henderso	549 9	Spain	Female		24	9	0	2	1	1 1	14406.41	0
19	15661507	Muldrow	587 9	Spain	Male		45	6	0	1	(0	158684.8	0
20	15568982	Нао	726 F	rance	Female		24	6	0	2	1	1 1	54724.03	0
21	15577657	McDonald	732 F	rance	Male		41	8	0	2	1	1 1	170886.2	0
22	15597945	Dellucci	636 9	Spain	Female		32	8	0	2	1	1 0	138555.5	0
23	15699309	Gerasimo	510 9	Spain	Female		38	4	0	1	1	1 0	118913.5	1
24	15725737	Mosman	669 F	rance	Male		46	3	0	2	() 1	8487.75	0
25	15625047	Yen	846 F	rance	Female		38	5	0	1		1 1	187616.2	0
26	15738191	Maclean	577 F	rance	Male		25	3	0	2	() 1	124508.3	0
27	15736816	Young	756 (Germany	Male		36	2	136815.6	1	1	1 1	170042	0
28	15700772	Nebechi	571 F	rance	Male		44	9	0	2	(0	38433.35	0
29	15728693	McWillian	574 (Germany	Female		43	3	141349.4	1	1	1 1	100187.4	0
30	15656300	Lucciano	411 F	rance	Male		29	0	59697.17	2	1	1 1	53483.21	0
31	15589475	Azikiwe	591 9	Spain	Female		39	3	0	3	1	1 0	140469.4	1
32	15706552	Odinakacl	533 F	rance	Male		36	7	85311.7	1	() 1	156731.9	0
33	15750181	Sanderso	553 (Germany	Male		41	9	110112.5	2	(0 0	81898.81	0
34	15659428	Maggard	520 9	Spain	Female		42	6	0	2	1	1 1	34410.55	0
35	15732963	Clements	722 9	Spain	Female		29	9	0	2	1	1 1	142033.1	0
36	15794171	Lombardo	475 F	rance	Female		45	0	134264	1	1	1 0	27822.99	1
37	15788448	Watson	490 9	Spain	Male		31	3	145260.2	1	(1	114066.8	0
38	15729599	Lorenzo	804 5	Spain	Male		33	7	76548.6	1	() 1	98453.45	0
39	15717426	Armstron		rance	Male		36	7	0	1	1	1 1	40812.9	0
	15585768			Germany	Male		41	6	70349.48	2	() 1	178074	0

Question-2.Load the dataset

Solution:

import numpy as np
import pandas as pd
import seaborn as sns
importmatplotlib.pyplot as plt
import sklearn
data = pd.read_csv(r'Churn_Modelling.csv')
df.head


<bound< th=""><th>method</th><th>NDFrame.h</th><th>ead of Ro</th><th>wNumber Cus</th><th>stomerId</th><th>Surname</th><th>CreditScore</th><th>Geography</th><th>Gender</th><th>Ag</th></bound<>	method	NDFrame.h	ead of Ro	wNumber Cus	stomerId	Surname	CreditScore	Geography	Gender	Ag
0		1 1563	4602 Hargrave	61	19 France	Female	42			
1		2 1564	7311 Hill	66	38 Spair	Female	41			
2		3 1561	9304 Onio	56	32 France	Female	42			
3		4 1570	1354 Boni	69	99 France	Female	39			
4		5 1573	7888 Mitchell	89	50 Spair	Female	43			
	•	**************************************	***	10.50			***			
9995			6229 Obijiaku	77	71 France	Male	39			
9996	99	97 1556	9892 Johnstone	51	16 France	Male	35			
9997	99	98 1558	4532 Liu	76	99 France	Female	36			
9998	99	99 1568	2355 Sabbatini	77	72 Germany	Male	42			
9999	100	00 1562	8319 Walker	79	92 France	Female	28			
	Tenure	Balance	NumOfProducts	HasCrCard	IsActiveMe	ember \				
0	2	0.00	1	1		1				
1	1	83807.86	1	0		1				
2	8	159660.80	3	1		0				
3	1	0.00	2	0		0				
4	2	125510.82	1	1		1				
• • •		•••								
9995	5	0.00				0				
9996		57369.61				1				
9997	7					1				
		75075.31		200		0				
9999	4	130142.79	1	1		0				
		edSalary								
0	1	01348.88	1							
1	1	12542.58	0							
2	1	13931.57	1							
3		93826.63	0							
4		79084.10	0							
9995		96270.64	0							
9996	1	01699.77	0							
9997		42085.58	1							
9998		92888.52	1							
9999		38190.78	0							

Question-3. Perform Below Visualizations.


Univariate Analysis

Solution:


sns.displot(data['CreditScore'])




sns.histplot(data['CreditScore'])




sns.boxplot(x = data['CreditScore'])






sns.histplot(data['Age'])




sns.boxplot(data['Age'])




Bivariate Analysis

Solution:


```
plt.figure(figsize=(7,7))
sns.lineplot(data = data, x = 'Tenure', y = 'CreditScore')
```




plt.figure(figsize=(10,10))
sns.barplot(data = data, x = 'CreditScore', y = 'EstimatedSalary')



plt.figure(figsize=(10,10))
sns.barplot(data = data, x = 'CreditScore', y = 'Tenure')




plt.figure(figsize=(10,10))
sns.lineplot(data['Age'], data['EstimatedSalary'])




plt.figure(figsize=(17,17))

sns.barplot(data['Age'], data['EstimatedSalary'])




sns.scatterplot(data = data, x = 'CreditScore', y = 'Age')




Multivariate Analysis

Solution:


sns.scatterplot(data = data, x = 'CreditScore', y = 'Balance', hue = 'Gender')




sns.scatterplot(data['Tenure'], data['CreditScore'], hue = data['Gender'])



sns.scatterplot(data['Age'], data['[alance'], hue = data['Gender'])



sns.pairplot(data)



Question-4. Perform descriptive statistics on the dataset.

Solution:

data.mean(numeric_only = True)

RowNumber	5.000500e+03
CustomerId	1.569094e+07
CreditScore	6.505288e+02
Age	3.892180e+01
Tenure	5.012800e+00
Balance	7.648589e+04
NumOfProducts	1.530200e+00
HasCrCard	7.055000e-01
IsActiveMember	5.151000e-01
EstimatedSalary	1.000902e+05
Exited	2.037000e-01
dtype: float64	
dtype: float64	

data.median(numeric_only = True)

```
        RowNumber
        5.000500e+03

        CustomerId
        1.569074e+07

        CreditScore
        6.520000e+02

        Age
        3.700000e+01

        Tenure
        5.00000e+00

        Balance
        9.719854e+04

        NumOfProducts
        1.000000e+00

        HasCrCard
        1.000000e+00

        IsActiveMember
        1.000000e+00

        EstimatedSalary
        1.001939e+05

        Exited
        0.000000e+00

        dtype: float64
```

data['CreditScore'].mode()

```
0 850
dtype: int64
```

data['EstimatedSalary'].mode()

```
0 24924.92
dtype: float64
```

data['HasCrCard'].unique()

```
array([1, 0])
```

data['Tenure'].unique()

```
array([ 2, 1, 8, 7, 4, 6, 3, 10, 5, 9, 0])
```

data.std(numeric_only=True)

RowNumber	2886.895680
CustomerId	71936.186123
CreditScore	96.653299
Age	10.487806
Tenure	2.892174
Balance	62397.405202
NumOfProducts	0.581654
HasCrCard	0.455840
IsActiveMember	0.499797
EstimatedSalary	57510.492818
Exited	0.402769
dtype: float64	

data.describe()

	RowNumber	CustomerId	CreditScore	Age	Tenure	Balance	NumOfProducts	HasCrCard	IsActiveMember	EstimatedSalary	Exited
count	10000.00000	1.000000e+04	10000.000000	10000.000000	10000.000000	10000.000000	10000.000000	10000.00000	10000.000000	10000.000000	10000.000000
mean	5000.50000	1.569094e+07	650.528800	38.921800	5.012800	76485.889288	1.530200	0.70550	0.515100	100090.239881	0.203700
std	2886.89568	7.193619e+04	96.653299	10.487806	2.892174	62397.405202	0.581654	0.45584	0.499797	57510.492818	0.402769
min	1.00000	1.556570e+07	350.000000	18.000000	0.000000	0.000000	1.000000	0.00000	0.000000	11.580000	0.000000
25%	2500.75000	1.562853e+07	584.000000	32.000000	3.000000	0.000000	1.000000	0.00000	0.000000	51002.110000	0.000000
50%	5000.50000	1.569074e+07	652.000000	37.000000	5.000000	97198.540000	1.000000	1.00000	1.000000	100193.915000	0.000000
75%	7500.25000	1.575323e+07	718.000000	44.000000	7.000000	127644.240000	2.000000	1.00000	1.000000	149388.247500	0.000000
max	10000.00000	1.581569e+07	850.000000	92.000000	10.000000	250898.090000	4.000000	1.00000	1.000000	199992.480000	1.000000

data['Tenure'].value_counts()

Name: Tenure, dtype: int64

Question-5. Handle the Missing values.

Solution:

data.isnull().any()

RowNumber	False
CustomerId	False
Surname	False
CreditScore	False
Geography	False
Gender	False
Age	False
Tenure	False
Balance	False
NumOfProducts	False
HasCrCard	False
IsActiveMember	False
EstimatedSalary	False
Exited	False
dtype: bool	


data.isnull().sum()

RowNumber	0
CustomerId	0
Surname	0
CreditScore	0
Geography	0
Gender	0
Age	0
Tenure	0
Balance	0
NumOfProducts	0
HasCrCard	0
IsActiveMember	0
EstimatedSalary	0
Exited	0
dtype: int64	

Question-6. Find the outliers and replace the outliers

Solution:

sns.boxplot(data['CreditScore'])#Outlier detection - box plot




fig, ax = plt.subplots(figsize = (5,3)) #Outlier detection - Scatter plot ax.scatter(data['Balance'], data['Exited'])

x-axis label
ax.set_xlabel('Balance')

y-axis label
ax.set_ylabel('Exited')
plt.show()

sns.boxplot(x=data['Balance'])



from scipy import stats #Outlier detection - zscore zscore = np.abs(stats.zscore(data['CreditScore'])) print(zscore)

print('No. of Outliers : ', np.shape(np.where(zscore>3)))

```
0
       0.332952
1
       0.447540
2
       1.551761
       0.500422
4
      2.073415
        . . .
9995 1.250458
9996 1.405920
9997
     0.604594
9998 1.260876
9999 1.469219
Name: CreditScore, Length: 10000, dtype: float64
No. of Outliers : (1, 0)
```

q = data.quantile([0.75,0.25])

q


	RowNumber	CustomerId	Surname	CreditScore	Geography	Gender	Age	Tenure	Balance	NumOfProducts	HasCrCard	IsActiveMember	EstimatedSalary	Exited
0.75	7500.25	15753233.75	2238.25	718.0	1.0	1.0	44.0	7.0	127644.24	2.0	1.0	1.0	149388.2475	0.0
0.25	2500.75	15628528.25	773.75	584.0	0.0	0.0	32.0	3.0	0.00	1.0	0.0	0.0	51002.1100	0.0

iqr = q.iloc[0] - q.iloc[1] iqr

RowNumber	4999.5000
CustomerId	124705.5000
Surname	1464.5000
CreditScore	134.0000
Geography	1.0000
Gender	1.0000
Age	12.0000
Tenure	4.0000
Balance	127644.2400
NumOfProducts	1.0000
HasCrCard	1.0000
IsActiveMember	1.0000
EstimatedSalary	98386.1375
Exited	0.0000
dtype: float64	

```
u = q.iloc[0] + (1.5*iqr)
RowNumber 1.499950e+04
CustomerId 1.594029e+07
Surname 4.435000e+03
CreditScore 9.190000e+02
Geography 2.500000e+00
Age 6.200000e+01
Tenure 1.300000e+01
Balance 3.191106e+05
NumOfProducts 3.500000e+00
HasCrCard 2.500000e+00
IsActiveMember 2.500000e+00
EstimatedSalary 2.969675e+05
EstimatedSalary 2.969675e+05
                        0.000000e+00
Exited
dtype: float64
I = q.iloc[1] - (1.5*iqr)
RowNumber -4.998500e+03
CustomerId 1.544147e+07
Surname -1.423000e+03
CreditScore 3.830000e+02
Geography -1.500000e+00
Gender -1.500000e+00
                        1.400000e+01
             -3.000000e+00
-1.914664e+05
 Tenure
 Balance
 NumOfProducts -5.000000e-01
                        -1.500000e+00
 HasCrCard
 IsActiveMember
                         -1.500000e+00
 EstimatedSalary -9.657710e+04
 Exited
                           0.0000000+00
 dtype: float64
Q1 = data['EstimatedSalary'].quantile(0.25) #Outlier detection - IQR
Q3 = data['EstimatedSalary'].quantile(0.75)
iqr = Q3 - Q1
print(iqr)
upper=Q3 + 1.5 * igr
lower=Q1 - 1.5 * iqr
count = np.size(np.where(data['EstimatedSalary'] >upper))
count = count + np.size(np.where(data['EstimatedSalary'] <lower))</pre>
print('No. of outliers : ', count)
 98386.1375
No. of outliers: 0
data['CreditScore'] = np.where(np.logical_or(data['CreditScore']>900, data['CreditScore']<383), 65
0, data['CreditScore'])
```

sns.boxplot(data['CreditScore'])



```
upper = data.Age.mean() + (3 * data.Age.std()) #Outlier detection - 3 sigma
lower = data.Age.mean() - (3 * data.Age.std())
columns = data[ ( data['Age'] > upper ) | ( data['Age'] < lower ) ]
print('Upper range : ', upper)
print('Lower range : ', lower)
print('No. of Outliers : ', len(columns))

Upper range : 70.38521935511383
Lower range : 7.458380644886169
No. of Outliers : 133</pre>
```

columns = ['EstimatedSalary', 'Age', 'Balance', 'NumOfProducts', 'Tenure', 'CreditScore'] #After outlier removal

```
for i in columns:

Q1 = data[i].quantile(0.25)

Q3 = data[i].quantile(0.75)

iqr = Q3 - Q1

upper=Q3 + 1.5 * iqr

lower=Q1 - 1.5 * iqr

count = np.size(np.where(data[i] > upper))

count = count + np.size(np.where(data[i] < lower))

print('No. of outliers in ', i, ':', count)

No. of outliers in EstimatedSalary : 0

No. of outliers in Age : 0

No. of outliers in NumOfProducts : 0

No. of outliers in Tenure : 0

No. of outliers in Tenure : 0

No. of outliers in CreditScore : 0
```

Question-7. Check for Categorical columns and perform encoding

Solution:

from sklearn.preprocessing import LabelEncoder, OneHotEncoder le = LabelEncoder()
oneh = OneHotEncoder()
data['Surname'] = le.fit_transform(data['Surname'])
data['Gender'] = le.fit_transform(data['Gender'])
data['Geography'] = le.fit_transform(data['Geography'])
data.head()

	RowNumber	CustomerId	Surname	CreditScore	Geography	Gender	Age	Tenure	Balance	NumOfProducts	HasCrCard	IsActiveMember	EstimatedSalary	Exited
0	1	15634602	1115	619	0	0	42	2	0.00	1	1	1	101348.88	1
1	2	15647311	1177	608	2	0	41	1	83807.86	1	0	1	112542.58	0
2	3	15619304	2040	502	0	0	42	8	159660.80	3	1	0	113931.57	1
3	4	15701354	289	699	0	0	39	1	0.00	2	0	0	93826.63	0
4	5	15737888	1822	850	2	0	43	2	125510.82	1	1	1	79084.10	0

Question-8. Split the data into dependent and independent variables split the data in X and Y

Solution:

x # independent values (inputs)

x = data.iloc[:, 0:13]

	RowNumber	CustomerId	Surname	CreditScore	Geography	Gender	Age	Tenure	Balance	NumOfProducts	HasCrCard	IsActiveMember	EstimatedSalary
0	1	15634602	1115	619	0	0	42	2	0.00	1	1	1	101348.88
1	2	15647311	1177	608	2	0	41	1	83807.86	1	0	1	112542.58
2	3	15619304	2040	502	0	0	42	8	159660.80	3	1	0	113931.57
3	4	15701354	289	699	0	0	39	1	0.00	2	0	0	93826.63
4	5	15737888	1822	850	2	0	43	2	125510.82	1	1	1	79084.10
•••	***	.511	***	77%	1000		978	1000	1777	200	***	550	
9995	9996	15606229	1999	771	0	1	39	5	0.00	2	1	0	96270.64
9996	9997	15569892	1336	516	0	1	35	10	57369.61	_1	1	1	101699.77
9997	9998	15584532	1570	709	0	0	36	7	0.00	1	0	1	42085.58
9998	9999	15682355	2345	772	1	1	42	3	75075.31	2	1	0	92888.52
9999	10000	15628319	2751	792	0	0	28	4	130142.79	1	1	0	38190.78

10000 rows x 13 columns

9996 0 9997 1 9998 1 9999 0

Name: Exited, Length: 10000, dtype: int64

Question-9. Scale the independent variables

Solution:

```
from sklearn.preprocessing import StandardScaler, MinMaxScaler
sc = StandardScaler()
x_scaled = sc.fit_transform(x)
x_scaled
```

```
array([[-1.73187761, -0.78321342, -0.46418322, ..., 0.64609167, 0.97024255, 0.02188649],
[-1.7315312, -0.60653412, -0.3909112, ..., -1.54776799, 0.97024255, 0.21653375],
[-1.73118479, -0.99588476, 0.62898807, ..., 0.64609167, -1.03067011, 0.2406869],
...,
[1.73118479, -1.47928179, 0.07353887, ..., -1.54776799, 0.97024255, -1.00864308],
[1.7315312, -0.11935577, 0.98943914, ..., 0.64609167, -1.03067011, -0.12523071],
[1.73187761, -0.87055909, 1.4692527, ..., 0.64609167, -1.03067011, -1.07636976]])
```

Question-10. Split x and y into Training and Testing

Solution:

```
from sklearn.model_selection import train_test_split 
x_train, x_test, y_train, y_test = train_test_split(x_scaled, y, test_size = 0.3, random_state = 0)
```

x_train

```
array([[ 0.92889885, -0.79703192, -1.47580983, ..., 0.64609167, 0.97024255, -0.77021814],
        [ 1.39655257, 0.71431365, -1.58808148, ..., 0.64609167, -1.03067011, -1.39576675],
        [-0.4532777, 0.96344969, -0.24082173, ..., -1.54776799, 0.97024255, -1.49965629],
        ...,
        [-0.60119484, -1.62052514, -0.36136603, ..., 0.64609167, -1.03067011, 1.41441489],
        [ 1.67853045, -0.37403866, 0.72589622, ..., 0.64609167, 0.97024255, 0.84614739],
        [-0.78548505, -1.36411841, 1.3829808, ..., 0.64609167, -1.03067011, 0.32630495]])
```

x_train.shape

(7000, 13)

x_test

```
array([[ 1.52229946, -1.04525042, 1.39834429, ..., 0.64609167, 0.97024255, 1.61304597],
[-1.42080128, -0.50381294, -0.78208925, ..., 0.64609167, -1.03067011, 0.49753166],
[-0.90118604, -0.7932923, 0.41271742, ..., 0.64609167, 0.97024255, -0.4235611],
...,
[ 1.49216178, -0.14646448, 0.6868966, ..., 0.64609167, 0.97024255, 1.17045451],
[ 1.1758893, -1.29228727, -1.38481071, ..., 0.64609167, 0.97024255, -0.50846777],
[ 0.08088677, -1.38538833, 1.11707427, ..., 0.64609167, 0.97024255, -1.15342685]])
```

x_test.shape

(3000, 13)

y_train

```
7681
      1
9031 0
3691 0
202
      1
5625 0
9225 0
4859
     0
3264
     0
9845
     0
2732
      1
Name: Exited, Length: 7000, dtype: int64
y_test
 9394 0
 898
      1
 2398 0
 5906
      0
 2343
      0
 4004
     0
 7375
      0
```

Name: Exited, Length: 3000, dtype: int64