# Create Node-RED Service

Team ID   **:**   PNT2022TMID26592
Project name   **:**   Hazardous Area Monitoring Industrial Plant Powered By IoT

Aim: To create a web application create a Node-RED service.

Steps followed:

- Navigated to the App creation page

-
- Entered project details and clicked on create

- Clicking on the "Deploy your App" Button

Deployment Automation

Configure Continuous Delivery

Continuous Delivery is not enabled for this app. Enable Continuous Delivery to automate builds, tests, and deployments through Delivery Pipeline, GitLab, and more.

Deploy your app

- Successfully deployed the app

Delivery Pipelines

Name	ci-pipeline
Status	✓ Success
Last input	Last commit by IBM Cloud DevOps Services (7 minutes ago) Clone from zip

- Welcomed by the instance editor

Welcome to your new Node-RED instance on IBM Cloud

We know you're eager to start wiring up your flows, but first there are a couple of tasks you should do:

- Secure your Node-RED editor
- Learn how to install additional nodes

- Setting up credentials

○ Secure your editor so only authorised users can access it

● *Not recommended:* Allow anyone to access the editor and make changes

Your editor will not be secured. Anyone with the URL will be able to access your flows, data and bound services.

☑ Tick this box to confirm you want your editor to be insecure

● Successfully deployed the app

- Dragged and dropped components into the editor

- Editing some values of the properties

- Successfully deployed the app

Result: Successfully created a NodeRED service on IBM Cloud