
ASSIGNMENT - 2

TEAM ID : PNT2022TMID23221

PROJECT NAME: PERSONAL EXPENSE TRACKER

APPLICATION


1. CREATE USER TABLE WITH EMAIL, USERNAME, ROLL NUMBER, PASSWORD




INSERT QUERY:

INSERT INTO USER

VALUES('ashadeviks@gmail.com','Ashadevi_01',01,1826), ('ramyasria@gmail.com','ramyasri2000',08,1473), ('lakshmisria@gmail.com','lakshmisri2000',14,4831), ('kavyashriks@gmail.com','kavyashri2002',54,8362), ('dkiruthika002@gmail.com','kiruthi2002',55,3829);




OUTPUT:




2. PERFORM UPDATE AND DELETE QUERIES WITH USER TABLE:

DELETE QUERY:

DELETE FROM USER WHERE USERNAME='kiruthi2002';



OUTPUT:



UPDATING QUERY:

INSERT INTO USER

VALUES('ashadeviks@gmail.com','Ashadevi_01',01,1826),


('ramyasria@gmail.com', 'ramyasri2000', 08, 1473),

('lakshmisria@gmail.com','lakshmisri2000',14,4831),


('kavyashriks@gmail.com', 'kavyashri2002',54,8362),

('dkiruthika002@gmail.com','kiruthi2002',55,3829);

UPDATE USER SET USERNAME='kavyashri2001', PASSWORD='3344' WHERE ROLL_NUMBER=54;



OUTPUT:



3. CONNECT PYHON TO db2:

CODE:

```
import ibm_db
hostname = '9938aec0-8105-433e-8bf9-
0fbb7e483086.c1ogj3sd0tgtu0lqde00.databases.appdo
main.cloud' uid = 'qfk33398'
pwd = 'jnfFMaLIMeTZcout'
driver = "{IBM DB2 ODBC DRIVER}"
db = 'bludb'
port =
'32459'
protocol =
'TCPIP'cert =
'CRT1.crt'
dsn = (
 "DATABASE = \{0\};"
 "HOSTNAME = {1};"
 "PORT = \{2\};"
 "UID = \{3\};"
 "SECURITY
 = SSL;"
 "SSlServerCertificate = {4};"
 "PWD = \{5\};"
).format(db, hostname, port, uid,
cert, pwd) print(dsn)
try:
 db2 = ibm_db.connect(dsn,
 "", "")print("connect to
 database")
except:
 print("unable to connect ", ibm_db.conn_errormsg())
```

```
ASS-Approx Numberook

ASS Last Checkpoint a few seconds ago (unsaved changes)

File Edit Vew Insaet Call Remed Widgets Help

Tinused Python 3 ©

In [1]: Sapport libr. db

Hostman "Opilizacio-Billot-da30e-Billot-da30e-Billot-da30ed.clog]3sddtgtw0lqde00.databases.appdomain.cloud"

uid = qq:3330e"
pid = 'jeffFall herZcout'
delive = '[180 R02 COOK DIVER]"
pid = 'file R02 COOK DIVER]"
protocol = 'fice R02 COOK DIVER]"
cert = 'CRIL-crt'

din = (0):

"DATABASE = (0):

"DATABASE = (0):

"PORT = (2):"

"PORT = (3):"

"PORT = (3):"

"Salier-wer-crtificate = (4):"

"PORT = (5):"

"Solier-wer-crtificate = (4):"

"PORT = (5):"

"Database")

DATABASE = (0):

"print("connect to database")

DATABASE = (0):

"print("connect to database")
```

4. about.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width,initial-scale=1">
<title>About Page</title>
khref="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta2/dist/css/bootstrap.min.css" rel="stylesheet">
</head>
<body>
<nav class="navbar navbar-expand-lg bg-light"
                                                     style="background-color:
#b5dbf7;">
<!-- Navbar content -->
<div class="container-fluid">
<div class="collapse navbar-collapse" id="navbarNavAltMarkup">
<div class="navbar-nav">
<a class="nav-link" href="home.html">Home</a>
<a class="nav-link active" aria-current="page"
href="#">About</a
>
                    <a class="nav-link" href="signin.html">Sign In</a>
```

```
<a class="nav-link" href="signup.html">Sign up</a>
</div>
</div>
</div>
</nav>
<br/>
<br/>
footer>
International Business Machines Corporation is an American multinational technology corporation headquartered in Armonk, New York, with operations in over 171 countries.
</footer>
</body>
</html>
```

Home.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width,initial-scale=1">
<title>Home Page</title>
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-</pre>
beta2/dist/css/bootstrap.min.css" rel="stylesheet">
</head>
<body>
<nav class="navbar navbar-expand-lg bg-light" style="background-color:</pre>
#e3f2fd:">
<!-- Navbar content -->
<div class="container-fluid">
<div class="collapse navbar-collapse" id="navbarNavAltMarkup">
<div class="navbar-nav">
<a class="nav-link active" aria-current="page"
href="#">Home</
a>
                     <a class="nav-link" href="about.html">About</a>
                      <a class="nav-link" href="signin.html">SignIn</a>
                      <a class="nav-link" href="signup.html">SignUp</a>
                 </div>
             </div>
         </div>
     </nav>
     <br>><br>>
     <div>
```

```
<h4>
<b>Welcome to IBM!!!</b>
</h4>
</div>
</body>
</html>
```

Signin.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width,initial-scale=1">
<title>SignIn</title>
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-</pre>
beta2/dist/css/bootstrap.min.css" rel="stylesheet">
</head>
<body>
<nav class="navbar navbar-expand-lg bg-light" style="background-color:</pre>
#e3f2fd;">
<!-- Navbar content -->
<div class="container-fluid">
<div class="collapse navbar-collapse" id="navbarNavAltMarkup">
<div class="navbar-nav">
<a class="nav-link " href="home.html">Home</a>
<a class="nav-link" href="about.html">About</a>
<a class="nav-link active" aria-current="page"
href="#">SignIn</a>
<a class="nav-link" href="signup.html">SignUp</a>
</div>
</div>
</div>
</nav>
<div class="text-center my-5"</pre>
style="background-image:
url('https://png.pngtree.com/thumb_back/fh260/background/20200714/pngtree-
modern-double-color-futuristic-neon-background-image_351866.jpg');
background-repeat: no-
repeat;background-size: cover;">
        <section class="h-100">
        <div class="container h-100">
        <div class="row justify-content-sm-center h-100">
```

```
xxl-4 col-xl-5 col-lg-5 col-md-7 col-sm-9">
<div
clas
        <div class="text-center my-5"></div>
s="c
        <div class="card shadow-lg">
ol-
        <div class="card-body p-5">
                                   <h1 class="fs-4 card-title fw-bold mb-
4">Login</h1
                                   <form method="POST" class="needs-validation"</pre>
novalidate="" autocomplete="off">
                                        <div class="mb-3">
                                            <label class="mb-2 text-muted"</pre>
for="email">E-Mail Address</label>
                                            <input id="email" type="email"</pre>
class="form-control" name="email" value=""
                                                required autofocus>
                                            <div class="invalid-feedback">
                                                Email is invalid
                                            </div>
                                        </div>
                                        <div class="mb-3">
                                            <div class="mb-2 w-100">
                                                <label class="text-muted"</pre>
for="password">Password</label
                                                <a href="forgot.html"
>class="float-end">
                                                     Forgot Password?
                                                 </a>
                                            </div>
                                            <input id="password" type="password"</pre>
class="form-control" name="password"
                                                required>
                                            <div class="invalid-feedback">
                                                Password is required
                                            </div>
                                        </div>
                                        <div class="d-flex align-items-center">
                                            <div class="form-check">
                                                 <input type="checkbox"</pre>
                                                     class="form-check-input">
name="remember" id="remember"
                                                 <label for="remember" class="form-</pre>
                                            </div>
check-label">Remember Me</label>
                                            <button type="submit" class="btn btn-
                                                Login
                                            </button>
primary ms-auto">
```

```
</div>
</form>
</div>
<div class="card-footer py-3 border-0">
<div class="text-center">
 Don't have an account? <ahref="signup.html" class="text-
 dark">CreateOne</a>
 </div>
 </div>
 </div>
 </div>
</div>
</div>
</section>
</div>
 </body>
 </html>
```

Signup.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width,initial-scale=1">
    <title>SignUp</title>
    k href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta2/dist/css/bootstrap.min.css" rel="stylesheet">
</head>
<body>
    <nav class="navbar navbar-expand-lg bg-light" style="background-color:</pre>
#e3f2fd;">
        <!-- Navbar content -->
        <div class="container-fluid">
            <div class="collapse navbar-collapse" id="navbarNavAltMarkup">
                 <div class="navbar-nav">
                     <a class="nav-link " href="home.html">Home</a>
                     <a class="nav-link" href="about.html">About</a>
                     <a class="nav-link" href="signin.html">SignIn</a>
                     <a class="nav-link active" aria-current="page"
```

```
href="#">SignUp</a>
                 </div>
             </div>
        </div>
    </nav>
    <div class="text-center my-5"</pre>
        style="background-image:
url('https://png.pngtree.com/thumb_back/fh260/background/20200714/pngtree-
modern-double-color-futuristic-neon-background-image_351866.jpg');
    background-repeat: no-repeat;
    background-size: cover;">
        <section class="h-100">
             <div class="container h-100">
                 <div class="row justify-content-sm-center h-100">
                      <div class="col-xxl-4 col-xl-5 col-lg-5 col-md-7 col-sm-</pre>
9">
                          <div class="text-center my-5"></div>
                          <div class="card shadow-lg">
                              <div class="card-body p-5">
                                   <h1 class="fs-4 card-title fw-bold mb-
4">Register</h1>
                                   <form method="POST" class="needs-validation"</pre>
                                      novalidate="" autocomplete="off">
                                       <div class="mb-3">
                                            <label class="mb-2 text-muted"</pre>
for="name">Name</labe
                                            <input id="name" type="text"</pre>
class="form-control" name="name" value="" required
                                                autofocus>
                                           <div class="invalid-feedback">
                                                Name is required
                                           </div>
                                       </div>
                                       <div class="mb-3">
                                            <label class="mb-2 text-muted"</pre>
for="email">E-Mail Address</label>
                                           <input id="email" type="email"</pre>
class="form-control" name="email" value=""
                                                required>
                                           <div class="invalid-feedback">
                                                Email is invalid
                                            </div>
                                       </div>
```

```
<div class="mb-3">
                                        <label class="mb-2 text-muted"</pre>
for="password">Password</label
                                        <input id="password" type="password"</pre>
class="form-control" name="password"
                                            required>
                                        <div class="invalid-feedback">
                                            Password is required
                                        </div>
                                    </div>
                                    By registering you agree with our
terms and condition.
                                    <div class="align-items-center d-flex">
                                        <button type="submit" class="btn btn-
primary ms-auto">
                                            Register
                                        </button>
                                    </div>
                                </form>
                            </div>
                            <div class="card-footer py-3 border-0">
                                <div class="text-center">
                                    Already have an account? <a
href="signin.html" class="text-dark">Login</a>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </section>
    </div>
</body>
</html>
```

app.py

```
from flask import Flask, render_template
app = Flask(__name_)

@app.route("/")
@app.route("/hom
e")def home():
    return render_template("home.html")

@app.route("/about"
)def about():
    return render_template("about.html")

@app.route("/signin"
)def signin():
    return render_template("signin.html")

@app.route("/signup")def signup():
    return render_template("signup.html")
```