```
<html>
         <head>
                 <link rel="stylesheet" href="styles.css">
                 <title>Login page</title>
         </head>
         <script type="text/javascript">
                var input = document.getElementById("password");
         // Execute a function when the user presses a key on the keyboard
         input.addEventListener("keypress", function(event) {
           // If the user presses the "Enter" key on the keyboard
           if (event.key === "Enter") {
             // Cancel the default action, if needed
             event.preventDefault();
             // Trigger the button element with a click
             document.getElementById("button").click();
           }
         });
                function display(form) {
                        if (form.username.value == "root") {
                                if (form.password.value == "root") {
                                       location = "page2.html"
                                } else {
                                       alert("Invalid Password")
                                }
                        } else {
                               alert("Invalid Username")
                        }
         </script>
         <body>
                 <div class="container">
                        <div class="screen">
                                <div class="screen__content">
                                       <form class="login">
                                               <h1>Login Page</h1>
                                               <div class="login__field">
                                                      <i class="login__icon fas fa-</pre>
         user"></i>
                                                      <input type="text"</pre>
         class="login__input" placeholder="User name" name="username"/>
                                               </div>
                                               <div class="login__field">
                                                      <i class="login__icon fas fa-</pre>
         lock"></i>
```

<input id="password" type="password"</pre>

```
name="password" class="login__input" placeholder="Password" />
                                      </div>
<div class="sign-txt">Not yet member? <br>
<a href="ibms1\reg.html">Signup now</a></div><br>
                                      <input class="button__icon fas fa-chevron-</pre>
right" id="button" type="button" value="Login" onClick="display(this.form)"/>
                              </form>
                       </div>
                       <div class="screen__background">
                              <span class="screen_background_shape</pre>
screen__background__shape4"></span>
                              <span class="screen__background__shape</pre>
screen__background__shape3"></span>
                              <span class="screen__background__shape</pre>
screen__background__shape2"></span>
                              <span class="screen_background_shape</pre>
screen__background__shape1"></span>
                       </div>
               </div>
       </div>
</body>
</html>
```