
## **SPRINT-4**

TEAM ID	PNT2022TMID53537
Project Title	Inventory Management System for Retailers
DATE	14-11-2022
MARK	20 Points


### **Functional Requirement:**

- > Stock Report
  - o Adding New Stock
  - o Managing the Old Stocks & New Stocks
- > Updated Customer Dashboard
  - o Adding New Customers
  - o Maintaining the Customer Trading details
- **➤** Contact us page
- > Staff page


# **OUTPUT:**







O # O @ # M 👶 IBM 💮 x | 🕥 IBM-Proje: X | 🚱 Project Pio X | 🚵 Project Tei X | 🕥 IBM-Proje: X | 🔘 A Inventory, X | 🚳 accessorie X | + ← → C (i) localhost:4200/addreport षा २ ৫ ☆ 🛮 🏇 : 0 Dashboard Product code product code **≛** Add Products ■ Add sell Product Brand Total Stock enter the total stock Add Suppliers Cost Per Item enter the cost one item ♣ New Employees Write something... Subject



### Code:

O 掛 🧿 🗑 🚞 🤦 📢 🔤 📲 🌲 27°C < 👵 🗉 🖟 (4)) ENG 08-11-2022 裂

```
<div class="col-10 p-0">
  <div>
   <section class="mt-3">
     <div class="container-fluid">
      <div class="page-header ph-radius clearfix">
       <div class="float-left">
         <h3>Stocks Detail Report</h3>
       </div>
       <div class="float-right">
         <div class="d-flex">
          <nav aria-label="breadcrumb">
           <a href="dashboard">Dashboard</a>
            <a href="addreport">Add Products</a>
            </nav>
         </div>
       </div>
      </div>
      <div class="row ">
       <div class="col-lg-12">
         <div class="content-wrapper">
          <!-- Table start -->
          <thead>
            Product code
              Product Title
              Product Brand
              Total Stock
              Cost Per Item
              Total cost
              SUBJECT
            <td style="cursor: pointer"
(click)="nextPage(items.id)">
               &#9998;
```

```
{{ items.pcode }}
                {{ items.ptitle }}
                {{ items.pbrand }}
                {{ items.tstock }}
                {{ items.cpi }}
                {{ items.tcost }}
                {{ items.sub }}
               </thead>
            </div>
         </div>
       </div>
     </div>
    </section>
    <!-- //PAGE END -->
  </div>
  <app-footer></app-footer>
 </div>
</div> <app-header></app-header>
<div class="row">
 <div class="col-2">
  <app-navbar></app-navbar>
 </div>
 <div class="col-10 p-0">
  <div>
    <section class="mt-3">
      <div class="container-fluid">
       <div class="page-header ph-radius clearfix">
         <div class="float-left">
          <h3>Stocks Detail Report</h3>
         </div>
         <div class="float-right">
          <div class="d-flex">
            <nav aria-label="breadcrumb">
             <a href="dashboard">Dashboard</a>
               <a href="addreport">Add Products</a>
               Products
```

```
</nav>
         </div>
       </div>
      </div>
      <div class="row ">
       <div class="col-lg-12">
        <div class="content-wrapper">
          <!-- Table start -->
          Product code
              Product Title
              Product Brand
              Total Stock
              Cost Per Item
              Total cost
              SUBJECT
            <td style="cursor: pointer"
(click)="nextPage(items.id)">
               ✎
              {{ items.pcode }}
              {{ items.ptitle }}
              {{ items.pbrand }}
              {{ items.tstock }}
              {{ items.cpi }}
              {{ items.tcost }}
              {{ items.sub }}
            </thead>
          </div>
       </div>
      </div>
     </div>
   </section>
   <!-- //PAGE END -->
  </div>
  <app-footer></app-footer>
```

```
</div>
</div>
<app-header></app-header>
<div class="row">
 <div class="col-2">
  <app-navbar></app-navbar>
 </div>
 <div class="col-10 p-0">
  <div>
    <section class="mt-3">
     <div class="container-fluid">
      <div class="page-header ph-radius clearfix">
        <div class="float-left">
         <h3>Stocks Detail Report</h3>
        </div>
        <div class="float-right">
         <div class="d-flex">
           <nav aria-label="breadcrumb">
            <a href="dashboard">Dashboard</a>
             <a href="addreport">Add Products</a>
             Products
             </nav>
         </div>
        </div>
      </div>
      <div class="row ">
        <div class="col-lg-12">
         <div class="content-wrapper">
           <!-- Table start -->
          <thead>
             Product code
               Product Title
               Product Brand
               Total Stock
               Cost Per Item
```

```
Total cost
                 SUBJECT
               <td style="cursor: pointer"
(click)="nextPage(items.id)">
                  ✎
                 {{ items.pcode }}
                 {{ items.ptitle }}
                 {{ items.pbrand }}
                 {{ items.tstock }}
                 {{ items.cpi }}
                 {{ items.tcost }}
                 {{ items.sub }}
               </thead>
            </div>
         </div>
       </div>
      </div>
    </section>
    <!-- //PAGE END -->
   </div>
   <app-footer></app-footer>
</div>
<app-header></app-header>
<div class="row">
 <div class="col-2">
   <app-navbar></app-navbar>
 </div>
 <div class="col-10 p-0">
  <div>
    <section class="mt-3">
      <div class="container-fluid">
       <div class="page-header ph-radius clearfix">
         <div class="float-left">
          <h3>Sell Products</h3>
         </div>
         <div class="float-right">
          <div class="d-flex">
            <nav aria-label="breadcrumb">
```

```
<a href="dashboard">Dashboard</a>
                   <a</pre>
href="customer">Reports</a>
                   Sell Products
                   </nav>
             </div>
           </div>
         </div>
         <div class="content-wrapper">
           <div class="row mx-0 mt-2">
             <div class="col-lg-12">
               <div class="form-row row">
                 <div class="form-group col-md-4">
                   <label for="firstname">Customer Name</label>
                   <input type="text" class="form-control" id="name"</pre>
placeholder="anand" [(ngModel)]="name" />
                 </div>
                 <div class="form-group col-md-4">
                   <label for="Email">Email</label>
                   <input type="email" class="form-control" id="name"</pre>
placeholder="p******@gmail"
                     [(ngModel)]="email" />
                 </div>
                 <div class="form-group col-md-4">
                   <label for="mobile">Mobile</label>
                   <input type="number" class="form-control" id="mobile"</pre>
placeholder="+1 916 920 0130"
                     [(ngModel)]="mobile" />
                 </div>
                 <div class="form-group col-md-4 mt-4">
                   <label for="lasttname">Material</label>
                   <ng-select [items]="report" #select bindLabel="ptitle"</pre>
dropdownPosition="auto" bindValue="ptitle"
                     labelForId="album" placeholder="Select album"
[virtualScroll]="true" [(ngModel)]="material"
                     (change)="onAdd($event)">
                     <ng-template ng-option-tmp let-item="item" let-</pre>
search="searchTerm">
                       <div><span>Title:
</span><span>{{item.ptitle}}</span></div>
                       <small><b>P-code:</b> {{item.pcode}}</small>
                       <small><b>Brand:</b> {{item.pbrand}}</small>
                     </ng-template>
                   </ng-select>
```

```
</div>
                  <div class="form-group col-md-4 mt-4">
                    <label for="price">price</label>
                    <input type="number" class="form-control" id="price"</pre>
placeholder="item" [(ngModel)]="price" readonly />
                  </div>
                  <div class="form-group col-md-4 mt-4">
                    <label for="price">Quantity</label>
                    <input type="number" class="form-control"</pre>
(change)="changeData()" id="quantity" placeholder="item" [(ngModel)]="qty" />
                  </div>
                  <div class="form-group col-md-4 mt-4">
                    <label for="price">Discount</label>
                    <input type="number" class="form-control" id="discount"</pre>
placeholder="item" [(ngModel)]="discount" />
                  </div>
                  <div class="form-group col-md-8 mt-4">
                    <label for="inputAddress">Shipping Address</label>
                    <textarea type="text" class="form-control"</pre>
id="inputAddress" placeholder="1234 Main St"
                      [(ngModel)]="address"></textarea>
                  </div>
                  <div class="form-group col-md-4 mt-4">
                    <label for="price">Total</label>
                    <input type="number" class="form-control" id="discount"</pre>
placeholder="item" readonly [(ngModel)]="total" />
                  </div>
                </div>
                <div class="row text-center">
                  <div class="col-12 text-center">
                    <button class="btn btn-success w-25"</pre>
(click)="onSubmit()">Sell Product</button>
                  </div>
                </div>
              </div>
            </div>
          </div>
        </div>
      </section>
      <!-- //PAGE END -->
    </div>
    <app-footer></app-footer>
</div> <app-header></app-header>
<div classs="col-12">
 <div id="content">
```

```
<!--=== section 12
   <section class="section 12">
     <div class="container">
       <div class="row">
         <article class="col-lg-12 col-md-12 col-sm-12 gmap">
           <div class="map">
             <iframe
               width="600"
               height="450"
               frameborder="0"
               style="border: 0"
               src="https://maps.google.com/maps?q=tamilnadu%20college%20of%2
0engineering&t=&z=13&ie=UTF8&iwloc=&output=embed"
             ></iframe>
           </div>
         </article>
       </div>
     </div>
     <div class="container">
       <div class="row">
         <article class="col-lg-3 col-md-4 col-sm-4 address">
           <h2>Addresses</h2>
           <address>
             <div class="info">
               <strong>Address 1:</strong>
               <span
                 >Tamilnadu College Of Engineering<br />
                 palaniyapa nager karumathampatti,coimbatore-641659</span
               <strong>Telephones:</strong>
               +91 996 513 2865 <br />+91 6384116186
               <!--<strong>Address 2:</strong>
                           <span>The Company Name Inc.<br>>palaniyapa nager
karumathampatti,coimbatore-641659
             </div>
           </address>
         </article>
         <article class="col-lg-9 col-md-8 col-sm-8 address">
           <h2>Feedback</h2>
           <form id="contact-form" class="contact-form">
             <div class="success-message">Contact form submitted.</div>
             <div class="coll-1">
               Name*
               <label class="name">
                 <input</pre>
                  type="text"
```

```
placeholder=""
                   data-constraints="@Required @JustLetters"
                  <span class="empty-message">*This field is required.</span>
                  <span class="error-message">*This is not a valid
name.</span>
               </label>
              </div>
              <div class="col1-2">
               E-mail*
               <label class="email">
                 <input
                   type="text"
                   placeholder=""
                   data-constraints="@Required @Email"
                  <span class="empty-message">*This field is required.</span>
                 <span class="error-message">*This is not a valid
email.</span>
               </label>
              </div>
              <div class="col1-3">
               Phone
               <label class="phone">
                 <input</pre>
                   type="text"
                   placeholder=""
                   data-constraints="@JustNumbers"
                  <span class="empty-message">*This field is required.</span>
                 <span class="error-message">*This is not a valid
phone.</span>
                </label>
              </div>
              <label class="message">
               <span class="mbot4">Message*</span>
               <textarea
                 placeholder=""
                 data-constraints="@Required @Length(min=20, max=999999)"
                ></textarea>
                <span class="empty-message">*This field is required.</span>
                <span class="error-message">*The message is too short.
              </label>
                <a href="dashboard" data-type="submit" class="btn-link btn-</pre>
link1"
                 >Submit</a
```

#### **Common.css**:

```
nput[type=text], select, textarea{
 width: 100%;
  padding: 12px;
 border: 1px solid #ccc;
  border-radius: 4px;
 box-sizing: border-box;
  resize: vertical;
input[type=number], select, textarea{
 width: 100%;
 padding: 12px;
 border: 1px solid #ccc;
 border-radius: 4px;
  box-sizing: border-box;
  resize: vertical;
 /* Style the label to display next to the inputs */
 label {
   padding: 12px 12px 12px 0;
   display: inline-block;
 /* Style the submit button */
 input[type=submit] {
   background-color: #04AA6D;
    color: white;
   padding: 12px 20px;
   border: none;
   border-radius: 4px;
   cursor: pointer;
   float: right;
```

```
/* Style the container */
 .container {
   border-radius: 5px;
   background-color: #f2f2f2;
   padding: 20px;
 /* Floating column for labels: 25% width */
 .col-25 {
   float: left;
   width: 25%;
   margin-top: 6px;
 /* Floating column for inputs: 75% width */
 .col-75 {
   float: left;
   width: 75%;
   margin-top: 6px;
 /* Clear floats after the columns */
 .row:after {
   content: "";
   display: table;
   clear: both;
.job-card {
 border: 1px solid #dee5f1;
 background: #ffffff;
 margin-top: 10px;
.job-card .card-header {
 padding: 0.5rem 1.25rem;
 margin-bottom: 0;
 background-color: #f4f6fc;
 border: none;
 box-shadow: none;
 font-weight: 600;
.job-card .list-item {
 border-bottom: 1px solid #dee5f1;
 margin-top: 10px;
.job-status .form-control {
 font-size: 11px;
 height: calc(1.2em + 0.5rem + 2px);
 padding: 0.15rem 0.15rem;
```

```
background: transparent;
 font-weight: 700;
 width: 110px;
.job-status .btn {
 font-size: 11px !important;
 font-weight: 600;
 padding: 5px 10px !important;
 line-height: 11px;
 min-height: 22px;
 margin: 0px !important;
 vertical-align: top;
/* Table sticky header */
.table-sticky-header .table {
 position: relative;
 width: 100%;
 float: left;
.table-sticky-header .table thead tr th {
 position: sticky;
 top: 0;
 z-index: 2;
 background: #dee5f1;
.labour-header-info {
 margin-bottom: 0;
 list-style: none;
 background-color: transparent;
 border-radius: 0;
 font-size: 13px;
 color: #fff;
 padding: 0.9rem;
.table-container.no-pagination .bottom {
 display: none;
.stockin-stockout-container {
 display: flex;
.page-loading {
 position: absolute;
 width: 100%;
 z-index: 999;
 background: rgb(255 255 255 / 50%);
```

```
height: 100%;
  margin: 0 auto;
  text-align: center;
  padding-top: 15%;
.page-loading h4 {
 font-weight: 600;
  font-size: 24px;
 color: #000000;
/*--Data Table--*/
table.dataTable thead .sorting:before,
table.dataTable thead .sorting:after,
table.dataTable thead .sorting_asc:before,
table.dataTable thead .sorting asc:after,
table.dataTable thead .sorting desc:before,
table.dataTable thead .sorting_desc:after,
table.dataTable thead .sorting_asc_disabled:before,
table.dataTable thead .sorting_asc_disabled:after,
table.dataTable thead .sorting_desc_disabled:before,
table.dataTable thead .sorting_desc_disabled:after {
 position: absolute;
 bottom: 0.9em;
 display: block;
 opacity: 1;
   SIDEBAR STYLE
.wrapper {
 display: flex;
 width: 100%;
  align-items: stretch;
#sidebar {
 min-width: 100%;
 max-width: 100%;
 background: #0277fd64;
 color: #fff;
 transition: all 0.3s;
 padding-top: 10px;
#sidebar.active {
 margin-left: -15%;
#sidebar ul li {
 text-align: left;
```

```
display: block;
  float: left;
  margin: 5px 10px;
  width: 100%;
#sidebar ul li a {
 padding: 10px;
  font-size: 1em;
 display: block;
  background-color: #fff;
  border-radius: 5px;
  font-weight: 600;
#sidebar ul li a:hover {
  background-color: #0276fd;
  color: #fff;
#sidebar ul li a.active {
  background-color: #0276fd;
  color: #fff;
#sidebar ul li a i {
 width: 24px;
#content {
 width: 85%;
 min-height: 100vh;
  transition: all 0.3s;
#content.active {
 width: 100%;
@media (max-width: 768px) {
  #my-header .navbar-brand {
   margin-left: 15px;
   width: 190px;
 #sidebar {
   min-width: 20%;
   max-width: 20%;
   margin-left: -20%;
  #sidebar.active {
   margin-left: 0;
  #sidebarCollapse span {
    display: none;
```

```
#content {
    width: 100%;
 #sidebar ul li a {
   padding: 10px;
   font-size: 1em;
   display: block;
   background-color: #fff;
   border-radius: 5px;
   font-weight: 600;
 #sidebar ul li a i {
   width: 16px;
/*-- INDEX NEW DASHBOARD--*/
.ch-235 {
 min-height: 235px;
.ch-250 {
 min-height: 250px;
.ch-275 {
 min-height: 275px;
.ch-300 {
 min-height: 300px;
.index-card {
 background: #ffffff;
 border: 1px solid #dadfe5;
 box-shadow: none;
 -webkit-border-radius: 2px;
 -moz-border-radius: 2px;
 border-radius: 7px;
 margin-bottom: 1rem;
.index-card .card-header {
 background: #fff;
 border-bottom: 1px solid #dadfe5;
 padding: 0.75rem 1.05rem 0.75rem 1.05rem;
 border-radius: 7px 7px 0 0;
.index-card .card-header .card-title {
 margin: 0;
```

```
font-size: 1.25rem;
 font-weight: 600;
 line-height: 100%;
 color: #222222;
.index-card .card-body {
 padding: 1.25rem 1.25rem;
 position: relative;
.ticket-box {
 text-align: center;
.ticket-box h5 {
 font-weight: 600;
 color: #aaaaaa;
 margin-bottom: 0;
 font-size: 1rem;
.ticket-box .chart {
 width: 150px;
 height: 150px;
 margin: 0 auto;
.finance-box h2 {
 font-weight: 700;
 margin-bottom: 20px;
 font-size: 2.05rem;
.finance-box h6 {
 font-weight: 600;
 color: #606569;
.progress {
 height: 0.75rem !important;
 margin-bottom: 5px;
.dot-label {
 width: 10px;
 height: 10px;
 display: inline-block;
 border-radius: 100%;
 margin-right: 5px;
/*--Customers--*/
.customers-box .cbt-card h5 {
 background: transparent;
.customers-box h5 {
```

```
font-weight: 600;
 color: #ffffff;
 font-size: 1rem;
 padding: 5px 10px;
 width: 85%;
 margin-bottom: 15px;
 background: #333;
 border-radius: 8px;
.customers-box h2 {
 font-weight: 600;
 font-size: 1.15rem;
 color: #333;
 margin-bottom: 15px;
.customers-box h6 {
 font-weight: 600;
 font-size: 0.9rem;
 color: #888;
 margin-bottom: 5px;
.customers-box .cbt-card i {
 float: right;
 vertical-align: middle;
 margin-top: 5px;
/*--Billing--*/
.billing-box h2 {
 font-weight: 700;
 font-size: 1.75rem;
 color: #666;
 margin-bottom: 5px;
.billing-box h6 {
 font-weight: 600;
 color: #aaaaaa;
 margin-bottom: 7px;
 font-size: 1rem;
 margin-top: 10px;
.billing-box span {
 font-weight: 600;
 color: #aaaaaa;
.billing-box .bill-icon {
 display: inline-flex;
 width: 80px;
 height: 80px;
```

```
text-align: center;
  border-radius: 50%;
  align-items: center;
  justify-content: center;
 background: #eee;
.billing-box .bill-icon i {
 font-size: 1.5rem;
.action a {
 display: none;
.action:hover a {
 display: inline-block;
.print-des {
 padding: 0px 15px 15px 15px;
 border: 1px solid #e3e3e3;
 border-radius: 5px;
 box-shadow: 4px 4px 10px #e9e9e9;
label {
 font-weight: bold;
 font-size: 15px;
 margin-bottom: 0.8rem;
  color: #000;
```