SMART FASHION RECOMMENDER APPLICATION

A NAALAIYA THIRAN PROJECT REPORT

Submitted By

Team ID:PNT2022TMID29760

ARCHANA S	(610519104006)
JANANI J	(610519104037)
JESSICA G	(610519104044)
KARUNYA SWEETLIN A	(610519104050)

TABLE OF CONTENTS

1. INTRODUCTION

- 1.1 Project Overview
- 1.2 Purpose

2. LITERATURE SURVEY

- 2.1 Existing problem
- 2.2 References
- 2.3 Problem Statement Definition

3. IDEATION & PROPOSED SOLUTION

- 3.1 Empathy Map Canvas
- 3.2 Ideation & Brainstorming
- 3.3 Proposed Solution
- 3.4 Problem Solution fit

4. REQUIREMENT ANALYSIS

- 4.1 Functional requirement
- 4.2 Non-Functional requirements

5. PROJECT DESIGN

- **5.1 Data Flow Diagrams**
- **5.2** Solution & Technical

Architecture

5.3 User Stories

6. PROJECT PLANNING & SCHEDULING

- **6.1 Sprint Planning &** Estimation
- **6.2** Sprint Delivery Schedule
- 6.3 Reports from JIRA

7. CODING & SOLUTIONING

- **7.1 Feature 1**
- 7.2 Feature 2
- **7.3** Database Schema (if Applicable)

8. TESTING

- 8.1 Test Cases
- 8.2 User Acceptance Testing

9. RESULTS

9.1 Performance Metrics

10. ADVANTAGES & DISADVANTAGES

- 11. CONCLUSION
- 12. FUTURE SCOPE

13. APPENDIX

Source Code GitHub & Project Demo Link


1. INTRODUCTION

1.1 Project Overview:

During the last years, online shopping has been growing. In 2013, the total turnover for ecommerce in Europe expanded with 17% in contrast to the 12 months before and huge organizations can have hundreds and hundreds of products or even more from which we can select on websites. Both the customer and the business enterprise desire the client to easily discover applicable products or items both throughout search and when they are searching, and this is where recommender systems come into the picture. The greater part (62%) of US buyers with Web access presently shop on-line, to some degree, at least a month, and 1% say they do not buy from internet, as indicated by a current report by Walker Sands. From all the clients looking for items on the web, 63% of them buy garments (Burke, 2002), these being, quite possibly, the most purchased items. The information uncover that women are more likely to buy on-line, with 71% of ladies doing this, contrasted with 52% of men. Studies on clothing are in a growing development in general as a result of the tremendous market related to dress. In China, the serviceable market crushed 20 billion US dollars in 2016. Picture recovery can be depicted as The the errand of looking out for pics in a picture data set. This is present not an astute thought, in light of everything. It has been explored on account of the way that the 1970s joined informational collection associations with PC vision, looking into the issue as indicated through two uncommon perspectives, the first being text-based and the second one being visual-based. From the outset, the developments have been made only through information annotations that have been saved in a database to work the retrieval step, however, when the dimension of the image collections started to amplify the effort required to label them used to be as soon as unsustainable, to solve this issue, during the 1990s, content-based photograph retrieval was proposed. Starting now many searched for lines have seemed the use of one or the different isolated or combining them. Recommendation systems make recommendations based on the information they are provided with and in the manner in which they are programmed. Going into details, most of the evaluation applied is independent coming up with a brand-new recommendation algorithm, system, or model. However, different researchers use already existing work as researchers use an already existing current piece of work to come up with a new diagram or to truly improve the current one.

The present analysis model focuses on the use of a current algorithmic program and, consequently, the use of a new research concept comes up with a recommender system. Existing research and fashions have given us some

inspirations of how to design fashion recommendation systems. Nevertheless, they also involve some common drawbacks. Therefore, in this study, our aim to suggest a new method to assist personal choice making through supplying images and get suggestions based on provided contents.



1.2 Purpose:

Recommendation systems are the techniques that are used to predict the rating one individual will give to an item or social entity. The items can include books, movies, restaurants and things on which individuals have different preferences. These preferences are being predicted using two approaches first content-based approach which involves characteristics of an item and second collaborative filtering approaches which considers user's past behavior to evaluate its choices. This thesis proposes a fashion recommendation system which will recommend clothing images supported the style sort of the provided clothing images. In this work, we focus on the images of upper body as well as the lower body clothing and with human model in the images. We have created our own datasets through web scrapping of different ecommerce websites. In this

paper we have come up with an idea to build a content-based recommendation system.

2.LITERATURE SURVEY

2.1 Problem Statement

DESCRIPTION:

Authors:

Wen-Huang Cheng, Sijie Song, Chieh-Yun Chen, Shintami Chusnul Hidayati, Jiaying Liu

Abstract:

Fashion is the way we present ourselves to the world and has become one of the world's largest industries. Fashion, mainly conveyed by vision, has thus attracted much attention from computer vision researchers in recent years. Given the rapid development, this article provides a comprehensive survey of more than 200 major fashion-related works covering four main aspects for enabling intelligent fashion:

- (1) Fashion detection includes landmark detection, fashion parsing, and item retrieval;
- (2) Fashion analysis contains attribute recognition, style learning, and popularity prediction;
- (3) Fashion synthesis involves style transfer, pose transformation, and physical simulation; and
- (4) Fashion recommendation comprises fashion compatibility, outfit

matching, and hairstyle suggestion. For each task, the benchmark datasets and the evaluation protocols are summarized. Furthermore, we highlight promising directions for future research.

A Review of Modern Fashion Recommender Systems

Authors : Yashar Deldjoo, Fatemeh Nazary, Arnau Ramisa, Julian Mcauley, Giovanni

Pellegrini, Alejandro Bellogin, Tommaso Di Noia

Abstract: The textile and apparel industries have grown tremendously over the last years. Customers no longer have to visit many stores, stand in long queues, or try on garments in dressing rooms as millions of products are now available in online catalogs. However, given the plethora of options available, an effective recommendation system is necessary to properly sort, order, and communicate relevant product material or information to users. Effective fashion RS can have a noticeable impact on billions of customers' shopping experiences and increase sales and revenues on the provider-side. The goal of this survey is to provide a review of recommender systems that operate in the specific vertical domain of garment and fashion products. We have identified the most pressing challenges in fashion RS research and created a taxonomy that categorizes the literature according to the objective they are trying to accomplish (e.g., item or outfit recommendation, size recommendation, explainability, among others) and type of side-information (users, items, context). We have also

identified the most important evaluation goals and perspectives (outfit generation, outfit recommendation, pairing recommendation, and fill-in-the-blank outfit compatibility prediction) and the most commonly used datasets and evaluation metrics.

Recommender Systems Leveraging Multimedia Content

Author : Yashar Deldjoo, Markus Schedl,Paolo Cremonesi.Gabriella Pasi

Abstract: Recommender systems have become a popular and effective means to manage the ever-increasing amount of multimedia content available today and to help users discover interesting new items. Today's recommender systems suggest items of various media types, including au dio, text, visual (images), and videos. In fact, scientific research related to the analysis of multimedia content has made possible effective content-based recommender systems capable of suggesting items based on an analysis of the features extracted from the item itself. The aim of this survey is to present a thorough review of the state-of-the-art of recommender systems that leverage multimedia content, by classifying the reviewed papers with respect to their media type, the techniques employed to extract and represent their content features, and the recommendation algorithm. Moreover, for each media type, we discuss various domains in which multimedia content plays a key role in human decision-making and is therefore considered in the recommendation process. Examples of the

identified domains include fashion, tourism, food, media streaming, and e-commerce. Apparel recommendation system evolution: an empirical review.

Authors:


Congying Guan, Shengfeng Qin, Wessie Ling, Guofu Ding Abstract:

With the developments of e-commerce markets. novel recommendation technologies are becoming an essential part of many online retailers' economic models to help drive online sales. Initially, the purpose of this paper is to undertake an investigation of apparel recommendations in the commercial market in order to verify the research value and significance. Then, this paper reviews apparel recommendation techniques and systems through academic research, aiming to acquaint apparel recommendation context, summarize the pros and cons of various research methods, identify research gaps and eventually propose new research solutions to benefit apparel retailing market.

3. IDEATION & PROPOSED SOLUTION

3.1 Empathy Map Canvas:

EMPATHY MAP



3.2 Ideation:

CUSTOMER CARE REGISTRY

- 1. Customer Care Registry is an application that has been developed to help the customer in processing their complaints. The customers can raise the ticket with a detailed description of the issue. An Agent will be assigned to the Customer to solve the problem. Whenever the agent is assigned to a customer they will be notified with an email alert. Customers can view the status of the ticket till the service is provided. An online comprehensive Customer Care Solution is to manage customer interaction and complaints with the Service Providers through e-mail. The system should have capability to integrate with any Service Provider from any domain or industry like Banking. Telecom, Insurance, etc. Customer Service may be provided by a Person or Sales & Service Representatives Customer Service is normally an integral part of a company's customer value proposition.
- 2. Customer Service also known as Client Service is the provision of service to customers its significance varies by product, industry and domain. In many cases customer services is more important if the purchase relates to a service as opposed to a product. Designing the proposed system would enable the faraway customers to render

complain easily and swiftly and the system would help the organization to address the issue of proper documentation and retrieval of their customer's complaints. The customers were classified into two segment that is corporate customers who were 180 and domestic customers who were 460 totalling to 640. Probability random and stratified random sampling techniques were used to select 90 corporate customers and 230 domestic customers for the study sample size.

3. The customer relationship management (CRM) is a set of technological solutions key for efficient business management, the benefits of which, highlighted by previous works, are presented and defined here as crucial for entrepreneurial success. Of particular interest for this purpose are the existing studies on sustainability, which provide a viable research model to assess and validate the potential effect of each CRM component (sales, marketing, and services) on the three dimensions of sustainability (economic, environmental, and social). Service to consumers is very important in increasing the satisfaction of its customers, due to the company customers is the most important asset in which consumers provide its significant in the development of the company's reputation.


3.3 Proposed Solution:

S.N	Parameter	Description		
0				
1.	Problem Statement	Recommending trending fashion.		
	(Problem to besolved)	Suggesting users matched		
		fashions.		
2.	Idea / Solution description	In this platform, there are		
		numerous		
		choices are available, an efficient		
		recommendation system is		
		required to		

		sort, order, and efficiently
		•
		convey
		relevant product content or
		information
		to users.
		The chatbot can give
		recommendations
		to the users based on their
		interests. It
		can promote the best deals and
		offers
		on that day.
3.	Novelty / Uniqueness	Instead of navigating to
		several screens
		for booking products
		online, the user
		can directly talk to
		Chatbot regarding
		the products.
		Get the recommendations
		based on
		information provided by
		the user.
		Using chatbot we can
		manage user's
		choices and orders.
4.	Social Impact / CustomerSatisfaction	User can see what is on
	Customersatisfaction	trending.

		User will get updated on
		trending and exclusive offers.
5.	Business Model	Revenue can be generated by
	(RevenueModel)	selling
		the products and they can get
		offers on
		any occasions or upcoming
		festivals.
		The revenue can also be obtained
		by
		maintaining customers services
		when
		they needed, for that services it
		can be
		charged for it.
6.	Scalability of the Solution	Through this, the user can get the
		right
		fashion to the right person.

3.4 Problem Solution Fit:



4. REQUIREMENT ANALYSIS

4.1 Functional Requirement:

FR	Functional	Sub Requirement (Story / Sub-Task)
No.	Requirement(Epic)	


FR-1	User Registration	Registration through Form	
		Registration through Gmail	
FR-2	User Confirmation	Confirmation	
		via Email	
		Confirmation	
		via OTP	
FR-3	Orders	As a user, can order the product	
		through online shopping	
FR-4	Chatbot	To finding the	
		feelgood product	
		by using	
		automated	
		chatbot	
FR-5	Billing	Numerous	
		payment	
		option like	
		google pay,	
		amazon pay	
FR-6	Data Management	Manage the data of weather	
		conditions Manage the data	
		of crop conditions Manage	
		the data of live stock	
		conditions	

4.2 Non-Functional Requirement:

	Non- Function al Require ment	Descrip tion		
NFR	Usability	Regardless of the size of your		
-1		business, the website of your		
		business should be easy to use for		
		even a non-technical user		
NFR	Security	This NFR deals with the security of the user data		
-2		captured by the applications against any breach.		
NFR	Reliability	It is also considered for the different admin roles		
-3		by which you can control who can create, view,		
		copy, change or delete information.		
NFR	Performa	For increasing the traffic on your website, you		
-4	nce	have to give special attention to the		
		performance.		
NFR	Availabilit	Auto scaling, availablity zones, Elastic load		
-5	y	balancing.		
NFR -6	Scalability	Scalability is a measure of a system being able to appropriately handle the increase/decrease in workload.		

5.PROJECT DESIGN

5.1 Data Flow Diagaram:




5.2 User Stories:

r tiona Story Task Typ I Numbe e Req r	е
--	---

	irem ent (Epi c)					
Custo mer (Mobil euser)	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password.	I can access my account /dashboard	High	Sprint-1
		USN-2	As a user, I will receive confirmation email once I have registered for the application	I can receive confirmationemail & click confirm	High	Sprint-1
		USN-3	As a user, I can register for the applicatio n through Gmail		Mediu m	Sprint-1
	Login	USN-4	As a user, I can log into the applicatio n byenterin g email & password		High	Sprint-1
Custo m er (Web user)	Dashboard	USN-5	As a User can viewthe dashboard, and this dashboard include the check roles of accessand thenmove to the manage modules.	I can view the dashboard in this smart farming applicatio n system.	High	Sprint 2
		USN-6	User can remotely	In the smart farmingapp	High	Sprint 3

		access the		
		motor switch		
Adminis		As a user		
trator		once view		Sprint 2
		the manage		
		modules this		
		describes		
		the Manage		
		system		
		Admins and		
		Manage		
		Roles of		
		User and etc.		

5.3 Solution Architecture:



5.4 Technology Stack (Architecture & Stack):

Components & Technologies:

Component	Description	Technology
1. User Interface	User interaction with	HTML, CSS, Bootstrap,
	application e.g Web UI &	Javscript
	Chatbot	
2. Application Logic	Logic for a process in	Python- Flask
	the application	
3. Email Service	For verify user and	SendGrid
	mail ads	
4. Chatbot	Get details from user	IBM Watson Assistant
	and store	
5. Cloud Database	Database Srvie on	IBM DB2
	cloud	
6. Infrastructure	Application Deployment on	Docker, Cloud Foundry,
	Cloud system	Kubernetes, etc.

Application Characteristics:

Component	Description	Technology
1. Open Source	Used Web Technologies	HTML, CSS, JS, Python,
Frameworks		Flask
2. Security	User verfication	SendGrid
Implementations	through Email	
	Service	
3. Scalable Architecture	Run the app in Local	Docker and Kubernetes
	and Cloud System	
4. Availabiilty	Justify the availability	Docker and Kubernetes
	of application(e.g. use	
	of load balancers,	
	distributed servers etc.)	
5. Performance	Design consideration	IBM Cloud, Kubernetes
	for the performance of	Cluster,
	the application etc.	Container Registry

6.PROJECT PLANNING & SCHEDULING

6.1 Sprint Planning & Estimation:

Sprint	Functional Requirement (Epic) User Story Number User Story/ Task		Story Points	Priority	TeamMembers	
Sprint-1	AdminPanel	USN-1	As a Admin,	20	High	S ARCHANA J JANANI G JESSICA A KARUNYA SWEETLIN
Sprint-2	User Panel	USN-2	As a user, Register , Login , EmailVerification ManualSearch Order placement, OrderDetails	20	High	S ARCHANA J JANANI G JESSICA A KARUNYA SWEETLIN
Sprint-3	ChatBot	USN-3	Automatic product search based on user information Can make order without any manual process	20	High	S ARCHANA J JANANI G JESSICA A KARUNYA SWEETLIN

Sprint-4	Testing & Deploy	USN-4	UnitTesting Containerizethe app Deploymentin IBM CLOUD	20	High	S ARCHANA J JANANI G JESSICA A KARUNYA SWEETLIN	
----------	------------------	-------	--	----	------	--	--

6.2 Sprint Delivery Schedule:

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)	
Sprint-1	20	6 Days	24 Oct 2022	29 Oct 2022	20	29 Oct 2022	
Sprint-2	20	6 Days	31 Oct 2022	05 Nov 2022	20	05 Nov 2022	
Sprint-3	20	6 Days	07 Nov 2022	12 Nov 2022	20	12 Nov 2022	
Sprint-4	20	6 Days	14 Nov 2022	19 Nov 2022	20	19 Nov 2022	

6.3 Reports from JIRA

| STRA.4 Creating Carding Registance for application | STRA.50. Creating Category products and user det. | STRA.50. Creati

7. CODING & SOLUTIONING


7.1 Feature 1

Using chatbot we can manage user's choices and orders.




7.2 Feature 2

Chatbot promote the best deals and offers on that day.



7.3 Database Schema



8.TESTING

8.1 Test cases

This report shows the number of test cases that have passed , failed , untested

Section	Total Cases	Not Tested	Fail	Pass
Login	5	0	0	5
Register	7	0	0	7
Home Page	2	0	0	2
Order page	3	0	0	3
Order products	9	0	0	9
Final Report Output	4	0	0	4
Version Control	2	0	0	2

8.2 User Acceptance Testing

Resolution	Severity 1	Severity 2	Severity 3	Severity 4	Subtotal
By Design	5	5	2	3	21
Duplicate	1	0	3	0	4
External	2	3	0	1	6
Fixed	11	2	4	20	37
Not Reproduced	0	0	1	0	1
Skipped	0	0	1	1	2
Won't Fix	0	5	2	1	8
Totals	24	14	13	26	77

9.RESULTS

9.1 Performance metrics

					NFT - Risk Asse	ssment			
S.No	Project Name	Scope/feature	Functional Changes	Hardware Changes	Software Changes	Impact of Downtime	Load/Voluem Changes	Risk Score	Justification
1	Smart Fashion Recommender Application	hex	Lów	No Changes	Moderate		>5 to 10%	DRANGE	As we have seen the changes
_									
					NFT - Detailed	est Plan			
			SNo	Project Overview	NFT Test approach	Assumptions/Dependencies/Risks	Approvals/SignOff		
				Smart Fash on Recommender Application	Manua testing	lagrop or mobile with internet connection	n viparaneshwaran		
					End Of Test F	leport			
S.No	Project Overview	NFT Test approach	NR-Met	Test Outcome	GO/NO-GO decision	Recommendations	Identified Defects (Detected/Closed/Open)	Approvals/SignOff	
	Smart Fashion Recommender Application	Wanule		Worked as we expected		Use Laptop / desktop Mode	No Defects	Vkparameshwaran	

10 ADVANTAGES AND DISADVANTAGES

Advantages:

The proposed system shows that it can process the user's clothes from the images, identify the type and color of the outfit and finally recommend the most suitable outfit for the given occasion based on the user's existing clothes. The system provides a wardrobe, where users can store images of clothes that they have. Each user is associated with a wardrobe. We explore machine and deep learning techniques to classify the type of clothes from images and to identify the color of the clothes. Finally, we propose an algorithm that is used to recommend matching clothes.

Disadvantages:

The importance of a recommendation system has increased over the years and will continue owing to its various features. A recommendation system can help you improve your revenue by suggesting the customer a perfect product or service; it can also help a business in marketing campaigns and track their customers. Needless to say, a recommendation system has smoothly become a part of the majority of digital stores and the SaaS industry. However, there are a few challenges that come along with a recommendation system, which are –

1.Lack of User Activity:

A recommendation system majorly depends on the activities performed by multiple users. It studies different users' behavior and then lists the products or services according to their activity and feedback. However, if many users buy the same product but do not leave any feedback or ratings, it becomes difficult for the recommendation system to recommend that particular product.

2. New Item Introduction:

When a new item is introduced on a website that is already using a recommendation system, it will not recommend it until and unless a user buys it. This shelves down the possibility of a good product coming into the limelight.

3. Changing Trends:

We all know-how in a blink of an eye, trends can change. One day it could be blue jeans that are trending, and one day suddenly, there is a trend of cargo pants. A recommendation system is accustomed to such a quick change in trend.

11 CONCLUSION

The Fashion Recommendation System is mainly used to recommend the best possible outfit combinations to a user who has no fashion sense based on their wardrobe. It may not always provide the best possible outfit to wear for an occasion as the system is dependent completely on the clothes present in the user's wardrobe. Also another reason is that fashion is highly dependent on the time period. However the system does a great job in inculcating a fashion sense among the users and can provide the best recommendations based on the user's wardrobe. Since the system is implemented as a website, it is very easy for the end users to access as well as use. The scope of this system can be expanded by including the ability to detect the various design and patterns on clothing, and to increase the number of occasions.

12 FUTURE SCOPE

In this section, we suggest some future research directions for fashion recommender systems. Considering the rapid growth of multimedia data, where visual information will be the critical component. More in-depth research in applications of multi-model fusion and multi-task learning in fashion recommender systems are required to model recommender system to be capable of profiling users comprehensively. Besides, while the majority of researches in fashion recommender systems is mainly based on similarity-based retrieval techniques, there is a need for more studies in the development of new functions such as designing clothes, which are highly demanded in future fashion recommender systems. Furthermore, most of the current fashion datasets do not contain outfit compatibility annotations, or they are limited in terms of size and the type of annotations they provide. Consequently, most researchers built their dataset, which is a labor-costing process, and most of them are not accessible publicly for further research. So, the other future direction for subsequent studies may be focusing on developing automatic annotation methods, constructing large-scale rich annotated data sets for particular task definitions in fashion recommender systems. From an ethical

perspective in fashion recommender systems also there is a need for performing the comprehensive study since it has not been studied in almost any of the researches, which have been reviewed through this thesis.

13 APPENDIX

Source code

Python code

```
from turtle import st
from flask import Flask, render_template, request, redirect, url_for,
session
from markupsafe import escape
import os
import ibm_db
conn =
ibm db.connect("DATABASE=bludb;HOSTNAME=0c77d6f2-5da9-
48a9-81f8-
86b520b87518.bs2io90l08kqb1od8lcg.databases.appdomain.cloud;P
ORT=31198;SECURITY=SSL;SSLServerCertificate=DigiCertGlobal
RootCA.crt;UID=rvq09623;PWD=pI2a185OYJIchgp8",",")
print(conn)
print("connection successful...")
app = Flask(_name )
@app.route('/')
def home():
return render template('index.html')
@app.route('/register')
def register():
 return render_template('register.html')
@app.route('/signin')
def signin():
 return render_template('signin.html')
@app.route('/product.html')
def product():
```

```
return render_template('product.html')
@app.route('/addrec',methods = ['POST', 'GET'])
def addrec():
 if request.method == 'POST':
name = request.form['name']
  mail = request.form['number']
  city = request.form['psw']
  pin = request.form['psw-repeat']
  sql = "SELECT * FROM user WHERE name =?"
  stmt = ibm_db.prepare(conn, sql)
  ibm_db.bind_param(stmt,1,name)
  ibm db.execute(stmt)
  account = ibm db.fetch assoc(stmt)
 if account:
   return render template('list.html', msg="You are already a
member, please login using your details")
  else:
   insert_sql = "INSERT INTO user VALUES (?,?,?,?)"
   prep_stmt = ibm_db.prepare(conn, insert_sql)
   ibm_db.bind_param(prep_stmt, 1, name)
   ibm_db.bind_param(prep_stmt, 2, mail)
   ibm_db.bind_param(prep_stmt, 3, city)
   ibm_db.bind_param(prep_stmt, 4, pin)
   ibm_db.execute(prep_stmt)
  return render_template(' new home.html', msg="user Data saved
successfuly..")
@app.route('/list')
def list():
 students = []
 sql = "SELECT * FROM user"
 stmt = ibm_db.exec_immediate(conn, sql)
 dictionary = ibm_db.fetch_both(stmt)
 while dictionary != False:
  # print ("The Name is : ", dictionary)
```

```
students.append(dictionary)
  dictionary = ibm_db.fetch_both(stmt)
 if students:
  return render_template("list.html", students = students)
@app.route('/delete/<name>')
def delete(name):
 sql = f"SELECT * FROM Students WHERE
name='{escape(name)}'"
 print(sql)
 stmt = ibm_db.exec_immediate(conn, sql)
 student = ibm db.fetch row(stmt)
 print ("The Name is : ", student)
 if student:
  sql = f"DELETE FROM Students WHERE
name='{escape(name)}'"
  print(sql)
  stmt = ibm db.exec immediate(conn, sql)
  students = []
  sql = "SELECT * FROM Students"
  stmt = ibm_db.exec_immediate(conn, sql)
  dictionary = ibm db.fetch both(stmt)
  while dictionary != False:
  students.append(dictionary)
   dictionary = ibm_db.fetch_both(stmt)
  if students:
   return render_template("list.html", students = students,
msg="Delete successfully")
if _name_ == "_main_":
  port = int(os.environ.get('PORT', 5000))
  app.run(debug=True, host='0.0.0.0', port=port)
About us.html
<!DOCTYPE html>
<html lang="en" dir="ltr">
```

```
<head>
  <meta charset="utf-8">
  <title></title>
  <link rel="stylesheet" href="../static/css/about us.css">
  <meta name="viewport" content="width=device-width, initial-</pre>
sclae=1.0">
 </head>
 <body>
   <div class="about-section">
    <div class="inner-width">
      <h1>About Us</h1>
      <div class="border"></div>
      <div class="about-section-row">
       <div class="about-section-col">
        <div class="about">
```

Classy Messy is another great ecommerce website climbing its way to the top.

You can find great clothes and fashion accessories on this website with a huge variety of products in all categories.

We offer great discounts to grab the attention and bring more customers and have a wide range of clothes from different brands.

```
<a href="#">Read More</a>
</div>
</div>
<div class="about-section-col">
<div class="skills">
<div class="skill">
<div class="title">Trendy collection</div>
<div class="progress">
<div class="progress">
<div class="progress-bar p1"><span>90%</span></div>
</div>
</div>
</div>
</div>
```

```
<div class="title">Brands</div>
          <div class="progress">
           <div class="progress-bar p2"><span>70%</span></div>
          </div>
         </div>
         <div class="skill">
          <div class="title">Cost</div>
          <div class="progress">
           <div class="progress-bar p3"><span>50%</span></div>
          </div>
         </div>
        </div>
       </div>
     </div>
    </div>
   </div>
 </body>
</html>
```

Conduct.html

```
</div>
          <div class="container">
          <div class="contactInfo">
               <div class="box">
                    <div class="icon"></div>
                    <div class="text">
                          <h3>Address</h3>
                          4671 Sugar
camp,<br>>omalur,<br>>Salem-636001
                    </div>
               </div>
               <div class="box">
               <div class="icon"></div>
                    <div class="text">
                          <h3>Phone</h3>
                          8736541801
                    </div>
          </div>
          <div class="box">
          <div class="icon"></div>
                    <div class="text">
                          <h3>Email</h3>
                          classymessy10@gmail.com
                    </div>
               </div>
          </div>
          <div class="contactForm">
               <form>
                    <h2>send Message</h2>
                    <div class="inputBox">
                          <input type="text" name=""</pre>
required="required">
                          <span>Full Name</span>
                    </div>
                    <div class="inputBox">
                          <input type="text" name=""</pre>
required="required">
```

```
<span>Email</span>
                     </div>
                     <div class="inputBox">
                           <input type="text" name=""</pre>
required="required">
                           <span>Type your Message ...</span>
                     </div>
                     <div class="inputBox">
                           <input type="submit" name=""
value="Send">
                     </div>
</form>
     </div>
</div>
</section>
</body>
</html>
```

Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
  <title>HOME PAGE</title>
 <link rel="stylesheet" href="../static/css/style.css">
 <link href="../static/css/style.css" rel="stylesheet">
</head>
<body>
  <script>
    window.watsonAssistantChatOptions = {
     integrationID: "31a007c7-aa05-4eb0-9c20-1396f0340b92", //
The ID of this integration.
```

```
region: "au-syd", // The region your integration is hosted in.
     serviceInstanceID: "e75d7eea-f6a5-4958-a746-37899c9f3586",
// The ID of your service instance.
     onLoad: function(instance) { instance.render(); }
    };
    setTimeout(function(){
     const t=document.createElement('script');
     t.src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
     document.head.appendChild(t);
    });
   </script>
 <header>
  <div class="logo"><a href="#">Classy Messy</a></div>
  <div class="menu">
    <a href=""><ion-icon name="close" class="close"></ion-
icon></a>
    \langle ul \rangle
     <a href="#" class="under">HOME</a>
     <a href="product.html" class="under">SHOP</a>
     <a href="#" class="under">OUR PRODUCTS</a>
     <a href="#" class="under">CONTACT US</a>
     <a href="#" class="under">ABOUT US</a>
     <a href="#" class="under">LOGIN</a>
    </div>
  <div class="search">
    <a href=""><input type="text" placeholder="search products"
id="input">
     <ion-icon class="s" name="search"></ion-icon>
    </a>
  </div>
  <div class="heading">
    <111>
     <a href="new home.html" class="under">HOME</a>
```

```
<a href="#" class="under">SHOP</a>
     <a href="product.html" class="under">OUR
PRODUCTS</a>
     <a href="contact.html" class="under">CONTACT</a>
US</a>
     <a href="about us.html" class="under">ABOUT
US</a>
     <a href="sign in .html" class="under">LOGIN</a>
    </div>
  <div class="heading1">
    <ion-icon name="menu" class="ham"></ion-icon>
  </div>
 </header>
 <section>
  <div class="section">
    <div class="section1">
     <div class="img-slider">
      <img src="https://wallpapercave.com/wp/wp3130193.jpg"</pre>
       alt="" class="img">
      <img src="https://www.junowebdesign.com/wp-</pre>
content/uploads/2019/07/FashioneCommerce-desktop-news-post-
1615x832-c-default.jpg"
       alt="" class="img">
      <img src="https://images.pexels.com/photos/2292953/pexels-</pre>
photo-2292953.jpeg?auto=compress&cs=tinysrgb&dpr=2&w=500"
       alt="" class="img">
      <img src="https://www.corporatevision-news.com/wp-</pre>
content/uploads/2020/10/fashion-ecommerce.jpg"
       alt="" class="img">
      <img src="https://images.pexels.com/photos/1598505/pexels-</pre>
photo-
1598505.jpeg?auto=compress&cs=tinysrgb&dpr=2&h=750&w=1260
       alt="" class="img">
     </div>
    </div>
```

```
<div class="section2">
     <div class="container">
      <div class="items">
       <div class="img img1"><img</pre>
          src="https://assets.ajio.com/cms/AJIO/WEB/04112022-D-
MHP-celebassociations-adidas-min50.jpg"
          alt=""></div>
          <div class="name">MEN'S HODDIES</div>
        </div>
      <div class="items">
       <div class="img img2"><img</pre>
          src="https://assets.ajio.com/cms/AJIO/WEB/04112022-D-
MHP-topbrands-reebok-3060.jpg"
          alt=""></div>
       <div class="name">MEN's SHOES</div>
      </div>
      <div class="items">
       <div class="img img3"><img</pre>
          src="https://assets.ajio.com/cms/AJIO/WEB/04112022-D-
MHP-bestofbrands-jack&jones-4070.jpg"
          alt=""></div>
       <div class="name">JEANS</div>
      </div>
      <div class="items">
       <div class="img img1"><img</pre>
          src="https://assets.ajio.com/cms/AJIO/WEB/04112022-D-
MHP-wowwinterstyles-brands-min40.jpg"
          alt=""></div>
       <div class="name">MEN's T SHIRTS</div>
      </div>
      <div class="items">
       <div class="img img1"><img</pre>
          src="https://assets.ajio.com/cms/AJIO/WEB/04112022-D-
MHP-westernwear-tshirt-brands-startingat399.jpg"
          alt=""></div>
```

```
<div class="name">MEN'S SHIRTS</div>
      </div>
      <div class="items">
       <div class="img img1"><img</pre>
         src="https://assets.ajio.com/cms/AJIO/WEB/04112022-D-
MHP-stylishbrands-allensolly-min40.jpg"
         alt=""></div>
       <div class="name">BLAZER</div>
      </div>
      <div class="items">
       <div class="img img1"><img</pre>
         src="https://assets.ajio.com/cms/AJIO/WEB/04112022-
WHP-D-AJIOMANIA-sponsorbrands-p3-veromoda-40to60.jpg"
         alt=""></div>
       <div class="name">WESTERN</div>
      </div>
      <div class="items">
       <div class="img img1"><img</pre>
         src="https://assets.ajio.com/cms/AJIO/WEB/04112022-
WHP-D-AJIOMANIA-exclusiveonajio-p4-avaasa-min30.jpg"
         alt=""></div>
       <div class="name">KURTHAS</div>
      </div>
      <div class="items">
       <div class="img img1"><img</pre>
         src="https://assets.ajio.com/cms/AJIO/WEB/25102022-
WHP-D-AllStarsDiwali-winterwear-p1-tommyhilfiger-fortcollins-
30to50.jpg"
         alt=""></div>
       <div class="name">WOMEN'S HODDIES</div>
      </div>
      <div class="items">
       <div class="img img1"><img</pre>
         src="https://assets.ajio.com/cms/AJIO/WEB/04112022-
WHP-D-AJIOMANIA-ethnicwear-p2-satrani-soch-min50.jpg"
         alt=""></div>
```

```
<div class="name">SAREES</div>
      </div>
      <div class="items">
       <div class="img img1"><img</pre>
         src="https://assets.ajio.com/cms/AJIO/WEB/04112022-
WHP-D-AJIOMANIA-topbrands-p8-carltonlondon-30to60.jpg"
         alt=""></div>
       <div class="name">SLIPPERS</div>
      </div>
      <div class="items">
       <div class="img img1"><img</pre>
          src="https://assets.ajio.com/cms/AJIO/WEB/04112022-
WHP-D-AJIOMANIA-ethnicwear-p4-baggit-lavie-starting599.jpg"
          alt=""></div>
       <div class="name">HAND BAGS</div>
      </div>
      <div class="items">
       <div class="img img1"><img</pre>
         src="https://assets.ajio.com/cms/AJIO/WEB/04112022-D-
KHP-winterwonderland-brands-upto50.jpg"
          alt=""></div>
       <div class="name">NEW BORN DRESS</div>
      </div>
      <div class="items">
       <div class="img img1"><img</pre>
         src="https://assets.ajio.com/cms/AJIO/WEB/04112022-D-
KHP-bestbrands-ucb-3060.jpg"
         alt=""></div>
       <div class="name">GIRLS WEAR</div>
      </div>
      <div class="items">
       <div class="img img1"><img</pre>
         src="https://assets.ajio.com/cms/AJIO/WEB/04112022-D-
KHP-bestbrands-indianterrainboy-min40.jpg"
          alt=""></div>
```

```
<div class="name">BOYS WEAR</div>
      </div>
      <div class="items">
       <div class="img img1"><img</pre>
         src="https://assets.ajio.com/cms/AJIO/WEB/04112022-D-
KHP-premiumbrands-hoppipola-starting199.jpg"
         alt=""></div>
       <div class="name">KIDS SHOES</div>
      </div>
      <div class="items">
       <div class="img img1"><img</pre>
         src="https://assets.ajio.com/cms/AJIO/WEB/04112022-D-
KHP-shopbyoccasion-festivecelebrations-3070.jpg"
         alt=""></div>
       <div class="name">FESTIVAL WEAR</div>
      </div>
      <div class="items">
       <div class="img img1"><img</pre>
         src="https://assets.ajio.com/cms/AJIO/WEB/04112022-D-
KHP-premiumbrands-and-3060.jpg"
          alt=""></div>
       <div class="name">KIDS WESTER WEAR</div>
      </div>
     </div>
    </div>
   </div>
 </section>
 <footer>
   <div class="footer0">
    <h1>Classy Messy</h1>
   </div>
   <div class="footer1">
    Connect with us at<div class="social-media">
     <a href="#">
      <ion-icon name="logo-facebook"></ion-icon>
```

```
</a>
  <a href="#">
   <ion-icon name="logo-linkedin"></ion-icon>
  </a>
  <a href="#">
   <ion-icon name="logo-youtube"></ion-icon>
  </a>
  <a href="#">
   <ion-icon name="logo-instagram"></ion-icon>
  </a>
  <a href="#">
   <ion-icon name="logo-twitter"></ion-icon>
  </a>
 </div>
</div>
<div class="footer2">
 <div class="product">
  <div class="heading">Products</div>
  <div class="div">Sell your Products</div>
  <div class="div">Advertise</div>
  <div class="div">Pricing</div>
  <div class="div">Product Buisness</div>
 </div>
 <div class="services">
  <div class="heading">Services</div>
  <div class="div">Return</div>
  <div class="div">Cash Back</div>
  <div class="div">Affiliate Marketing</div>
  <div class="div">Others</div>
 </div>
 <div class="Company">
  <div class="heading">Company</div>
  <div class="div">Complaint</div>
  <div class="div">Careers</div>
  <div class="div">Affiliate Marketing</div>
  <div class="div">Support</div>
 </div>
```

Product.html

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
 <head>
  <meta charset="utf-8">
  <title>Product Page - FantacyDesigns</title>
  <link rel="stylesheet" href="../static/css/product.css">
  <script
src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.4.1/jquery.min.js"
charset="utf-8"></script>
 </head>
 <body>
 <div class="card">
  <div class="left">
   <img
src="https://www.dropbox.com/s/e928cht0h5crcn4/shoe.png?raw=1"
alt="shoe">
   <i class="fa fa-long-arrow-left"></i>
   <i class="fa fa-long-arrow-right"></i>
  </div>
```

```
<div class="right">
   <div class="product-info">
    <div class="product-name">
     <h1>Airmax Speed Beams</h1>
     <i class="fa fa-search"></i>
     <i class="fa fa-user"></i>
     <i class="fa fa-shopping-cart"></i>
    </div>
    <div class="details">
     <h3>Winter Collection</h3>
     <h2>Men Stylish Sneakers</h2>
     <h4><span class="fa fa-dollar"></span>150</h4>
     <h4 class="dis"><span class="fa fa-dollar"></span>200</h4>
    </div>
    <111>
     SIZE
     cli class="bg">7
     cli class="bg">8
     cli class="bg">9
     cli class="bg">10
     cli class="bg">11
    \langle ul \rangle
     COLOR
     cli class="yellow">
     cli class="black">
     cli class="blue">
    <span class="foot"><i class="fa fa-shopping-bag"></i>Buy
Now</span>
    <span class="foot"><i class="fa fa-shopping-cart"></i>Add TO
Cart</span>
   </div>
  </div>
 </div>
 </body>
```

Register.html

```
<head>
<title>REGSITRATION</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-</pre>
scale=1">
<link rel="icon" type="image/png"</pre>
href="images/icons/favicon.ico"/>
k rel="stylesheet" type="text/css"
href="vendor/bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" type="text/css" href="fonts/font-awesome-</pre>
4.7.0/css/font-awesome.min.css">
<link rel="stylesheet" type="text/css"</pre>
href="fonts/iconic/css/material-design-iconic-font.min.css">
k rel="stylesheet" type="text/css"
href="vendor/animate/animate.css">
<link rel="stylesheet" type="text/css" href="vendor/css-</pre>
hamburgers/hamburgers.min.css">
<link rel="stylesheet" type="text/css"</pre>
href="vendor/animsition/css/animsition.min.css">
k rel="stylesheet" type="text/css"
href="vendor/select2/select2.min.css">
k rel="stylesheet" type="text/css"
href="vendor/daterangepicker/daterangepicker.css">
<link rel="stylesheet" type="text/css" href="../static/css/sign in.css">
<link rel="stylesheet" type="text/css" href="../static/css/sign in.css">
</head>
<body background="https://wallpapercave.com/wp/wp3130193.jpg">
<div class="limiter">
<div class="container-login100" style="background-image:</pre>
url('images/bg-01.jpg');">
<div class="wrap-login100">
<form class="login100-form validate-form">
```

```
<i class="zmdi zmdi-landscape"></i>
</span>
<span class="login100-form-title p-b-34 p-t-27">
Regsiter
</span>
<div class="wrap-input100 validate-input" data-validate = "Enter</pre>
username">
<input class="input100" type="text" name="username"</pre>
placeholder="Username">
<span class="focus-input100" data-</pre>
placeholder=""></span>
</div>
<div class="wrap-input100 validate-input" data-validate = "Phone</pre>
Number">
  <input class="input100" type="text" name="username"</pre>
placeholder="Phone Number">
  <span class="focus-input100" data-</pre>
placeholder=""></span>
  </div>
<div class="wrap-input100 validate-input" data-validate="Enter</pre>
password">
<input class="input100" type="password" name="pass"</pre>
placeholder="Password">
<span class="focus-input100" data-</pre>
placeholder=""></span>
</div>
<div class="wrap-input100 validate-input" data-validate = "Confirm</pre>
Password">
  <input class="input100" type="text" name="username"</pre>
placeholder="Confirm Password">
  <span class="focus-input100" data-</pre>
placeholder=""></span>
  </div>
```

```
<div class="contact100-form-checkbox">
<input class="input-checkbox100" id="ckb1" type="checkbox"</pre>
name="remember-me">
<label class="label-checkbox100" for="ckb1">
Remember me
</label>
</div>
<div class="container-login100-form-btn">
<button class="login100-form-btn">
Regsiter
</button>
</div>
<div class="text-center p-t-90">
<a class="txt1" href="#">
Forgot Password?
</a>
</div>
</form>
</div>
</div>
</div>
<div id="dropDownSelect1"></div>
<script src="vendor/jquery/jquery-3.2.1.min.js"></script>
<script src="vendor/animsition/js/animsition.min.js"></script>->
<script src="vendor/bootstrap/js/popper.js"></script>
<script src="vendor/bootstrap/js/bootstrap.min.js"></script>
<script src="vendor/select2/select2.min.js"></script>
<script src="vendor/daterangepicker/moment.min.js"></script>
<script src="vendor/daterangepicker/daterangepicker.js"></script>
<script src="vendor/countdowntime/countdowntime.js"></script>
<script src="js/main.js"></script>
```

```
</body>
```

Sign in.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<title> Login form</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-</pre>
scale=1">
<link rel="icon" type="image/png"</pre>
href="images/icons/favicon.ico"/>
<link rel="stylesheet" type="text/css"</pre>
href="vendor/bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" type="text/css" href="fonts/font-awesome-</pre>
4.7.0/css/font-awesome.min.css">
k rel="stylesheet" type="text/css"
href="fonts/iconic/css/material-design-iconic-font.min.css">
k rel="stylesheet" type="text/css"
href="vendor/animate/animate.css">
<link rel="stylesheet" type="text/css" href="vendor/css-</pre>
hamburgers/hamburgers.min.css">
<link rel="stylesheet" type="text/css"</pre>
href="vendor/animsition/css/animsition.min.css">
k rel="stylesheet" type="text/css"
href="vendor/select2/select2.min.css">
k rel="stylesheet" type="text/css"
href="vendor/daterangepicker/daterangepicker.css">
<link rel="stylesheet" type="text/css" href="../static/css/sign in.css">
<link rel="stylesheet" type="text/css" href="../static/css/sign in.css">
</head>
<body background="https://wallpapercave.com/wp/wp3130193.jpg">
<div class="limiter">
```

```
<div class="container-login100" style="background-image:</pre>
url('images/bg-01.jpg');">
<div class="wrap-login100">
<form class="login100-form validate-form">
<i class="zmdi zmdi-landscape"></i>
</span>
<span class="login100-form-title p-b-34 p-t-27">
Log in
</span>
<div class="wrap-input100 validate-input" data-validate = "Enter</pre>
username">
<input class="input100" type="text" name="username"</pre>
placeholder="Username">
<span class="focus-input100" data-</pre>
placeholder=""></span>
</div>
<div class="wrap-input100 validate-input" data-validate="Enter</pre>
password">
<input class="input100" type="password" name="pass"</pre>
placeholder="Password">
<span class="focus-input100" data-</pre>
placeholder=""></span>
</div>
<div class="contact100-form-checkbox">
<input class="input-checkbox100" id="ckb1" type="checkbox"</pre>
name="remember-me">
<label class="label-checkbox100" for="ckb1">
Remember me
</label>
</div>
<div class="container-login100-form-btn">
<button class="login100-form-btn">
```

```
Login
</button>
</div>
<div class="text-center p-t-90">
<a class="txt1" href="#">
Forgot Password?
</a>
</div>
</form>
</div>
</div>
</div>
<div id="dropDownSelect1"></div>
<script src="vendor/jquery/jquery-3.2.1.min.js"></script>
<script src="vendor/animsition/js/animsition.min.js"></script>->
<script src="vendor/bootstrap/js/popper.js"></script>
<script src="vendor/bootstrap/js/bootstrap.min.js"></script>
<script src="vendor/select2/select2.min.js"></script>
<script src="vendor/daterangepicker/moment.min.js"></script>
<script src="vendor/daterangepicker/daterangepicker.js"></script>
<script src="vendor/countdowntime/countdowntime.js"></script>
<script src="js/main.js"></script>
</body>
</html>
About us.css
body{
 margin: 0;
 padding: 0;
 font-family: "open sans", sans-serif;
background: #F4F4F4;
 background-size: cover;
```

```
height: 100%;
.about-section{
width: 70%;
background:#fff;
padding: 40px 0;
margin-left: auto;
margin-right:auto;
margin-top: 170px;
box-shadow: rgba(0, 0, 0, 0.15) 0px 5px 15px 0px;
border-radius: 30px;
border-left: 50px solid #3CEDA7;
border-right: 50px solid #3CEDA7;
.inner-width{
 max-width: 1000px;
 overflow: hidden;
 padding: 0 20px;
 margin: auto;
.about-section h1{
 text-align: center;
.border{
 width: 100px;
 height: 3px;
 background: #3CEDA7;
 margin: 40px auto;
.about-section-row{
 display: flex;
 flex-wrap: wrap;
.about-section-col{
```

```
flex: 50%;
.about{
 padding-right: 30px;
.about p{
 text-align: justify;
 margin-bottom: 20px;
 color: #7E7C7A;
 font-size: 17px;
.about a{
 display: inline-block;
 color: #7E7C7A;
 text-decoration: none;
 border: 2px solid #3CEDA7;
 border-radius: 24px;
 padding: 8px 40px;
 transition: 0.4s linear;
.about a:hover{
 color: #fff;
 background: #3CEDA7;
.skills{
 padding-left: 30px;
.skill{
 margin-bottom: 10px;
.title{
 color: #7E7C7A
.progress{
 width: 100%;
 height: 12px;
 background: #ddd;
```

```
border-radius: 12px;
}
.progress-bar{
 height: 12px;
 background: #3CEDA7;
 border-radius: 12px;
.p1{
 width: 90%;
.p2{
 width: 70%;
.p3{
 width: 50%;
.progress-bar span{
 float: right;
 margin-right: 6px;
 line-height: 13px;
 color: #fff;
 font-size: 12px;
@media screen and (max-width:700px) {
 .about-section-col{
  flex: 100%;
  margin: 10px 0;
 .about,.skills{
  padding: 0;
 .about{
  text-align: center;
```

Conduct.css

```
@import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@200;30
0;400;500;600;700;800;900&display=swap');
{
     margin: 0;
     padding: 0;
     box-sizing: border-box;
     font-family: 'Poppins', sans-serif;
.contact
     position: relative;
     min-height: 100vh;
     padding: 50px 100px;
     display: flex;
     justify-content: center;
     align-items: center;
     flex-direction: column;
     background:;
     background-size: cover;
.contact .content
 max-width: 800px;
 text-align: center;
.contact .content h2
font-size: 36px;
font-weight: 500;
color:black;
.contact .content
```

```
font-weight: 300;
 color:black;
.container
     width: 100%;
     display: flex;
     justify-content: center;
     align-items: center;
     margin-top: 30px;
.container .contactInfo
     width: 50%;
     display: flex;
     flex-direction: column;
.container .contactInfo .box
     position: relative;
     padding: 20px 0;
     display: flex;
.container .contactInfo .box .icon
     min-width: relative;
     height: 60px;
     background:black;
     display: flex;
     justify-content: center;
     align-items: center;
     border-radius: 50%;
     font-size: 22px;
.container .contactInfo .box .text
     display: flex;
```

```
margin-left: 20px;
     font-size: 16px;
     color:black;
     flex-direction: column;
     font-weight: 300;
.container .contactInfo .box .text h3
     font-weight: 500;
     color: #000000;
.contactForm
     width: 40%;
     padding: 40px;
     background: #fff;
.contactForm h2
     font-size: 30px;
     color: #333;
     font-weight: 500;
. contact Form \ . input Box
     position: relative;
     width: 100%;
     margin-top: 10px;
.contactForm .inputBox input,
. contact Form\ . input box\ textare a
     width: 100;
     padding: 5px 0;
     font-size: 16px;
     margin: 10px 0;
     border: none;
```

```
border-bottom: 2px solid #333;
     outline: none;
     resize: none;
.contactForm .inputBox span
     position: absolute;
     left: 0;
     padding: 5px 0;
     font-size: 16px;
     margin: 10px 0
     pointer-events: none;
     transition: 0.5s;
     color: #666;
.contactForm .inputBox input:focus ~ span,
.contactForm .inputBox input:valid ~ span,
.contactForm .inputBox textarea:focus ~ span,
.contactForm .inputBox textarea:valid ~ span
     color: #e91e63;
     font-size: 12px;
  transform: translate(-20px);
.contactForm .inputbox input[type="submit"]
     width: 100px;
     background: #00bcd4;
     color: #fff;
     border: none;
     cursor: pointer;
     padding: 10px;
     font-size: 18px;
@media(max-width: 991px)
```

```
.contact
           padding: 50px;
     .container
           flex-direction: column;
     .container .contactInfo
           margin-bottom: 40px;
     .container .contactInfo,
     .contactForm
           width: 100%;
Product.css
* {
 margin: 0;
 padding: 0;
body{
background-color:#2A2F40;
/*product info */
h1 {
 color: #ff6d39;
 font-family: "muli";
 font-weight: bold;
 font-size: 22px;
 margin-top: 21px;
```

```
display: inline-block;
i.fa.fa-search {
 margin-left: 90px;
.product-name i {
 color: #ffffff;
 transition: 0.3s all ease;
 margin: 0px 12px;
.product-name i:hover {
 color: #ff6d39;
 cursor: pointer;
}
h3 {
 color: #ffffff;
 font-family: "muli";
 margin-top: 84px;
 font-size: 20px;
 font-weight: 500;
h2 {
 color: #ffffff;
 font-family: "muli";
 margin-top: 10px;
 font-weight: 800;
 font-size: 29px;
}
h4 {
 display: inline-block;
 color: #ffffff;
```

```
font-family: "muli";
 margin-top: 10px;
 font-weight: bold;
 font-size: 20px;
h4.dis {
 display: inline-block;
 color: #ffffff;
 font-family: "muli";
 font-weight: 400;
 font-size: 17px;
 margin-left: 30px;
 text-decoration: line-through #ea3201;
h4.dis span {
 text-decoration: line-through #ea3201;
}
.discount {
 display: inline-block;
ul {
 list-style-type: none;
}
li {
 display: inline-block;
 margin-right: 25px;
ul li {
 color: #ffffff;
 font-family: "muli";
 margin-top: 20px;
```

```
font-weight: 500;
 font-size: 11px;
.bg {
 width: 15px;
 height: 15px;
 text-align: center;
 padding: 2px;
 margin-right: 20px;
 transition: 0.3s all ease;
 border-radius: 50%;
}
.bg:hover {
 background-color: #ff6d39;
 border-radius: 50%;
 width: 15px;
 height: 15px;
 cursor: pointer;
}
.yellow {
 content: "";
 width: 13px;
 height: 13px;
 background-color: #fec60f;
 border-radius: 50%;
 border: 2px solid rgba(0, 0, 0, 0);
 transition: 0.3s all ease;
.black {
 content: "";
 width: 13px;
 height: 13px;
 background-color: #000000;
```

```
border-radius: 50%;
 border: 2px solid rgba(0, 0, 0, 0);
 transition: 0.3s all ease;
.blue {
 content: "";
 width: 13px;
 height: 13px;
 background-color: #02a2ca;
 border-radius: 50%;
 border: 2px solid rgba(0, 0, 0, 0);
 transition: 0.3s all ease;
.yellow:hover,
.black:hover,
.blue:hover {
 border: 2px solid #f76b39;
 width: 13px;
 height: 13px;
 border-radius: 50%;
 cursor: pointer;
.foot {
 color: #ffffff;
 font-family: "muli";
 margin-top: 20px;
 margin-right: 50px;
 font-weight: 500;
 font-size: 11px;
 float: left;
 transition: 0.3s all ease;
.foot i:nth-child(1) {
```

```
margin-left: 0;
 margin-right: 15px;
.foot:hover {
 color: #f76b39;
 cursor: pointer;
}
/shoe slider indicator/
.left i {
 color: #ffd5c6;
 margin-top: 260px;
 transition: 0.3s all ease;
}
.fa-long-arrow-left {
 margin-left: -275px;
.fa-long-arrow-right {
 margin-left: 15px;
.left i:hover {
 cursor: pointer;
 color: #2a2f40;
/main card/
.card {
 display: flex;
 align-items: center;
 background: #252831
url(https://www.dropbox.com/s/fuadz3vmw2nsylm/bg.png?raw=1)
```

```
no-repeat;
 height: 600px;
 width: 800px;
 margin: 0 auto;
 box-shadow:
 rgba(0, 0, 0, 0.35)
 0px 5px 15px;
 margin-top: 5%;
.left
 content: "";
 height: 395px;
 width: 330px;
 display: flex;
 align-items: center;
 background-color: #ff6d39;
 margin-left: 93px;
 border-radius: 0% 50% 50% 0%;
 position: absolute;
 z-index: 5;
}
.left img {
 margin-left: -88px;
 margin-top: 60px;
}
.right {
 content: "";
 height: 395px;
 width: 550px;
 background-color: #2a2f40;
 z-index: 3;
 margin-left: 200px;
```

```
.product-info {
 position: absolute;
 margin-left: 245px;
 height: 394px;
 width: 305px;
 z-index: 10;
Sign in.css
/Fantacydesigns.com/
/----[FONT] ----/
@font-face {
  font-family: Poppins-Regular;
  src: url('../fonts/poppins/Poppins-Regular.ttf');
 @font-face {
  font-family: Poppins-Medium;
  src: url('../fonts/poppins/Poppins-Medium.ttf');
 }
 @font-face {
  font-family: Poppins-Bold;
  src: url('../fonts/poppins/Poppins-Bold.ttf');
 }
 @font-face {
  font-family: Poppins-SemiBold;
  src: url('../fonts/poppins/Poppins-SemiBold.ttf');
 [ RESTYLE TAG ]*/
 * {
   margin: 0px;
```

```
padding: 0px;
  box-sizing: border-box;
}
body, html {
  height: 100%;
  font-family: Poppins-Regular, Arial, Helvetica, sans-serif;
}
a {
  font-family: Poppins-Regular;
  font-size: 14px;
  line-height: 1.7;
  color: #666666;
  margin: 0px;
  transition: all 0.4s;
  -webkit-transition: all 0.4s;
 -o-transition: all 0.4s;
 -moz-transition: all 0.4s;
a:focus {
  outline: none !important;
a:hover {
  text-decoration: none;
 color: #fff;
h1,h2,h3,h4,h5,h6 {
  margin: 0px;
p {
  font-family: Poppins-Regular;
```

```
font-size: 14px;
  line-height: 1.7;
  color: #666666;
  margin: 0px;
}
ul, li {
  margin: 0px;
  list-style-type: none;
}
input {
  outline: none;
  border: none;
textarea {
 outline: none;
 border: none;
textarea:focus, input:focus {
 border-color: transparent !important;
input:focus::-webkit-input-placeholder { color:transparent; }
input:focus:-moz-placeholder { color:transparent; }
input:focus::-moz-placeholder { color:transparent; }
input:focus:-ms-input-placeholder { color:transparent; }
textarea:focus::-webkit-input-placeholder { color:transparent; }
textarea:focus:-moz-placeholder { color:transparent; }
textarea:focus::-moz-placeholder { color:transparent; }
textarea:focus:-ms-input-placeholder { color:transparent; }
```

```
input::-webkit-input-placeholder { color: #fff;}
input:-moz-placeholder { color: #fff;}
input::-moz-placeholder { color: #fff;}
input:-ms-input-placeholder { color: #fff;}
textarea::-webkit-input-placeholder { color: #fff;}
textarea:-moz-placeholder { color: #fff;}
textarea::-moz-placeholder { color: #fff;}
textarea:-ms-input-placeholder { color: #fff;}
label {
 margin: 0;
 display: block;
button {
  outline: none !important;
  border: none;
  background: transparent;
}
button:hover {
  cursor: pointer;
}
iframe {
  border: none !important;
}
[ Utility ]*/
.txt1 {
 font-family: Poppins-Regular;
 font-size: 13px;
 color: #e5e5e5;
```

```
line-height: 1.5;
[ login ]*/
.limiter {
 width: 100%;
margin: 0 auto;
.container-login100 {
 width: 100%;
 min-height: 100vh;
 display: -webkit-box;
 display: -webkit-flex;
 display: -moz-box;
 display: -ms-flexbox;
 display: flex;
 flex-wrap: wrap;
 justify-content: center;
 align-items: center;
 padding: 15px;
 background-repeat: no-repeat;
 background-position: center;
 background-size: cover;
 position: relative;
 z-index: 1;
.container-login100::before {
 content: "";
 display: block;
 position: absolute;
 z-index: -1;
```

```
width: 100%;
  height: 100%;
  top: 0;
  left: 0;
  background-color: rgba(255,255,255,0.1);
  background-color: black;
  opacity: 0.5;
 }
 .wrap-login100 {
  width: 400px;
  height: 650px;
  border-radius: 10px;
  overflow: hidden;
  padding: 55px 55px 37px 55px;
 background-image: linear-gradient(to top, #0c3483 0%, #a2b6df
100%, #6b8cce 100%, #a2b6df 100%);
 background-image: linear-gradient(to top, #ff0844 0%, #ffb199
100%);
 }
 [ Form ]*/
 .login100-form {
  width: 100%;
 }
 .login100-form-logo {
  font-size: 60px;
  color: #333333;
  display: -webkit-box;
  display: -webkit-flex;
```

```
display: -moz-box;
 display: -ms-flexbox;
 display: flex;
 justify-content: center;
 align-items: center;
 width: 120px;
 height: 120px;
 border-radius: 50%;
 background-color: #fff;
 margin: 0 auto;
}
.login100-form-title {
 font-family: Poppins-Medium;
 font-size: 30px;
 color: #fff;
 line-height: 1.2;
 text-align: center;
 text-transform: uppercase;
 display: block;
[ Input ]*/
.wrap-input100 {
 width: 100%;
 position: relative;
 border-bottom: 2px solid rgba(255,255,255,0.24);
 margin-bottom: 30px;
}
.input100 {
 font-family: Poppins-Regular;
 font-size: 16px;
```

```
color: #fff;
 line-height: 1.2;
 display: block;
 width: 100%;
 height: 45px;
 background: transparent;
 padding: 0 5px 0 38px;
.focus-input100 {
 position: absolute;
 display: block;
 width: 100%;
 height: 100%;
 top: 0;
 left: 0;
pointer-events: none;
.focus-input100::before {
 content: "";
 display: block;
 position: absolute;
 bottom: -2px;
 left: 0;
 width: 0;
 height: 2px;
 -webkit-transition: all 0.4s;
 -o-transition: all 0.4s;
 -moz-transition: all 0.4s;
 transition: all 0.4s;
 background: #fff;
```

```
.focus-input100::after {
 font-family: Material-Design-Iconic-Font;
 font-size: 22px;
 color: #fff;
 content: attr(data-placeholder);
 display: block;
 width: 100%;
 position: absolute;
 top: 6px;
 left: 0px;
 padding-left: 5px;
 -webkit-transition: all 0.4s;
 -o-transition: all 0.4s;
 -moz-transition: all 0.4s;
 transition: all 0.4s;
.input100:focus {
padding-left: 5px;
.input100:focus + .focus-input100::after {
 top: -22px;
font-size: 18px;
}
.input100:focus + .focus-input100::before {
 width: 100%;
}
.has-val.input100 + .focus-input100::after {
 top: -22px;
font-size: 18px;
```

```
.has-val.input100 + .focus-input100::before {
 width: 100%;
.has-val.input100 {
 padding-left: 5px;
[ Restyle Checkbox ]*/
.contact100-form-checkbox {
 padding-left: 5px;
 padding-top: 5px;
 padding-bottom: 35px;
.input-checkbox100 {
 display: none;
.label-checkbox100 {
 font-family: Poppins-Regular;
 font-size: 13px;
 color: #fff;
 line-height: 1.2;
 display: block;
 position: relative;
 padding-left: 26px;
 cursor: pointer;
.label-checkbox100::before {
 content: "\f26b";
 font-family: Material-Design-Iconic-Font;
 font-size: 13px;
 color: transparent;
```

```
display: -webkit-box;
 display: -webkit-flex;
 display: -moz-box;
 display: -ms-flexbox;
 display: flex;
 justify-content: center;
 align-items: center;
 position: absolute;
 width: 16px;
 height: 16px;
 border-radius: 2px;
 background: #fff;
 left: 0;
 top: 50%;
 -webkit-transform: translateY(-50%);
 -moz-transform: translateY(-50%);
 -ms-transform: translateY(-50%);
 -o-transform: translateY(-50%);
 transform: translateY(-50%);
.input-checkbox100:checked + .label-checkbox100::before {
 color: #555555;
}
[ Button ]*/
.container-login100-form-btn {
 width: 100%;
 display: -webkit-box;
 display: -webkit-flex;
 display: -moz-box;
 display: -ms-flexbox;
 display: flex;
 flex-wrap: wrap;
```

```
justify-content: center;
.login100-form-btn {
 font-family: Poppins-Medium;
 font-size: 16px;
 color: #555555;
 line-height: 1.2;
 display: -webkit-box;
 display: -webkit-flex;
 display: -moz-box;
 display: -ms-flexbox;
 display: flex;
 justify-content: center;
 align-items: center;
 padding: 0 20px;
 min-width: 120px;
 height: 50px;
 border-radius: 25px;
 background: #9152f8;
 background: -webkit-linear-gradient(bottom, #7579ff, #b224ef);
 background: -o-linear-gradient(bottom, #7579ff, #b224ef);
 background: -moz-linear-gradient(bottom, #7579ff, #b224ef);
 background: linear-gradient(bottom, #7579ff, #b224ef);
 position: relative;
 z-index: 1;
 -webkit-transition: all 0.4s;
 -o-transition: all 0.4s;
 -moz-transition: all 0.4s;
 transition: all 0.4s;
.login100-form-btn::before {
 content: "";
```

```
display: block;
 position: absolute;
 z-index: -1;
 width: 100%;
 height: 100%;
 border-radius: 25px;
 background-color: #fff;
 top: 0;
 left: 0;
 opacity: 1;
 -webkit-transition: all 0.4s;
 -o-transition: all 0.4s;
 -moz-transition: all 0.4s;
 transition: all 0.4s;
}
.login100-form-btn:hover {
 color: #fff;
.login100-form-btn:hover:before {
 opacity: 0;
[ Responsive ]*/
@media (max-width: 576px) {
 .wrap-login100 {
  padding: 55px 15px 37px 15px;
 }
```

```
/*
[ Alert validate ]*/
.validate-input {
 position: relative;
.alert-validate::before {
 content: attr(data-validate);
 position: absolute;
 max-width: 70%;
 background-color: #fff;
 border: 1px solid:black;
 border-radius: 2px;
 padding: 4px 25px 4px 10px;
 top: 50%;
 -webkit-transform: translateY(-50%);
 -moz-transform: translateY(-50%);
 -ms-transform: translateY(-50%);
 -o-transform: translateY(-50%);
 transform: translateY(-50%);
 right: 0px;
 pointer-events: none;
 font-family: Poppins-Regular;
 color: #c80000;
 font-size: 13px;
 line-height: 1.4;
 text-align: left;
 visibility: hidden;
 opacity: 0;
 -webkit-transition: opacity 0.4s;
 -o-transition: opacity 0.4s;
 -moz-transition: opacity 0.4s;
 transition: opacity 0.4s;
```

```
}
 .alert-validate::after {
  content: "\f12a";
  font-family: FontAwesome;
  font-size: 16px;
  color; black;
  display: block;
  position: absolute;
  top: 50%;
  -webkit-transform: translateY(-50%);
  -moz-transform: translateY(-50%);
  -ms-transform: translateY(-50%);
  -o-transform: translateY(-50%);
  transform: translateY(-50%);
  right: 5px;
 .alert-validate:hover:before {
  visibility: visible;
  opacity: 1;
 @media (max-width: 992px) {
  .alert-validate::before {
   visibility: visible;
   opacity: 1;
  }
 }
Style.css
  margin: 0;
  padding: 0;
  box-sizing: border-box;
```

```
html {
 scroll-behavior: smooth;
header {
 display: flex;
 justify-content: space-evenly;
 align-items: center;
 height: 60px;
 width: 100%;
 background: black;
.heading ul {
 display: flex;
.logo a {
 color: white;
 transition-duration: 1s;
 font-weight: 800;
.logo a:hover {
 color: rgb(240, 197, 6);
 transition-duration: 1s;
.heading ul li {
 list-style: none;
.heading ul li a {
 margin: 5px;
 text-decoration: none;
 color: black;
 font-weight: 500;
 position: relative;
 color: white;
 margin: 2px 14px;
 font-size: 18px;
```

```
transition-duration: 1s;
.heading ul li a:active {
 color: red;
.heading ul li a:hover {
 color: rgb(243, 168, 7);
 transition-duration: 1s;
.heading ul li a::before {
 content: "";
 height: 2px;
 width: 0px;
 position: absolute;
 left: 0;
 bottom: 0;
 background-color: white;
 transition-duration: 1s;
.heading ul li a:hover::before {
 width: 100%;
 transition-duration: 1s;
 background-color: rgb(243, 168, 7);
#input {
 height: 30px;
 width: 300px;
 text-decoration: none;
 border: 0px;
 padding: 5px;
.logo a {
 color: white;
 font-size: 35px;
 font-weight: 500;
 text-decoration: none;
```

```
ion-icon {
 width: 30px;
 height: 30px;
 background-color: white;
 color: black;
ion-icon:hover {
 cursor: pointer;
.search a {
 display: flex;
header a ion-icon {
 position: relative;
 right: 3px;
.img-slider img {
 height: 720px;
 width: 1080px;
@keyframes slide {
 0% {
  left: 0px;
 15% {
  left: 0px;
 20% {
  left: -1080px;
 32% {
  left: -1080px;
 35% {
  left: -2160px;
```

```
47% {
  left: -2160px;
 50% {
  left: -3240px;
 63% {
  left: -3240px;
 66% {
  left: -4320px;
 79% {
  left: -4320px;
 82% {
  left: -5400px;
 100% {
  left: 0px;
 }
.img-slider {
 display: flex;
 float: left;
 position: relative;
 width: 1080px;
 height: 720px;
 animation-name: slide;
 animation-duration: 10s;
 animation-iteration-count: infinite;
 transition-duration: 2s;
.heading1 {
 opacity: 0;
```

```
.search {
 display: flex;
 position: relative;
.section1 {
 width: 1080px;
 overflow: hidden;
justify-content: center;
 align-items: center;
 margin: 0px auto;
.section2 .container {
 display: flex;
 width: 100%;
 height: max-content;
 flex-wrap: wrap;
justify-content: center;
 margin: 10px auto;
.section2 .container .items {
 margin: 10px;
 width: 200px;
 height: 300px;
 background-color: white;
 border: 2.5px solid black;
 border-radius: 12px;
.section2 .container .items .name {
 text-align: center;
 background-color: rgb(240, 197, 6);
 height: 25px;
 padding-top: 4px;
 color: white;
 margin: 0;
```

```
.section2 .container .items .price {
 float: left;
 padding-left: 10px;
 display: block;
 width: 100%;
 color: rgb(255, 0, 0);
 font-weight: 650;
.section2 .container .items .info {
 padding-left: 10px;
 color: rgb(243, 168, 7);
.section2 .container .items .img img {
 width: 200px;
 height: 200px;
 margin: 0;
 padding: 0;
 border-radius: 12px;
 transition-duration: 0.8s;
}
.section2 .container .items .img {
 overflow: hidden;
 margin: 0;
.section2 .container .items:hover .img img {
 transform: scale(1.2);
 transition-duration: 0.8s;
 border-radius: 12px;
footer {
 display: flex;
 flex-direction: column;
 background-color: black;
 align-items: center;
 color: white;
```

```
.footer1 {
 display: flex;
 flex-direction: column;
 align-items: center;
 color: white;
 margin-top: 15px;
.social-media {
 display: flex;
 justify-content: center;
 color: white;
 flex-wrap: wrap;
.social-media a {
 color: white;
 margin: 20px;
 border-radius: 5px;
 margin-top: 10px;
 color: white;
.social-media a ion-icon {
 color: white;
 background-color: black;
.social-media a:hover ion-icon {
 color: red;
 transform: translateY(5px);
.footer2 {
 display: flex;
 width: 100%;
 justify-content: space-evenly;
 align-items: center;
 text-decoration: none;
 flex-wrap: wrap;
```

```
.footer0 {
 font-weight: 1200;
 transition-duration: 1s;
.footer0:hover {
 color: rgb(243, 168, 7);
.footer2 .heading {
 font-weight: 900;
 font-size: 18px;
.footer3 {
 margin-top: 60px;
 margin-bottom: 20px;
 display: flex;
 flex-wrap: wrap;
justify-content: center;
.footer2 .heading:hover {
 color: rgb(243, 168, 7);
.footer2 .div:hover {
 transform: scale(1.05);
.footer3 h4 {
 margin: 0 10px;
.footer2 div {
 margin: 10px;
.menu {
 visibility: hidden;
.heading1 .ham:active {
 color: red;
.items {
```

```
overflow: hidden;
.ham,
.close {
 cursor: pointer;
@media screen and (max-width: 1250px) {
 .heading ul li {
  display: none;
 .items {
  transform: scale(0.9);
 .img-slider img {
  height: 60vw;
  width: 80vw;
 .ham:active {
  color: red;
 .menu {
  display: flex;
  flex-direction: column;
  align-items: center;
 .menu a ion-icon {
  position: absolute;
 @keyframes slide1 {
  0% {
   left: 0vw;
  15% {
   left: 0vw;
```

```
20% {
  left: -80vw;
 32% {
  left: -80vw;
 35% {
  left: -160vw;
 47% {
  left: -160vw;
 50% {
  left: -240vw;
 63% {
  left: -240vw;
 66% {
  left: -320vw;
 79% {
  left: -320vw;
 82% {
  left: -400vw;
 100% {
  left: 0vw;
.menu ul {
 display: flex;
 flex-direction: column;
 position: absolute;
 width: 100vw;
```

```
height: 100vh;
 background-color: black;
 left: 0;
 top: 0;
 z-index: 11;
 align-items: center;
justify-content: center;
 opacity: 1;
.close {
 z-index: 34;
 color: white;
 background-color: black;
.close:active {
 color: red;
.menu ul li {
 list-style: none;
 margin: 20px;
 border-top: 3px solid white;
 width: 80%;
 text-align: center;
 padding-top: 10px;
.menu ul li a {
 text-decoration: none;
 padding-top: 10px;
 color: white;
 font-weight: 900;
.menu ul li a:hover {
 color: rgb(240, 197, 6);
.img-slider {
```

```
display: flex;
 float: left;
 position: relative;
 width: 80%;
 height: 60%;
 animation-name: slide1;
 animation-duration: 10s;
 animation-iteration-count: infinite;
 transition-duration: 2s;
.section1 {
 width: 80%;
 overflow: hidden;
 justify-content: center;
 align-items: center;
 margin: 0px auto;
.heading1 {
 opacity: 1;
 position: relative;
 bottom: 8px;
.search a {
 display: flex;
 flex-wrap: nowrap;
.heading1 .ham {
 background-color: black;
 color: white;
#input {
 width: 200px;
 flex-shrink: 2;
```

```
header {
  height: 150px;
 }
@media screen and (max-width: 550px) {
 .heading ul li {
  display: none;
 .heading1 {
  opacity: 1;
  bottom: 8px;
header {
height: 250px;
  flex-wrap: wrap;
  display: flex;
  flex-direction: column;
#input {
  width: 150px;
 .close {
  z-index: 34;
 .search a {
  display: flex;
  flex-wrap: nowrap;
}
```

Github Link

https://github.com/IBM-EPBL/IBM-Project-36437-1660295017

Project Demo link

https://youtu.be/G4JDjvatOT0