# Machine Learning-Based Predictive Analytics for Aircraft Engine

#### **PROJECT REPORT**

#### SubmiGed by

LAKSHMANAN T	(TL)	620619104014
MUGESH R	(TM 1)	620619104015
<b>MUNIRAJAN A</b>	(TM2)	620619104016
PARAKSH M	(TM3)	620619104025
INDIRA	<b>(TM4)</b>	620619104008

In partial fulfillment for the award of the degree of



BACHELOR OF ENGINEERINGINCOMPUTER SCIENCE AND ENGINEERINGINFORMATION AND COMMUNICATION ENGINEERING DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING ANNA UNIVERSITY: CHENNAI 600 02 JUNE 2022

#### **TABALE OF CONTENTS**

#### 1. INTRODUCTION

- 1.1. Project Overview
- 1.2. Project Flow

#### 2. LITERATURE SURVEY

- 2.1. Existing problem
- 2.2. References

#### 3. IDEATION & PROPOSED SOLUTION

- 3.1. Empathy Map Canvas
- 3.2. Ideation & Brainstorming
- 3.3. Proposed Solution
- 3.4. Problem Solution fit

## 4. REQUIREMENT ANALYSIS

- 4.1. Functional requirement
- 4.2. Non-Functional requirements

#### 5. PROJECT DESIGN

- 5.1. Data Flow Diagrams
- 5.2. Solution & Technical Architectur

#### 6. PROJECT PLANNING & SCHEDULING

6.1. milestone and activity

### 6.2. Sprint Planning & Estimation

# 7. TESTING

- 7.1. Test Cases
- 8. RESULT
- 9. ADVANTAGES & DISADVANTAGES
- 10. CONCLUSION
- 11. FUTURE SCOPE
- 12. APPENDIX

Source Code

GitHub

#### **INTRODUCTION**

#### 1.1 Project Overview:

- You'll be able to understand the problem to classify if it is a regression or a classification kind of problem.
- You will be able to know how to pre-process/clean the data using different data preprocessing techniques.
- Apply different algorithms according to the dataset
- You will be able to know how to find the accuracy of a model.
- You will be able to build web applications using the Flask framework.

## 1.2 Project Flow:

You will go through all the steps mentioned below to complete the project.

- Download the dataset.
- Preprocess or clean the data.
- Analyze the pre-processed data.
- Train the machine with pre-processed data using an appropriate machine learning algorithm.
- Save the model and its dependencies.
- Build a Web application using a flask that integrates with the model built.

#### LITERATURE SURVEY

#### 2.1 Introduction:

The aviation industry is capital intensive, and is subject to stringent environmental and safety regulations. To minimize risk, technological improvements of aircraft engines are generally made incrementally, drawing heavily from experiences and lessons learned. Engine companies have generated and collected large amounts of data over the years. These big data, from various sources such as the database of currently manufactured engines, current development projects, previously completed development projects, and the designs that were not manufactured, are valuable resources of intelligence that can support new engine development. With increasing computational power and employing machine learning, data can be mined to provide valuable insights that could bring high levels of efficiency to engine conceptual design.

#### 2.2 literature Review:

# SURVEY 1: Machine Learning- Based Predictive Analytics for Aircraft Engine Conceptual Design (Author - Michale T.Tong).

Big data and artificial intelligence/machine learning are transforming the global business environment. Data is now the most valuable asset for enterprises in every industry. With that, the adoption of machine learning-based data analytics is rapidly taking hold across various industries, producing autonomous systems that support human decision-making. This work explored the application of machine learning to aircraft engine conceptual design. Supervised machinelearning algorithms for regression and classification were employed to study patterns in an existing, open-source database of production and research turbofan engines, and resulting in predictive analytics for use in predicting performance of new turbofan designs.

# SURVEY 2: Approach And Landing Aircraft on-board Parameters Estimation with LSTM Networks (Author – Gabriel Jarry).

This paper addresses the problem of estimating aircraft on-board parameters using ground s urveillance available parameters. The proposed methodology consists in training supervised N eural Networks with Flight Data Records to estimate target parameters. This paper i nvestigates the learning process upon three case study parameters: the fuel flow rate, the flap c onfiguration, and the landing gear position. Particular attention is directed to the generalization t o different aircraft types and airport approaches. From the Air Traffic Management point of v iew, these additional parameters enable a better understanding and awareness of aircraft b ehaviors. These estimations can be used to evaluate and enhance the air traffic management s ystem performance in terms of safety and efficiency

# SURVEY 3: Monitoring Of Aircraft Operation Using Statistics and Machine Learning (Author – Fazel Famili and Sylvain Letourneau

This paper describes the use of statistics and machine learning techniques to monitor the performance of commercial aircraft operation. The purpose of this research is to develop methods that can be used to generate reliable and timely alerts so that engineers and fleet specialists become aware of abnormal situations in large fleet of commercial aircraft that they manage. We introduce three approaches that we have used for monitoring engines and generating alerts. We also explain how additional information can be generated from machine learning experiments so that the parameters influencing the particular abnormal situation and their ranges are also identified and reported. Various benefits of fleet monitoring are explained in the paper.

# SURVEY 4 : Aircraft Engine Reliability Analysis Using Machine Learning Algorithms (Author – Deepnkar Singh)

In the aviation industry, the reliability analysis of aircraft engines is essential for ensuring the smooth functioning of each component of an aircraft engine. The reliability analysis is also important to predict their scheduled maintenance event and the Remaining Useful Life (RUL) of engine parts. Existing approaches for engine reliability are based on numerical methods, which do not predict RUL accurately. Hence, a more accurate model is required for predicting maintenance events. The reliability of an aircraft engine can be measured using readings of different sensors. In

this work, the performances of different machine learning algorithms are studied, and finally, a better algorithm is suggested for predicting RUL. Additionally, a classification approach is proposed to classify the health state of an engine. The experimental results show that the XGBoost gives the best prediction accuracy in terms of root mean square error. The proposed LightGBM-based classifier further enhances the maintenance prediction based on the health state of the aircraft engine. Thus, the proposed analysis shows that XGBoost and LightGBM is a better choice for predicting the RUL, and for classifying the health state of the aircraft engine.

# SURVEY 5: Predictive Maintenance and Performance Optimisation in Aircrafts using Data Analytics.

Airline industry has provided a significantly conventional, faster and reliable mode of transportation for passengers and freight over the decades in which the industry has been in service despite the pressure being applied especially in maintaining operational affordability. The study critically reviews the techniques and tools, infrastructure and general application architecture for discussing the applicability of data analytics based on both batch processing and real time stream data in general aviation for health monitoring and predictive analysis in order to predict maintenance and optimize the performance of aircrafts. In this respect, the study further evaluates the significant capability in addressing contemporary problems which are uniquely addressed by data analytics system.


# SURVEY 6: Application of Machine Learning Techniques to Web\_Based Intelligent Learning Diagnosis System.(Author – Chenn- Jung Huang).

This work proposes an intelligent learning diagnosis system that supports a Webbased t hematic learning model, which aims to cultivate learners' ability of knowledge integration by g iving the learners the opportunities to select the learning topics that they are interested, and g ain knowledge on the specific topics by surfing on the Internet to search related learning c ourseware and discussing what they have

learned with their colleagues. Based on the log files t hat record the learners' past online learning behavior, an intelligent diagnosis system is used to g ive appropriate learning guidance to assist the learners in improving their study behaviours and g rade online class participation for the instructor. The achievement of the learners' final reports c an also be predicted by the diagnosis system accurately. Our experimental results reveal that t he proposed learning diagnosis system can efficiently help learners to expand their knowledge w hile surfing in cyberspace Web-based "theme-based learning" model.


#### **IDEATION & PROPOSED SOLUTION**

### 3.1 Empathy Map Canvas:




# 3.2 Ideation & Brainstorming:


Step-1: Team Gathering, Collaboration and Select the Problem Statement



#### Step-2: Brainstorm, Idea Listing and Grouping:



#### **Step-3: Idea Prioritization:**



#### 3.3 Problem Statement:

Extracting and modeling the engine symmetry characteristics is significant in improving remaining useful life (RUL) predictions for aircraft components, and it is critical for an effective and reliable maintenance strategy. Such predictions can improve the maximum operating availability and reduce maintenance costs. Due to the high nonlinearity and complexity of mechanical systems, conventional methods are unable to satisfy the needs of medium- and long-term prediction problems and

frequently overlook the effect of temporal information on prediction performance. To address this issue, this study presents a new attention-based deep convolutional neural network (DCNN) architecture to predict the RUL of turbofan engines. The prognosability metric was used for feature ranking and selection, whereas a time window method was employed for sample preparation to take advantage of multivariate temporal information for better feature extraction by means of an attention-based DCNN model.

Stateme nt (PS)	I am (Customer)	I'm trying to	But	Because	Which makes me feel
Problem stateme nt-1	Passenger	Focus on safety and security	I can't focus on huge passenger at the time	Hard to instruct at the same time	Afraid to tr
Problem stateme nt-1	pilot	Get the situation under the control		Improper monitoring	rustrated
Problem stateme nt-1	Civilians	Trying to see the safety and	Due to some technical issues	Engine beyond the control	Anxiety to travel

# CHAPTER-4 REQUIREMENT ANALYSIS

# **4.1 Functional requirement:**

- 1. Python
- 2. NLP
- 3. IBM Cloud
- 4. IBM Watson Assistant
- 5. Deep Learning
- 6. Python-Flask


# **4.2 Non Functional requirement:**

- a. Security,
- b. Performance,
- c. Usability, And
- d. Availability

#### **PROJECT DESIGN**

### **5.1 Data Flow Diagrams**

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how data enters and leaves the system, what changes the information, and where data is stored.




#### **5.2 Solution & Technical Architecture**

Engine failure is highly risky and needs a lot of time for repair. Unexpected failure leads to loss of money and time. Predicting the failure prior will save time, effort, money and sometimes even lives. The failure can be detected by installing the sensors and keeping a track of the values. The failure detection and predictive maintenance can be for any device, out of which we will be dealing with the engine failure for a threshold number of days.

The project aims to predict the failure of an engine by using Machine Learning to save loss of time & money thus improving productivity.

#### **Technical Architecture:**



# **PROJECT PLANNING & SCHEDULING**

# **6.1** milestone and activity:

TITLE	DESCRIPTION	DATE
Literature Survey & Information Gathering	Literature survey on the selected project & gathering information by referring the technical papers, research publications etc	03 SEPTMBER 2022
Prepare Empathy Map	Prepare Empathy Map Canvas to capture the user Pains & Gains, Prepare list of problem statements	23 SEPTMBER 2022
	List the by organizing the brainstorming session and prioritize the top 3 ideas based on the feasibility	

Ideation	List the by organizing the brainstorming session and prioritize the top 3 ideas based on the feasibility & importance.	23 SEPTMBER 2022
----------	--	------------------

Proposed Solution	Prepare the proposed solution document, which includes the novelty, feasibility of idea, business model, social impact, scalability of solution,	24 SEPTMBER 2022
Problem Solution Fit	Prepare problem - solution fit document	29 SEPTMBER 2022
Solution Architecture	Prepare solution architecture document.	19 SEPTMBER 2022
Customer Journey	Prepare the customer journey maps to understand the user interactions & experiences with the application.	01 OCTOBER 2022
Solution Requirements	Prepare solution requirement document for functional and nonfunctional requirements.	02 OCTOBER 2022
Data Flow Diagrams	Draw the data flow diagrams and submit for review.	03 OCTOBER 2022

	Prepare the technology architecture	
	diagram.	
		10 OCTOBED 2022
Taskuslam Auskikaskuus		18 OCTOBER 2022
Technology Architecture		
	Prepare the milestones & activity list of	02 NOVEMBER 2022
	the project.	
Dranara Milastona & Activity List		
Prepare Milestone & Activity List		
	Develop & submit the developed code	
	by testing it.	
Project Development - Delivery of		<i>10</i> NOVEMBER 2022
Sprint-1, 2, 3 & 4		
-, -, -, -, -, -, -, -, -, -, -, -, -, -		

# **6.2 Sprint Planning & Estimation:**

Use the below template to create product backlog and sprint schedule

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Registration	USN-1	a user ,I can register for the support vector machine As algorithm tool using my email and password	7	High	T.Lakshmanan R.mugesh
Sprint-1		U5N-2	As a user, I will receive confirmation email on registering for the support vector machine algorithm tool	6	High	T.Lakshmanan A.munirajan
Sprint-4		USN-3	As a user, I can register for the application through my Gmail	6	Low	M.prakash S.indira
Sprint-1	Login	USN-4	As a user, I can log into the application by entering my credentials	6	High	R.mugash A.munirajan
Sprint-3	Dashboard	USN-5	As a user, I can see my past records and activities	6	High	T.Lakshmanan M.prakash
Sprint-2		USN-6	As a user, I must enter my pre – engine aircraft lest results	7	High	A.mnuirajan T.takshmanan

Sprint-3	Report	USN-7	As a user, I can view the report generated by the tool	7	High	5.indira T.Lakshmanan
Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-3	Solution	USN-8	As a user, I will receive reason to treat my engine	6	Medium	R.mugesh A.munirajan
Sprint-4	Queries	USN-9	As a users,I must assists that face problems through Q&A	6	Low	T.Lakshmanan M.prakash
Sprint-4	Feedback	USN-10	As a customer care executive, I should get input for the tool's enhancement from users	7	Low	Almnuirajan Titakshmanan
Sprint 2	Feature importance	USN-11	As an administrator, I should identify the most significant factors that lead to SVM based on the present trend	6	High	M.prakash S.indira
Sprint-2	Engine Model	USN-12	As an administrator, I must use the most suitable ML model for detection of SVM	6	High	T.Lakshmanan M.prakash

.

#### Project Tracker, Velocity & Burndown Chart: (4 Marks)


Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	20	6 Days	28 oct 2022	2 nov 2022	20	2 nov 2022
Sprint-2	20	6 Days	3 Nov 2022	08 Nov 2022	20	05 Nov 2022
Sprint-3	20	6 Days	09 Nov 2022	14 Nov 2022	20	12 Nov 2022
Sprint-4	20	6 Days	15Nov 2022	20 Nov 2022	20	19 Nov 2022



# CHAPTER-7 TESTING

### 7.1 TEST CASE:

The final predictive analytics, built with the parameters determined during the preliminary training and with all 137 training data (i.e., no cross validation), were then used to predict the engine TSFC and core sizes in the testing dataset (the 46 engines unseen by the analytics



# CHAPTER-8RESULT

ELITE CODERS - MKCE PREDICTIVE ANALYSIS FOR AIRCRAFT ENGINE **USING MACHINE LEARNING** THE ENGINE REQUIRES IMMEDIATE SERVICE ANOMALIES FOUND IN THE GIVEN DATA - ENGINE MAY ENCOUNTER ISSUES WITHIN 30 DAYS GO BACK

# CHAPTER-9 ADVANTAGES & DISADVANTAGES

### **ADVANTAGES:**

- High power to weight ratio.
- Very high speed therefore save time.

## **DISADVANTAGES:**

- High fuel consumption.
- Require labor
- Cost increasing

# **10**

**CONCLUSIO** 

N

The author developed two machine-learning predictive analytics for turbofan TSFC and core-size predictions, respectively. The development used the database of 183 manufactured engines and engines that were studied previously in NASA aeronautics projects. The TSFC predictive analytics has an average accuracy of 98.3 percent, with 3.5 percent uncertainty. The engine core-size predictive analytics has an overall accuracy of 100 percent, with 4.3 percent uncertainty. Overall, both predictive analytics show remarkable prediction accuracy. To further improve the accuracy (and reduce the uncertainty) of TSFC prediction, the database needs to be expanded. However, the limitation of publicly available engine data is a challenge to overcome.

#### **References:**

conclution:

- 1. Tong, M.T., "Using Machine Learning To Predict Core Sizes of High-Efficiency Turbofan Engines," GT2019-91432, ASME Turbo-Expo 2019, June 17-21, 2019.
- 2. Daly, M., "Jane's Aero-Engine," 2017-2018.
- 3. Meier, N., "Civil turbojet/turbofan specifications." http://www.jet-engine.net/civtfspec.html. Accessed August, 2018
- . 4. GE Aviation. https://www.geaviation.com/commercial
- 5. Pratt and Whitney. https://www.pw.utc.com/products-and-services/products/commercial-engines
- 6. Rolls Royce. https://www.rolls-royce.com/products-and-services/civil-aerospace
- 7. CFM International. https://www.cfmaeroengines.com/
- 8. International Civil Aviation Organization, "ICAO Aircraft Emissions Databank." May, 2018.
- 9. Guynn, M.D., Berton, J.J., Fisher, K.L., Haller, W.J., Tong, M., Thurman, D.R., "Engine Conceptual Study for an Advanced Single-Aisle Transport," NASA/TM—2009-215784, August 2009.
- 10. Guynn, M.D., Berton, J.J., Fisher, K.L., Haller, W.J., Tong, M., Thurman, D.R., "Analysis of Turbofan Design Options for an Advanced Single-Aisle Transport Aircraft," AIAA 2009-6942, September 2009.
- 11. Guynn, M. D., Berton, J.J., Fisher, K.L., Haller, W.J., Tong, M., Thurman, D.R, "Refined Exploration of Turbofan Design Options for an Advanced Single-Aisle Transport," NASA/TM—2011-216883, January 2011.

- 12. Guynn, M.D., Berton, J.J., Tong, M.T., Haller, W.J., "Advanced Single-Aisle Transport Propulsion Design Options Revisited," AIAA 2013-4330, August 2013.
- 13. Nickol, C.L. and Haller W.J., "Assessment of the Performance Potential of Advanced Subsonic Transport Concepts for NASA's Environmentally Responsible Aviation Project," AIAA 2016-1030, January 2016.
- 14. Collier, F., Thomas, R., Burley, C., Nickol, C., Lee, C.M., Tong, M., "Environmentally Responsible Aviation Real Solutions for Environmental Challenges Facing Aviation," 27th International Congress of the Aeronautical Sciences, September, 2010.
- 15. Jones, S.M., Haller, W.J., Tong, M.T., "An N+3 Technology Level Reference Propulsion System," NASA/TM—2017-219501, May, 2017

# CHAPTER-11 FUTURE SCOPE

- The current engine-weight prediction results, together with those for the TSFC (thrust specificfuel consumption) and core-size predictions that were studied previously by the author, show that machine learning-based predictive analytics can be an effective, time-saving tool for assessing aircraft engine system performance (TSFC, weight, and core size) during the conceptual design stage.
- The studies for this case were all performed on conventional aircraft configurations.
- Looking to see if these methods work for unconcentional aircraft configurations like Blended wing bodies etc. will be an interesting next step.
- For those configurations, the interactions between the different disciplines are extremely complex and modelling them using regression methods might not work out as well as they did for this case.

# CHAPTER-12 APPENDIX

#### 11.1source code:

#### **Python code:**

```
import numpy as np
 from flask import Flask, request, jsonify, render template
import joblib
import random
In [14]:
app = Flask( name )
In [15]:
@app.route('/') def index():
    return render template('/content/index.html')
In [16]:
@app.route('/result', methods=['POST']) def result():
try:
             if request.method == 'POST':
            1=[]
            l.append(float(request.form['id']))
            1.append(float(request.form['cycle']))
            l.append(float(request.form['set1']))
            1.append(float(request.form['set2']))
            1.append(float(request.form['set3']))
            1.append(float(request.form['s1']))
            1.append(float(request.form['s2']))
            1.append(float(request.form['s3']))
            l.append(float(request.form['s4']))
            l.append(float(request.form['s5']))
            1.append(float(request.form['s6']))
```

```
l.append(float(request.form['s7']))
               1.append(float(request.form['s8']))
               1.append(float(request.form['s9']))
               l.append(float(request.form['s10']))
               l.append(float(request.form['s11']))
               1.append(float(request.form['s12']))
               1.append(float(request.form['s13']))
               l.append(float(request.form['s14']))
               1.append(float(request.form['s15']))
               l.append(float(request.form['s16']))
               l.append(float(request.form['s17']))
               1.append(float(request.form['s18']))
               l.append(float(request.form['s19']))
               1.append(float(request.form['s20']))
               l.append(float(request.form['s21']))
                                                                    print(1)
 if predict(l):
                                    return
 render template('/content/result.html',data="problem")
                   return render template('/content/result.html',data="normal")
 except:
          return render_template('/content/result.html',data="error")
 In [17]:
 runfile
Out[17]:
      html code:
      <!DOCTYPE html>
      <html lang="en">
      <head>
         <meta charset="UTF-8">
         <meta http-equiv="X-UA-Compatible" content="IE=edge">
         <meta name="viewport" content="width=device-width, initial-scale=1.0">
         <title>Engine - Test</title>
         <!-- CSS only
         col name =
['id','cycle','set1','set2','set3','s1','s2','s3','s4','s5','s6','s7','s8']+['s9','s10','s11','s12','s13','s14','s14','s15','s16','s17','s18','
s19','s20']
      link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-gH2yIJqKdNHPEq0n4Mqa/HGKIhSkIHeL5AyhkYV8i59U5AR6csBvApHHNl/vI1Bx"
crossorigin="anonymous">
      <style>
```

```
#hero{
            width: 102%;
           height: 25vh;
            color: white;
            text-align: center;
            padding-top: 25px;
         }
         .formd{}
            width: 102%;
            height: 95vh;
            background: linear-gradient( rgba(0, 0, 0, 0.5), rgba(0, 0, 0, 0.5) ), url('../static/full_img.jpg');
         background-position:center top;
         . formd \ form \{
            margin-top: 10px;
            width: 100%;
            border: 1px solid wheat;
            border-radius: 10px;
            padding: 10px;
         .form-control{
            opacity: 0.7;
       </style>
       </head>
       <body style="overflow-x: hidden;">
         <nav class="navbar bg-primary navbar-dark">
            <a class="navbar-brand" style="margin-left: 15px;">ELITE CODERS - MKCE</a>
         </nav>
         <div id="hero" class="bg-dark">
            <div>
              <h2>PREDICTIVE ANALYSIS FOR AIRCRAFT ENGINE</h2>
              <h2>USING MACHINE LEARNING</h2>
            </div>
         </div>
         <div class="formd row">
            <div class="col-md-3"></div>
            <div class="col-md-6" style="text-align: center;">
              <form action="result" method="post">
                 <span style="color: rgb(201, 157, 207);"><h5>Enter Engine Parameters</h5></span>
                 <div class="row text-center">
                   <div class="col-md-4">
                     <div class="mb-3" style="color: white;">
                        <input name="id" step="any" type="number" class="form-control" id="id"</pre>
placeholder="Engine ID">
```

```
</div>
                       <div class="mb-3" style="color: white;">
                        <input name="cycle" step="any" type="number" class="form-control" id="cycle"</pre>
placeholder="Cycle">
                       </div>
                       <div class="mb-3" style="color: white;">
                        <input name="set1" step="any" type="number" class="form-control" id="set1"</pre>
placeholder="Setting 1">
                       </div>
                       <div class="mb-3" style="color: white;">
                        <input name="set2" step="any" type="number" class="form-control" id="set2"</pre>
placeholder="Setting 2">
                       </div>
                       <div class="mb-3" style="color: white;">
                        <input name="set3" step="any" type="number" class="form-control" id="set3"</pre>
placeholder="Setting 3">
                       </div>
                       <div class="mb-3" style="color: white;">
                        <input name="s1" step="any" type="number" class="form-control" id="s1"</pre>
placeholder="S1">
                       </div>
                       <div class="mb-3" style="color: white;">
                        <input name="s2" step="any" type="number" class="form-control" id="s2"</pre>
placeholder="S2">
                       </div>
                       <div class="mb-3" style="color: white;">
                        <input name="s3" step="any" type="number" class="form-control" id="s3"</pre>
placeholder="S3">
                       </div>
                       <div class="mb-3" style="color: white;">
                        <input name="s4" step="any" type="number" class="form-control" id="s4"</pre>
placeholder="S4">
                       </div>
                   </div>
                   <div class="col-md-4">
                       <div class="mb-3" style="color: white;">
                        <input name="s5" step="any" type="number" class="form-control" id="s5"</pre>
placeholder="S5">
                       </div>
                       <div class="mb-3" style="color: white;">
                        <input name="s6" step="any" type="number" class="form-control" id="s6"</pre>
placeholder="S6">
                       </div>
                       <div class="mb-3" style="color: white;">
                        <input name="s7" step="any" type="number" class="form-control" id="s7"</pre>
```

```
placeholder="S7">
                       </div>
                       <div class="mb-3" style="color: white;">
                        <input name="s8" step="any" type="number" class="form-control" id="s8"</pre>
placeholder="S8">
                       </div>
                       <div class="mb-3" style="color: white;">
                        <input name="s9" step="any" type="number" class="form-control" id="s9"</pre>
placeholder="S9">
                       </div>
                       <div class="mb-3" style="color: white;">
                        <input name="s10" step="any" type="number" class="form-control" id="s10"</pre>
placeholder="S10">
                       </div>
                       <div class="mb-3" style="color: white;">
                        <input name="s11" step="any" type="number" class="form-control" id="s11"</pre>
placeholder="S11">
                       </div>
                       <div class="mb-3" style="color: white;">
                        <input name="s12" step="any" type="number" class="form-control" id="s12"</pre>
placeholder="S12">
                       </div>
                       <div class="mb-3" style="color: white;">
                        <input name="s13" step="any" type="number" class="form-control" id="s13"</pre>
placeholder="S13">
                       </div>
                   </div>
                   <div class="col-md-4">
                       <div class="mb-3" style="color: white;">
                        <input name="s14" step="any" type="number" class="form-control" id="s14-A"</pre>
placeholder="S14-A">
                       </div>
                       <div class="mb-3" style="color: white;">
                        <input name="s15" step="any" type="number" class="form-control" id="s14-B"</pre>
placeholder="S14-B">
                       </div>
                       <div class="mb-3" style="color: white;">
                        <input name="s16" step="any" type="number" class="form-control" id="s15"</pre>
placeholder="S15">
                       </div>
                       <div class="mb-3" style="color: white;">
                        <input name="s17" step="any" type="number" class="form-control" id="s16"</pre>
placeholder="S16">
                       </div>
                       <div class="mb-3" style="color: white;">
```

```
<input name="s18" step="any" type="number" class="form-control" id="s17"</pre>
placeholder="S17">
                      </div>
                       <div class="mb-3" style="color: white;">
                        <input name="s19" step="any" type="number" class="form-control" id="s18"</pre>
placeholder="S18">
                      </div>
                       <div class="mb-3" style="color: white;">
                        <input name="s20" step="any" type="number" class="form-control" id="s19"</pre>
placeholder="S19">
                       </div>
                       <div class="mb-3" style="color: white;">
                        <input name="s21" step="any" type="number" class="form-control" id="s20"</pre>
placeholder="S20">
                      </div>
                   </div>
                 </div>
                <center> <input style="opacity: 0.85;" type="submit" class="btn btn-success"</pre>
value="Evaluate"/></center>
               </form>
            </div>
            <div class="col-md-3"></div>
         </div>
       </body>
       <script>
        function test_pass(){
         document.getElementById("id").value = 1;
         document.getElementById("cycle").value = 7;
         document.getElementById("set1").value = 0;
         document.getElementById("set2").value = 0.0002;
         document.getElementById("set3").value = 100.0;
         document.getElementById("s1").value = 518.67;
         document.getElementById("s2").value = 642.11;
         document.getElementById("s3").value = 1583.34;
         document.getElementById("s4").value = 1404.84;
         document.getElementById("s5").value = 14.62;
         document.getElementById("s6").value = 21.61;
         document.getElementById("s7").value = 553.89;
         document.getElementById("s8").value = 2388.05;
         document.getElementById("s9").value = 9051.39;
         document.getElementById("s10").value = 1.30;
         document.getElementById("s11").value = 47.31;
         document.getElementById("s12").value = 522.01;
         document.getElementById("s13").value = 2388.06;
```

```
document.getElementById("s14-A").value = 8134.97;
  document.getElementById("s14-B").value = 8.3914;
  document.getElementById("s15").value = 0.03;
  document.getElementById("s16").value = 391;
  document.getElementById("s17").value = 2388;
  document.getElementById("s18").value = 100.00;
  document.getElementById("s19").value = 38.85;
  document.getElementById("s20").value = 23.3952;
 function test_fail(){
  document.getElementById("id").value = 6;
  document.getElementById("cycle").value = 88;
  document.getElementById("set1").value = 0.0011;
  document.getElementById("set2").value = -0.0005;
  document.getElementById("set3").value = 100.0;
  document.getElementById("s1").value = 518.67;
  document.getElementById("s2").value = 642.39;
  document.getElementById("s3").value = 1592.67;
  document.getElementById("s4").value = 1415.76;
  document.getElementById("s5").value = 14.62;
  document.getElementById("s6").value = 21.61;
  document.getElementById("s7").value = 553.89;
  document.getElementById("s8").value = 2388.12;
  document.getElementById("s9").value = 9059.83;
  document.getElementById("s10").value = 1.30;
  document.getElementById("s11").value = 47.56;
  document.getElementById("s12").value = 521.30;
  document.getElementById("s13").value = 2388.07;
  document.getElementById("s14-A").value = 8131.43;
  document.getElementById("s14-B").value = 8.4262;
  document.getElementById("s15").value = 0.03;
  document.getElementById("s16").value = 393;
  document.getElementById("s17").value = 2388;
  document.getElementById("s18").value = 100.00;
  document.getElementById("s19").value = 39.01;
  document.getElementById("s20").value = 23.3342;
</script>
</html>
```

12.2 GitHub & Project Demo Link:
github:
<b>TEAM ID: PNT2022TMID41447</b>
GitHub Project: https://github.com/IBM-EPBL/IBM-Project-36446-1660295086