

PROJECT DEVELOPMENT PHASE

SPRINT-1 SOURCE CODE

Date	02 November 2022
Team ID	PNT2022TMID14153
Project Name	Intelligent vehicle damage assessment & cost estimator for insurance companies.
Maximum Marks	8 Marks

Index.php

```
<?php
    session_start();

    if (isset($_SESSION['SESSION_EMAIL'])) {
        header("Location: welcome.php");
        die();
    }

    include 'config.php';

    $msg = "";

    if (isset($_GET['verification'])) {
        if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users1 WHERE
code='{$_GET['verification']}'")) > 0) {

            $query = mysqli_query($conn, "UPDATE users1 SET code=" WHERE
code='{$_GET['verification']}'");

            if ($query) {

                $msg = "<div class='alert alert-success'>Account verification has been successfully
completed.</div>";

            }
        } else {

            header("Location: index.php");

        }
    }
```

```

    }

    if (isset($_POST['submit'])) {
        $email = mysqli_real_escape_string($conn, $_POST['email']);
        $password = mysqli_real_escape_string($conn, md5($_POST['password']));

        $sql = "SELECT * FROM users1 WHERE email='{ $email }' AND password='{ $password }'";
        $result = mysqli_query($conn, $sql);

        if (mysqli_num_rows($result) === 1) {
            $row = mysqli_fetch_assoc($result);

            if (empty($row['code'])) {
                $_SESSION['SESSION_EMAIL'] = $email;
                header("Location: welcome.php");
            } else {
                $msg = "<div class='alert alert-info'>First verify your account and try again.</div>";
            }
        } else {
            $msg = "<div class='alert alert-danger'>Email or password do not match.</div>";
        }
    }
}
?>

```

```

<!DOCTYPE html>

```

```

<html lang="zxx">

```

```

<head>

```

```

    <title>Login Form - Damage Detection</title>

```

```

    <!-- Meta tag Keywords -->

```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

```
<meta charset="UTF-8" />
```

```
<meta name="keywords"
```

```
    content="Login Form" />
```

```
<!-- //Meta tag Keywords -->
```

```
<link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">
```

```
<!--/Style-CSS -->
```

```
<link rel="stylesheet" href="css/style.css" type="text/css" media="all" />
```

```
<!--//Style-CSS -->
```

```
<script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
```

```
</head>
```

```
<body>
```

```
<!-- form section start -->
```

```
<section class="w3l-mockup-form">
```

```
    <div class="container">
```

```
        <!-- /form -->
```

```
        <div class="workinghny-form-grid">
```

```
            <div class="main-mockup">
```

```
                <div class="alert-close">
```

```
                    <span class="fa fa-close"></span>
```

```
                </div>
```

```
                <div class="w3l_form align-self">
```

```
                    <div class="left_grid_info">
```

```

        
    </div>
</div>
<div class="content-wthree">
    <h2>Login Now</h2>
    <?php echo $msg; ?>
    <form action="" method="post">
        <input type="email" class="email" name="email" placeholder="Enter Your Email"
required>
        <input type="password" class="password" name="password" placeholder="Enter Your
Password" style="margin-bottom: 2px;" required>
        <p><a href="forgot-password.php" style="margin-bottom: 15px; display: block; text-
align: right;">Forgot Password?</a></p>
        <button name="submit" name="submit" class="btn" type="submit">Login</button>
    </form>
    <div class="social-icons">
        <p>Create Account! <a href="register.php">Register</a>.</p>
    </div>
</div>
</div>
</div>
</div>
<!-- //form -->
</div>
</section>
<!-- //form section start -->

<script src="js/jquery.min.js"></script>
<script>
    $(document).ready(function (c) {
        $('alert-close').on('click', function (c) {
            $('main-mockup').fadeOut('slow', function (c) {

```

```
        $('.main-mockup').remove();

    });

});

});

</script>
```

```
</body>
```

```
</html>
```

logout.php

```
<?php
```

```
session_start();

session_unset();

session_destroy();

header("Location: index.php");.php
```

Register.php

```
<?php
//Import PHPMailer classes into the global namespace
//These must be at the top of your script, not inside a function
use PHPMailer\PHPMailer\PHPMailer;
use PHPMailer\PHPMailer\SMTP;
use PHPMailer\PHPMailer\Exception;

session_start();
if (isset($_SESSION['SESSION_EMAIL'])) {
    header("Location: welcome.php");
    die();
}

//Load Composer's autoloader
require 'vendor/autoload.php';

include 'config.php';
$msg = "";
```

```

if (isset($_POST['submit'])) {
    $name = mysqli_real_escape_string($conn, $_POST['name']);
    $email = mysqli_real_escape_string($conn, $_POST['email']);
    $password = mysqli_real_escape_string($conn, md5($_POST['password']));
    $confirm_password = mysqli_real_escape_string($conn, md5($_POST['confirm-password']));
    $code = mysqli_real_escape_string($conn, md5(rand()));

    if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users1 WHERE email='{ $email}'")) >
0) {
        $msg = "<div class='alert alert-danger'>{ $email} - This email address has been already
exists.</div>";
    } else {
        if ($password === $confirm_password) {
            $sql = "INSERT INTO users1 (name, email, password, code) VALUES ('{ $name}', '{ $email}',
'{$password}', '{$code}')";
            $result = mysqli_query($conn, $sql);

            if ($result) {
                echo "<div style='display: none;'>";
                //Create an instance; passing `true` enables exceptions
                $mail = new PHPMailer(true);

                try {
                    //Server settings
                    $mail->SMTPDebug = SMTP::DEBUG_SERVER; //Enable verbose debug

output
                    $mail->isSMTP(); //Send using SMTP
                    $mail->Host = 'smtp.gmail.com'; //Set the SMTP server to send through
                    $mail->SMTPAuth = true; //Enable SMTP authentication
                    $mail->Username = 'damagedetectionanalysis@gmail.com'; //SMTP username
                    $mail->Password = 'sgmdgfpxacgtinlv'; //SMTP password
                    $mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS; //Enable implicit TLS

encryption
                    $mail->Port = 465; //TCP port to connect to; use 587 if you have set
`SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS`

                    //Recipients
                    $mail->setFrom('damagedetectionanalysis@gmail.com');
                    $mail->addAddress($email);

                    //Content
                    $mail->isHTML(true); //Set email format to HTML
                    $mail->Subject = 'DAMAGE DETECTION';
                    $mail->Body = 'Here is the verification link <b><a
href="http://localhost/login1/?verification='.$code.'"> Link </a></b>';

                    $mail->send();
                    echo 'Message has been sent';
                } catch (Exception $e) {
                    echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";
                }
            }
        }
    }
}

```

```

        echo "</div>";
        $msg = "<div class='alert alert-info'>We've send a verification link on your email
address.</div>";
    } else {
        $msg = "<div class='alert alert-danger'>Something wrong went.</div>";
    }
    } else {
        $msg = "<div class='alert alert-danger'>Password and Confirm Password do not match</div>";
    }
}
}
?>

```

```

<!DOCTYPE html>
<html lang="zxx">

```

```

<head>
    <title>Login Form - Damage Detection</title>
    <!-- Meta tag Keywords -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta charset="UTF-8" />
    <meta name="keywords"
        content="Login Form" />
    <!-- //Meta tag Keywords -->

    <link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">

    <!--/Style-CSS -->
    <link rel="stylesheet" href="css/style.css" type="text/css" media="all" />
    <!--/Style-CSS -->

    <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>

</head>

```

```

<body>

    <!-- form section start -->
    <section class="w3l-mockup-form">
        <div class="container">
            <!-- /form -->
            <div class="workinghny-form-grid">
                <div class="main-mockup">
                    <div class="alert-close">
                        <span class="fa fa-close"></span>
                    </div>
                    <div class="w3l_form align-self">
                        <div class="left_grid_info">
                            
                        </div>

```

```

    </div>
    <div class="content-wthree">
        <h2>Register Now</h2>
        <?php echo $msg; ?>
        <form action="" method="post">
            <input type="text" class="name" name="name" placeholder="Enter Your Name"
value="<?php if (isset($_POST['submit'])) { echo $name; } ?>" required>
            <input type="email" class="email" name="email" placeholder="Enter Your Email"
value="<?php if (isset($_POST['submit'])) { echo $email; } ?>" required>
            <input type="password" class="password" name="password" placeholder="Enter Your
Password" required>
            <input type="password" class="confirm-password" name="confirm-password"
placeholder="Enter Your Confirm Password" required>
            <button name="submit" class="btn" type="submit">Register</button>
        </form>
        <div class="social-icons">
            <p>Have an account! <a href="index.php">Login</a>.</p>
        </div>
    </div>
</div>
</div>
<!-- //form -->
</div>
</section>
<!-- //form section start -->

<script src="js/jquery.min.js"></script>
<script>
    $(document).ready(function (c) {
        $('.alert-close').on('click', function (c) {
            $('.main-mockup').fadeOut('slow', function (c) {
                $('.main-mockup').remove();
            });
        });
    });
</script>

</body>

</html>

```


Welcome.php

```
<?php

    session_start();

    if (!isset($_SESSION['SESSION_EMAIL'])) {
        header("Location: index.php");
        die();
    }

    include 'config.php';

    $query = mysqli_query($conn, "SELECT * FROM users1 WHERE
email='{$_SESSION['SESSION_EMAIL']}'");

    if (mysqli_num_rows($query) > 0) {
        $row = mysqli_fetch_assoc($query);

        echo "Welcome " . $row['name'] . " <a href='logout.php'>Logout</a>";
    }
?>
```

Forgot password.php

```
<?php

session_start();

if (isset($_SESSION['SESSION_EMAIL'])) {
    header("Location: welcome.php");
    die();
}

//Import PHPMailer classes into the global namespace
//These must be at the top of your script, not inside a function
```

```

use PHPMailer\PHPMailer\PHPMailer;

use PHPMailer\PHPMailer\SMTP;

use PHPMailer\PHPMailer\Exception;


//Load Composer's autoloader
require 'vendor/autoload.php';


include 'config.php';

$msg = "";


if (isset($_POST['submit'])) {

    $email = mysqli_real_escape_string($conn, $_POST['email']);

    $code = mysqli_real_escape_string($conn, md5(rand()));


    if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users1 WHERE email='{ $email }'")) >
0) {

        $query = mysqli_query($conn, "UPDATE users1 SET code='{ $code }' WHERE email='{ $email }'");


        if ($query) {

            echo "<div style='display: none;'>";

            //Create an instance; passing `true` enables exceptions
            $mail = new PHPMailer(true);


            try {

                //Server settings

                $mail->SMTPDebug = SMTP::DEBUG_SERVER;           //Enable verbose debug
output

                $mail->isSMTP();                                //Send using SMTP

                $mail->Host      = 'smtp.gmail.com';              //Set the SMTP server to send through

                $mail->SMTPAuth  = true;                          //Enable SMTP authentication

                $mail->Username  = 'damagedetectionanalysis@gmail.com'; //SMTP username

```

```

$mail->Password = 'sgmdgfpxacgtinlv'; //SMTP password

$mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS; //Enable implicit TLS
encryption

$mail->Port = 465; //TCP port to connect to; use 587 if you have set
`SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS`

//Recipients

$mail->setFrom('damagedetectionanalysis@gmail.com');

$mail->addAddress($email);

//Content

$mail->isHTML(true); //Set email format to HTML

$mail->Subject = 'DAMAGE DETECTION';

$mail->Body = 'Here is the verification link <b><a href="http://localhost/login1/change-
password.php?reset='.$code.'">Reset-Password</a></b>';

$mail->send();

echo 'Message has been sent';

} catch (Exception $e) {

    echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";

}

echo "</div>";

$msg = "<div class='alert alert-info'>We've send a verification link on your email
address.</div>";

}

} else {

    $msg = "<div class='alert alert-danger'>$email - This email address do not found.</div>";

}

}

?>

```

```
<!DOCTYPE html>
```

```
<html lang="zxx">
```

```
<head>
```

```
  <title>Login Form - Damage Detection</title>
```

```
  <!-- Meta tag Keywords -->
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1">
```

```
  <meta charset="UTF-8" />
```

```
  <meta name="keywords"
```

```
    content="Login Form" />
```

```
  <!-- //Meta tag Keywords -->
```

```
  <link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">
```

```
  <!--/Style-CSS -->
```

```
  <link rel="stylesheet" href="css/style.css" type="text/css" media="all" />
```

```
  <!--//Style-CSS -->
```

```
  <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
```

```
</head>
```

```
<body>
```

```
  <!-- form section start -->
```

```
  <section class="w3l-mockup-form">
```

```
    <div class="container">
```

```
      <!-- /form -->
```

```

<div class="workinghny-form-grid">
  <div class="main-mockup">
    <div class="alert-close">
      <span class="fa fa-close"></span>
    </div>
    <div class="w3l_form align-self">
      <div class="left_grid_info">
        
      </div>
    </div>
    <div class="content-wthree">
      <h2>Forgot Password</h2>
      <?php echo $msg; ?>
      <form action="" method="post">
        <input type="email" class="email" name="email" placeholder="Enter Your Email"
required>
        <button name="submit" class="btn" type="submit">Send Reset Link</button>
      </form>
      <div class="social-icons">
        <p>Back to! <a href="index.php">Login</a>.</p>
      </div>
    </div>
  </div>
</div>
</div>
</div>
<!-- //form -->
</div>
</section>
<!-- //form section start -->

<script src="js/jquery.min.js"></script>

```

```

<script>

$(document).ready(function (c) {

    $('alert-close').on('click', function (c) {

        $('main-mockup').fadeOut('slow', function (c) {

            $('main-mockup').remove();

        });

    });

});

});

</script>

```

```

</body>

```

```

</html>

```

Change Password

```

<?php

$msg = "";

include 'config.php';

if (isset($_GET['reset'])) {
    if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users1 WHERE
code='{$_GET['reset']}'") > 0) {
        if (isset($_POST['submit'])) {
            $password = mysqli_real_escape_string($conn, md5($_POST['password']));
            $confirm_password = mysqli_real_escape_string($conn, md5($_POST['confirm-password']));

            if ($password === $confirm_password) {
                $query = mysqli_query($conn, "UPDATE users1 SET password='{ $password}', code=" WHERE
code='{$_GET['reset']}'");

                if ($query) {
                    header("Location: index.php");
                }
            } else {
                $msg = "<div class='alert alert-danger'>Password and Confirm Password do not match.</div>";
            }
        }
    } else {
        $msg = "<div class='alert alert-danger'>Reset Link do not match.</div>";
    }
}

```

```
} else {  
    header("Location: forgot-password.php");  
}
```

```
?>
```

```
<!DOCTYPE html>  
<html lang="zxx">
```

```
<head>
```

```
    <title>DAMAGE DETECTION</title>
```

```
    <!-- Meta tag Keywords -->
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1">
```

```
    <meta charset="UTF-8" />
```

```
    <meta name="keywords"  
        content="Login Form" />
```

```
    <!-- //Meta tag Keywords -->
```

```
    <link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"  
rel="stylesheet">
```

```
    <!--/Style-CSS -->
```

```
    <link rel="stylesheet" href="css/style.css" type="text/css" media="all" />
```

```
    <!--//Style-CSS -->
```

```
    <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
```

```
</head>
```

```
<body>
```

```
    <!-- form section start -->
```

```
    <section class="w3l-mockup-form">
```

```
        <div class="container">
```

```
            <!-- /form -->
```

```
            <div class="workinghny-form-grid">
```

```
                <div class="main-mockup">
```

```
                    <div class="alert-close">
```

```
                        <span class="fa fa-close"></span>
```

```
                    </div>
```

```
                    <div class="w3l_form align-self">
```

```
                        <div class="left_grid_info">
```

```
                            
```

```
                        </div>
```

```
                    </div>
```

```
                    <div class="content-wthree">
```

```
                        <h2>Change Password</h2>
```

```
                        <?php echo $msg; ?>
```

```
                        <form action="" method="post">
```

```
                            <input type="password" class="password" name="password" placeholder="Enter Your  
Password" required>
```

```

        <input type="password" class="confirm-password" name="confirm-password"
placeholder="Enter Your Confirm Password" required>
        <button name="submit" class="btn" type="submit">Change Password</button>
    </form>
    <div class="social-icons">
        <p>Back to! <a href="index.php">Login</a>.</p>
    </div>
</div>
</div>
</div>
<!-- //form -->
</div>
</section>
<!-- //form section start -->

<script src="js/jquery.min.js"></script>
<script>
    $(document).ready(function (c) {
        $('alert-close').on('click', function (c) {
            $('main-mockup').fadeOut('slow', function (c) {
                $('main-mockup').remove();
            });
        });
    });
</script>

</body>

</html>

```

Style.css

```

html {
    scroll-behavior: smooth;
}

body,
html {
    margin: 0;
    padding: 0;
    font-family: 'Poppins', sans-serif;
}

* {
    box-sizing: border-box;
}

.d-grid {
    display: grid;

```



```
}
```

```
.d-flex {  
  display: flex;  
  display: -webkit-flex;  
}
```

```
.text-center {  
  text-align: center;  
}
```

```
.text-left {  
  text-align: left;  
}
```

```
.text-right {  
  text-align: right;  
}
```

```
button,  
input,  
select {  
  -webkit-appearance: none;  
  outline: none;  
  font-family: 'Poppins', sans-serif;  
}
```

```
button,  
.btn,  
select {  
  cursor: pointer;  
}
```

```
a {  
  text-decoration: none;  
}
```

```
img {  
  max-width: 100%;  
}
```

```
ul {  
  margin: 0;  
  padding: 0  
}
```

```
h1,  
h2,  
h3,  
h4,  
h5,
```

```
h6,
p {
    margin: 0;
    padding: 0
}

p {
    color: #666;
    font-size: 16px;
    line-height: 25px;
    opacity: .6;
}

.p-relative {
    position: relative;
}

.p-absolute {
    position: absolute;
}

.p-fixed {
    position: fixed;
}

.p-sticky {
    position: sticky;
}

.btn,
button,
.actionbg,
input {
    border-radius: 4px;
    -webkit-border-radius: 4px;
    -moz-border-radius: 4px;
    -o-border-radius: 4px;
    -ms-border-radius: 4px;
}

.btn:hover,
button:hover {
    transition: 0.5s ease;
    -webkit-transition: 0.5s ease;
    -o-transition: 0.5s ease;
    -ms-transition: 0.5s ease;
    -moz-transition: 0.5s ease;
}

/*-- wrapper start --*/
.wrapper {
```

```
width: 100%;
padding-right: 15px;
padding-left: 15px;
margin-right: auto;
margin-left: auto;
}
```

```
@media (min-width: 576px) {
  .wrapper {
    max-width: 540px;
  }
}
```

```
@media (min-width: 768px) {
  .wrapper {
    max-width: 720px;
  }
}
```

```
@media (min-width: 992px) {
  .wrapper {
    max-width: 960px;
  }
}
```

```
@media (min-width: 1200px) {
  .wrapper {
    max-width: 1140px;
  }
}
```

```
.wrapper-full {
width: 100%;
padding-right: 15px;
padding-left: 15px;
margin-right: auto;
margin-left: auto;
}
```

```
/*-- //wrapper start --*/
```

```
/*-- form styling --*/
```

```
.w3l-mockup-form {
position: relative;
min-height: 100vh;
z-index: 0;
background: rgba(99, 194, 110, 0.1);
padding: 40px 40px;
}
```

```
.container {
```

```
max-width: 890px;
margin: 0 auto;
}
```

```
.w3l_form {
padding: 0px;
flex-basis: 50%;
-webkit-flex-basis: 50%;
background: #007ac1;
padding: 100px 50px;
border-top-left-radius: 8px;
border-bottom-left-radius: 8px;
display: flex;
justify-content: center;
align-items: center;
}
```

```
.content-wthree {
flex-basis: 60%;
-webkit-flex-basis: 60%;
box-sizing: border-box;
padding: 3em 3.5em;
background: #fff;
box-shadow: 2px 9px 49px -17px rgba(0, 0, 0, 0.1);
border-top-right-radius: 8px;
border-bottom-right-radius: 8px;
}
```

```
.w3l-workinghny-form .logo {
text-align: center;
}
```

```
.w3l-mockup-form .main-mockup {
position: relative;
display: -webkit-box;
display: -moz-box;
display: -ms-flexbox;
display: -webkit-flex;
display: flex;
margin: 40px 0;
}
```

```
.w3l-mockup-form .alert-close {
cursor: pointer;
height: 35px;
width: 35px;
line-height: 35px;
position: absolute;
right: -5px;
top: -5px;
background: #005fc1;
```

```
border-radius: 50px;
color: #fff;
text-align: center;
}

.w3l-mockup-form form {
margin-top: 30px;
margin-bottom: 30px;
}

.social-icons {
text-align: center;
}

.w3l-mockup-form h1 {
text-align: center;
font-size: 40px;
font-weight: 500;
color: #3b3663;
}

.w3l-mockup-form h2 {
display: inline-block;
font-size: 25px;
line-height: 35px;
margin-bottom: 5px;
font-weight: 600;
color: #3b3663;
}

.w3l-mockup-form input {
outline: none;
margin-bottom: 15px;
font-size: 16px;
color: #999;
text-align: left;
padding: 14px 20px;
width: 100%;
display: inline-block;
box-sizing: border-box;
border: none;
outline: none;
background: transparent;
border: 1px solid #e5e5e5;
transition: 0.3s all ease;
}

.w3l-mockup-form input:focus {
border-color: #005fc1;
}
```

```

.w3l-mockup-form button {
  font-size: 18px;
  color: #fff;
  width: 100%;
  background:#0056c1;
  border: none;
  padding: 14px 15px;
  font-weight: 500;
  transition: .3s ease;
  -webkit-transition: .3s ease;
  -moz-transition: .3s ease;
  -ms-transition: .3s ease;
  -o-transition: .3s ease;
}

.w3l-mockup-form button:hover {
  background: #005fc1;
}

.w3l-mockup-form .social-icons ul li {
  list-style: none;
  display: inline-block;
}

.w3l-mockup-form .social-icons ul li a {
  padding: 8px;
}

.w3l-mockup-form .social-icons ul li a:hover {
  opacity: 0.8;
  transition: 0.5s ease;
  -webkit-transition: 0.5s ease;
  -o-transition: 0.5s ease;
  -ms-transition: 0.5s ease;
  -moz-transition: 0.5s ease;
}

.w3l-mockup-form .social-icons ul span.fa {
  color: #696687;
  font-size: 18px;
  opacity: .8;
}

.w3l-mockup-form .social-icons ul li a.facebook span {
  color: #3b5998;
}

.w3l-mockup-form .social-icons ul li a.twitter span {
  color: #007ac1;
}

```

```
.w3l-mockup-form .social-icons ul li a.pinterest span {  
  color: #e60023;  
}
```

```
.copyright p {  
  text-align: center;  
  font-size: 17px;  
  line-height: 26px;  
  color: #607863;  
  opacity: 1;  
}
```

```
p.copy-footer-29 a {  
  color: #517856;  
}
```

```
p.copy-footer-29 a:hover {  
  color: #005fc1;  
  transition: 0.5s ease;  
  -webkit-transition: 0.5s ease;  
  -o-transition: 0.5s ease;  
  -ms-transition: 0.5s ease;  
  -moz-transition: 0.5s ease;  
}
```

```
.alert {  
  padding: 1rem;  
  border-radius: 5px;  
  color: white;  
  margin: 1rem 0;  
}
```

```
.alert-success {  
  background-color: #007ac1;  
}
```

```
.alert-danger {  
  background-color: #fc5555;  
}
```

```
.alert-info {  
  background-color: #2E9AFE;  
}
```

```
.alert-warning {  
  background-color: #ff9966;  
}
```

```
/*-- responsive design --*/
```

```
@media (max-width:736px) {  
  .w3l-mockup-form .main-mockup {  
    flex-direction: column;  
  }  
}
```

```
.w3l_form {  
  order: 2;  
  padding: 50px;  
  border-radius: 0;  
  border-bottom-left-radius: 8px;  
  border-bottom-right-radius: 8px;  
}
```

```
.content-wthree {  
  order: 1;  
  border-radius: 0;  
  border-top-left-radius: 8px;  
  border-top-right-radius: 8px;  
}  
}
```

```
@media (max-width:568px) {  
  .w3l-mockup-form h1 {  
    font-size: 30px;  
  }  
}
```

```
.w3l-mockup-form .main-mockup {  
  margin: 30px 0;  
}
```

```
.content-wthree {  
  padding: 2.5em;  
}  
}
```

```
@media (max-width: 415px) {  
  .w3l-mockup-form {  
    padding: 40px 30px;  
  }  
}
```

```
@media (max-width:384px) {  
  .w3l-mockup-form {  
    padding: 30px 15px;  
  }  
}
```

```
.content-wthree {  
  padding: 2em;  
}
```



```

.w3l-mockup-form h1 {
    font-size: 28px;
}

.w3l-mockup-form h2 {
    font-size: 22px;
    line-height: 32px;
}

.copyright p {
    font-size: 16px;
}
}

/*-- //responsive design --*/
/*-- //form styling --*/

```

login.sql

```
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
```

```
START TRANSACTION;
```

```
SET time_zone = "+00:00";
```

```
/*!40101 SET
```

```
@OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
```

```
/*!40101 SET
```

```
@OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
```

```
/*!40101 SET
```

```
@OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
```

```
/*!40101 SET NAMES utf8mb4 */;
```

```
--
```

```
-- Database: `login1`
```

```
--
```

```
-- -----  
  
--  
-- Table structure for table `users1`  
--  
  
CREATE TABLE `users1` (  
  `id` int(11) NOT NULL,  
  `name` varchar(255) NOT NULL,  
  `email` varchar(255) NOT NULL,  
  `password` varchar(255) NOT NULL,  
  `code` text NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;  
  
--  
-- Indexes for dumped tables  
--  
  
--  
-- Indexes for table `users1`  
--  
ALTER TABLE `users1`  
  ADD PRIMARY KEY (`id`);  
  
--  
-- AUTO_INCREMENT for dumped tables  
--  
  
--
```

```
-- AUTO_INCREMENT for table `users1`
```

```
--
```

```
ALTER TABLE `users1`
```

```
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT;
```

```
COMMIT;
```

```
/*!40101 SET
```

```
CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
```

```
/*!40101 SET
```

```
CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
```

```
/*!40101 SET
```

```
COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```