```
{% extends 'base.html' %}
{% block head %}
<title>Welcome</title>
{% endblock %}
{% block body %}
<body style="background-color:black; padding-top: 100px;">
  <div class="container" style="padding-top:100px; text-align: center;">
    <div class="row height: 200px; ">
      {% with messages = get_flashed_messages(with_categories=true) %}
      {% if messages %}
      {% for category, message in messages %}
      <div class="alert alert-{{category}} mx-auto" style="color: red; ">{{message}}</div>
      {% endfor %}
      {% endif %}
      {% endwith %}
    </div>
    <div class="row mb-3">
      <h1 class="page-header text-primary mx-auto"><span style="color:white;">FORGOT
PAGE</span></h1>
    </div>
```

```
<div class="container border border-primary mb-3">
      <div class="row mb-3">
        <h1 class="page-header text-primary mx-auto">CUSTOMER</h1>
      </div>
      <div class="row">
        <div class="col" style="height: 200px;">
          <form action="{{ url_for('forgot') }}" method="POST">
             <div class="form-group" style="padding-left: 60px;">
               <label for="exampleid"><span style="color:white;">Id</span></label>
               <input type="tel" style="color: black; width: 400px; " class="form-control " id="ida"
                 name="custid" placeholder="Enter Id" required>
             </div>
             <div class="row justify-content-center">
               <button type="submit" id="otp" class="btn btn-primary btn-md " style="color: black;</pre>
font-weight: bolder;" >Send Email</button>
             </div>
          </form>
        </div>
        <div class="col" style="height: 200px;">
          <form action="{{ url_for('otp') }}" method="POST">
             <div class="form-group" style="padding-left: 60px;">
               <label for="exampleid"><span style="color:white;">Enter your verification
number</span></label>
               <input type="tel" style="color: white; width: 400px; padding-right:30px;"
```

```
class="form-control" id="otp" name="otp" placeholder="Enter otp" required>
```

```
</div>
             <div class="row justify-content-center">
               <button type="submit" class="btn btn-primary btn-md" style="color: black; font-
weight: bolder;">verify OTP</button>
             </div>
          </form>
        </div>
      </div>
    </div>
    <div class="container border border-primary mb-3">
      <div class="row mb-3">
        <h1 class="page-header text-primary mx-auto"><span
style="color:white;">AGENT</span></h1>
      </div>
      <div class="row ">
        <div class="col" style="height: 200px;">
          <form action="{{ url_for('agentforgot') }}" method="POST">
             <div class="form-group" style="padding-left: 60px;">
               <label for="exampleid"><span style="color:white;">Id</span></label>
               <input type="tel" style="color: white; width: 400px; " class="form-control " id="ida"
                 name="custid" placeholder="Enter Id" required>
             </div>
             <div class="row justify-content-center">
```

```
<button type="submit" id="otp" class="btn btn-primary btn-md" style="color: black;
font-weight: bolder;">Send Email</button>
             </div>
          </form>
        </div>
        <div class="col" style="height: 200px;">
          <form action="{{ url_for('agentotp') }}" method="POST">
             <div class="form-group" style="padding-left: 60px;">
               <label for="exampleid"><span style="color:white;">Enter your verification
number</span></label>
               <input type="tel" style="color: white; width: 400px; padding-right:30px;"
                 class="form-control" id="otp" name="otp" placeholder="Enter otp" required>
               </div>
             <div class="row justify-content-center">
               <button type="submit" class="btn btn-primary btn-md "style="color: black; font-
weight: bolder;">verify OTP</button>
             </div>
          </form>
        </div>
      </div>
    </div>
    <div class="row justify-content-center">
      <a href="{{ url_for('home') }}" class="btn btn-primary mx-auto" role="button"><span
          style="color:white; font-weight: bolder;">Back</span>
      </a>
    </div>
 </div>
{% endblock %}
</body>
```