

Project Design Phase-I
Proposed Solution

Date	31 OCT 2022
Team Members	1)M.Akshaya (Team leader) 2)M.Kasthuri 3)B.Soundarya 4)C.Sarathapriya
Team ID	PNT2022TMID41775
Project Name	Gas leakage monitoring and alerting system

Proposed Solution:

S.No.	Parameter	Description
1.	Problem Statement (Problem to be solved)	○ Gas leakage are considered very dangerous since they can leads into an explosive concentration .So the proposed solution is used for the development for an efficient system , an application that can monitor and alert the workers

2.	Idea / Solution description	<ul style="list-style-type: none"> ○ In several areas, the gas sensors will be integrated to monitor the gas leakage ○ The proposed system takes an automatic control action after the detection of 0.001% of LPG leakage. ○ This automatic control action provides a mechanical handle driven by stepper motor for closing the valve ○ We are increasing the security for human by using the combination of a relay and the stepper motor which will shutdown the electric power of the house .Also by using a GSM module, we are sending an alert message by SMS (Short messaging services) to warn the
		<p>users about the LPG leakage and a buzzer is provided for alerting the neighbors in case of the absence of the users about the LPG leakage</p> <ul style="list-style-type: none"> ○ The main advantage of this system over the manual method is that, it does all the process automatically and has a quick response time.
3.	Novelty / Uniqueness	<ul style="list-style-type: none"> ○ User friendly ○ Pioneering study of natural gas detection with CCD in visible range
4.	Social Impact / Customer Satisfaction	<ul style="list-style-type: none"> ○ Cost efficient ○ Easy installation and provide efficient results.

5.	Business Model (Revenue Model)	<ul style="list-style-type: none"> ○ With widespread deployment of the urban natural gas industry, the energy security is now becoming one of the priorities in practice. ○ The gas leakage model was applied to analyse the pressure, temperature and flow rate of gas leakage over time under both the steady-state and dynamic conditions. ○ As the product usage can be understood by everyone, it is easy for them to use it properly for their safest organization.
6.	Scalability of the Solution	<ul style="list-style-type: none"> ○ Establishing fast communication equipment with the nearest fire station and other relief station to have the fastest response in case of an accident. ○ Even when the gas leakage is more, the product sense the accurate values and alerts the workers effectively