

Publish Data To The IBM Cloud

Date	13 th November 2022
Team ID	PNT2022TMID26096
Project Name	Project – Signs with Smart Connectivity for Better Road Safety

```
File Edit Tabs Help
pi@raspberrypi: ~
$ curl -LO https://github.com/ibm-messaging/iot-raspberrypi/releases/download/1.0.2.1/iot_1.0-2-arhf.deb
% Total % Received % Xferd Average Speed Time Time Current
100 184 0 184 0 0 187 0 --:--:-- 0:00:01 --:--:-- 187
100 606 0 606 0 0 457 0 --:--:-- 0:00:01 --:--:-- 457
100 110K 100 110K 0 0 2017 0 0:00:03 0:00:03 --:--:-- 48198
pi@raspberrypi: ~
$ sudo dpkg -i iot_1.0-2-arhf.deb
(Reading database ... 115600 files and directories currently installed.)
Preparing to unpack iot_1.0-2-arhf.deb ...
Unpacking iot (1.0-1) over (1.0-1) ...
Setting up iot (1.0-1) ...
Processing triggers for systemd (232-25-deb1) ...
pi@raspberrypi: ~
$ service iot status
* iot.service - IBM IoT service
Loaded: loaded (/etc/init.d/iot; generated; vendor preset: enabled)
Active: active (running) since Mon 2017-10-23 06:56:25 UTC; 17s ago
Docs: man:systemd-sysv-generator(8)
CGroup: /system.slice/iot.service
└─2562 /opt/iot/iot /dev/null

Oct 23 06:56:24 raspberrypi systemd[1]: Starting LSB: IoT service...
Oct 23 06:56:24 raspberrypi iot[2562]: Starting the iot program
Oct 23 06:56:25 raspberrypi iot[2562]: **** IoT Raspberry Pi Sample has started ****
Oct 23 06:56:25 raspberrypi iot[2562]: Config file not found. Going to Quickstart mode
Oct 23 06:56:25 raspberrypi iot[2562]: Running in Quickstart mode
Oct 23 06:56:25 raspberrypi systemd[1]: Started LSB: IoT service.
Oct 23 06:56:25 raspberrypi iot[2562]: Connecting to tcp://quickstart.messaging.internetofthings.ibmcloud.com:1883 with client Id: dquickstart:iot-sample-raspberrypi:b027e0dc6734
Oct 23 06:56:25 raspberrypi iot[2562]: Connection was successful
pi@raspberrypi: ~
$ cat
bash: cat: command not found
pi@raspberrypi: ~
$
```

```
File Edit Tabs Help
pi@raspberrypi: ~
$ pip install ibmiotf
Collecting ibmiotf
  Downloading ibmiotf-0.3.0.tar.gz (58kB)
    100% |#####| 61kB 510kB/s
Collecting dicttoxml==1.7.4 (from ibmiotf)
  Collecting dicttoxml==1.7.4 (from ibmiotf)
Collecting iso8601==0.1.10 (from ibmiotf)
  Downloading iso8601-0.1.12-py2.py3-none-any.whl
Collecting paho-mqtt==1.2 (from ibmiotf)
  Downloading paho-mqtt-1.3.1.tar.gz (50kB)
    100% |#####| 81kB 916kB/s
Collecting pytz==2014.7 (from ibmiotf)
  Using cached pytz-2017.2-py2.py3-none-any.whl
Collecting requests==2.5.0 (from ibmiotf)
  Downloading requests-2.18.4-py2.py3-none-any.whl (88kB)
    100% |#####| 92kB 1.6MB/s
Collecting requests-toolbelt==0.7.0 (from ibmiotf)
  Downloading requests-toolbelt-0.8.0-py2.py3-none-any.whl (54kB)
    100% |#####| 61kB 1.6MB/s
Collecting smtplib==0.10.2 (from ibmiotf)
  Downloading smtplib-0.11.0-py2.py3-none-any.whl
Collecting urllib3<3.2.3, >=1.21.1 (from requests==2.5.0->ibmiotf)
  Downloading urllib3-1.22-py2.py3-none-any.whl (132kB)
    100% |#####| 13kB 1.4MB/s
Collecting idna==2.7, >=2.5 (from requests==2.5.0->ibmiotf)
  Downloading idna-2.6-py2.py3-none-any.whl (56kB)
    100% |#####| 61kB 1.7MB/s
Collecting chardet<3.1.0, >=3.0.2 (from requests==2.5.0->ibmiotf)
  Downloading chardet-3.0.4-py2.py3-none-any.whl (133kB)
    100% |#####| 14kB 1.0MB/s
Collecting certifi==2017.4.17 (from requests==2.5.0->ibmiotf)
  Using cached certifi-2017.7.27.1-py2.py3-none-any.whl
Building wheels for collected packages: ibmiotf, dicttoxml, paho-mqtt
Running setup.py bdist_wheel for ibmiotf ... done
Stored in directory: /home/pi/.cache/pip/wheels/7e/f9/45/b0c33ad957e62f7b71b80e316d65a83d9d735ad12e0c0418
Running setup.py bdist_wheel for dicttoxml ... done
Stored in directory: /home/pi/.cache/pip/wheels/45/62/59/06910b33ec6a7b2a66a13765401b50df5468024078a12cc
Running setup.py bdist_wheel for paho-mqtt ... done
Stored in directory: /home/pi/.cache/pip/wheels/20/db/8d/acdc8f289011b7be7d71deebef8642f83be0313dfff0493
Successfully built ibmiotf dicttoxml paho-mqtt
Installing collected packages: dicttoxml, iso8601, paho-mqtt, pytz, urllib3, idna, chardet, certifi, requests, requests-toolbelt, smtplib, ibmiotf
Successfully installed certifi-2017.7.27.1 chardet-3.0.4 dicttoxml-1.7.4 ibmiotf-0.3.0 idna-2.6 iso8601-0.1.12 paho-mqtt-1.3.1 pytz-2017.2 requests-2.18.4 requests-toolbelt-0.8.0 urllib3-1.22 smtplib-0.11.0
pi@raspberrypi: ~
$
```

```
Python 2.7.13 Shell
File Edit Shell Debug Options Window Help

Python 2.7.13 (default, Jan 19 2017, 14:48:08)
[GC 8.3.0 20170124] on linux2
Type "copyright", "credits" or "license()" for more information.
>>>
===== RESTART: /home/pi/Downloads/dht11toibmiot.py =====
2017-18-29 07:18:37.768 ibmiot.device.Client INFO Connected successfully: d:gegt14;mydevice:mydevice
Published Temperature = 28 C Humidity = 50 % to IBM Watson
SensorData Invalid
Published Temperature = 28 C Humidity = 50 % to IBM Watson
SensorData Invalid
Published Temperature = 28 C Humidity = 50 % to IBM Watson
SensorData Invalid
Published Temperature = 28 C Humidity = 50 % to IBM Watson
Published Temperature = 29 C Humidity = 50 % to IBM Watson
Published Temperature = 29 C Humidity = 50 % to IBM Watson
|
```