Assignment III

Maheswari B 913119205023

importing Libraries

```
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
%matplotlib inline
import seaborn as sns
```

df = pd.read_csv('abalone.csv')

df.head()

Sex	Length	Diameter	Height	Whole weight	Shucked weight	Viscera
weight	\					
0 M	0.455	0.365	0.095	0.5140	0.2245	
0.1010						
1 M	0.350	0.265	0.090	0.2255	0.0995	
0.0485						
2 F	0.530	0.420	0.135	0.6770	0.2565	
0.1415						
3 M	0.440	0.365	0.125	0.5160	0.2155	
0.1140						
4 I	0.330	0.255	0.080	0.2050	0.0895	
0.0395						

	Shell	weight	Rings
0		0.150	15
1		0.070	7
2		0.210	9
3		0.155	10
4		0.055	7

df.describe()

	Length	Diameter	Height	Whole weight	Shucked
weight \	_		_	_	
	77.000000	4177.000000	4177.000000	4177.000000	
4177.0000					
mean	0.523992	0.407881	0.139516	0.828742	
0.359367					
std	0.120093	0.099240	0.041827	0.490389	
0.221963					
min	0.075000	0.055000	0.000000	0.002000	
0.001000					
25%	0.450000	0.350000	0.115000	0.441500	
0.186000					
50%	0.545000	0.425000	0.140000	0.799500	

```
0.336000
75%
                        0.480000
                                      0.165000
                                                     1.153000
          0.615000
0.502000
          0.815000
                        0.650000
                                      1.130000
                                                     2.825500
max
1.488000
                        Shell weight
       Viscera weight
                                             Rings
          4177.000000
                         4177.000000
                                       4177.000000
count
             0.180594
                            0.238831
                                          9.933684
mean
std
              0.109614
                            0.139203
                                          3.224169
             0.000500
                            0.001500
                                          1.000000
min
25%
             0.093500
                            0.130000
                                          8.000000
50%
             0.171000
                            0.234000
                                          9.000000
                                         11.000000
             0.253000
                            0.329000
75%
max
             0.760000
                            1.005000
                                         29.000000
df['age'] = df['Rings']+1.5
df = df.drop('Rings', axis = 1)
Exploratory Data Analysis
df.shape
(3995, 11)
df.duplicated()
0
        False
1
        False
2
        False
3
        False
4
        False
4172
        False
4173
        False
4174
        False
4175
        False
4176
        False
Length: 3995, dtype: bool
df.corr()
                   Length
                           Diameter
                                        Height
                                                Whole weight
                                                                Shucked
weight \
Length
                 1.000000
                           0.986510
                                      0.896952
                                                     0.933435
0.908398
Diameter
                 0.986510
                                      0.902958
                                                     0.933099
                           1.000000
0.903410
Height
                 0.896952
                           0.902958
                                      1.000000
                                                     0.888833
0.841209
Whole weight
                 0.933435
                           0.933099
                                      0.888833
                                                     1.000000
0.971774
```

Shucked weight 1.000000	0.908398 0.90341	.0 0.841209	0.971	L774
Viscera weight 0.930861	0.906337 0.90277	7 0.866655	0.967	7086
Shell weight	0.915167 0.92246	0.896162	0.966)782
0.898596 age 0.455338	0.585097 0.60268	0.625124	0.558	8879
Sex_F	0.317044 0.32646	66 0.325117	0.322	2164
0.288956 Sex_I	-0.544717 -0.55804	2 -0.553108	-0.568	3049 -
0.533573 Sex_M 0.246704	0.230649 0.23468	9 0.231134	0.248	3664
Carr T	Viscera weight S	Shell weight	age	Sex_F
Sex_I \ Length	0.906337	0.915167	0.585097	0.317044 -
0.544717 Diameter	0.902777	0.922463	0.602680	0.326466 -
0.558042 Height	0.866655	0.896162	0.625124	0.325117 -
0.553108 Whole weight	0.967086	0.960782	0.558879	0.322164 -
0.568049 Shucked weight	0.930861	0.898596	0.455338	0.288956 -
0.533573 Viscera weight	1.000000	0.920124	0.535553	0.329030 -
0.564730 Shell weight	0.920124	1.000000	0.630952	0.326832 -
0.560320 age	0.535553	0.630952	1.000000	0.262873 -
0.454388 Sex_F	0.329030	0.326832	0.262873	1.000000 -
0.471406 Sex_I	-0.564730	-0.560320	-0.454388	-0.471406
1.000000 Sex_M 0.529816	0.238797	0.236575	0.193936	-0.498206 -
Length Diameter Height Whole weight Shucked weight Viscera weight Shell weight age Sex_F	Sex_M 0.230649 0.234689 0.231134 0.248664 0.246704 0.238797 0.236575 0.193936 -0.498206			

Sex_I -0.529816 Sex M 1.000000

Univariate Analysis

#Categorical Data


#Countplot

sns.countplot(df['Length'])

/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation.

FutureWarning

<matplotlib.axes. subplots.AxesSubplot at 0x7ffa76624790>




sns.countplot(df['Diameter'])

/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation.

FutureWarning

<matplotlib.axes._subplots.AxesSubplot at 0x7ffa7637c9d0>




sns.countplot(df['Height'])

/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation.

FutureWarning

<matplotlib.axes. subplots.AxesSubplot at 0x7ffa7603a190>




sns.countplot(df['Shell weight'])


/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation.

FutureWarning

<matplotlib.axes. subplots.AxesSubplot at 0x7ffa75eb1f90>




sns.heatmap(df.isnull())
<matplotlib.axes._subplots.AxesSubplot at 0x7ffa7e0bb250>



sns.pairplot(df)

<seaborn.axisgrid.PairGrid at 0x7ffa7e0cf950>




df.info()


<class 'pandas.core.frame.DataFrame'>
RangeIndex: 4177 entries, 0 to 4176
Data columns (total 9 columns):

	Column	Non-Null Count	Dtype
0	Sex	4177 non-null	object
1	Length	4177 non-null	float64
2	Diameter	4177 non-null	float64
3	Height	4177 non-null	float64

```
Whole weight
                     4177 non-null
                                     float64
 4
 5
                     4177 non-null
     Shucked weight
                                     float64
     Viscera weight
                     4177 non-null
 6
                                     float64
 7
     Shell weight
                     4177 non-null
                                     float64
                                     float64
 8
     age
                     4177 non-null
dtypes: float64(8), object(1)
memory usage: 293.8+ KB
numerical features = df.select dtypes(include = [np.number]).columns
categorical features = df.select dtypes(include = [np.object]).columns
/usr/local/lib/python3.7/dist-packages/ipykernel launcher.py:2:
DeprecationWarning: `np.object` is a deprecated alias for the builtin
`object`. To silence this warning, use `object` by itself. Doing this
will not modify any behavior and is safe.
Deprecated in NumPy 1.20; for more details and guidance:
https://numpy.org/devdocs/release/1.20.0-notes.html#deprecations
numerical features
Index(['Length', 'Diameter', 'Height', 'Whole weight', 'Shucked
weight',
        Viscera weight', 'Shell weight', 'age'l.
      dtype='object')
categorical features
Index(['Sex'], dtype='object')
plt.figure(figsize = (20,7))
sns.heatmap(df[numerical features].corr(),annot = True)
<matplotlib.axes. subplots.AxesSubplot at 0x7ffa79a81c50>
```



sns.countplot(x = 'Sex', data = df, palette = 'Set3')
<matplotlib.axes. subplots.AxesSubplot at 0x7ffa77a1ca10>



```
plt.figure(figsize = (20,7))
sns.swarmplot(x = 'Sex', y = 'age', data = df, hue = 'Sex')
sns.violinplot(x = 'Sex', y = 'age', data = df)
```

/usr/local/lib/python3.7/dist-packages/seaborn/categorical.py:1296: UserWarning: 56.2% of the points cannot be placed; you may want to decrease the size of the markers or use stripplot.

warnings.warn(msg, UserWarning)


/usr/local/lib/python3.7/dist-packages/seaborn/categorical.py:1296: UserWarning: 52.2% of the points cannot be placed; you may want to decrease the size of the markers or use stripplot.

warnings.warn(msg, UserWarning)

/usr/local/lib/python3.7/dist-packages/seaborn/categorical.py:1296: UserWarning: 58.5% of the points cannot be placed; you may want to decrease the size of the markers or use stripplot.

warnings.warn(msg, UserWarning)

<matplotlib.axes._subplots.AxesSubplot at 0x7ffa77abcf90>



#Descriptive Statistics df.mean()

Length	0.518168
Diameter	0.402955
Height	0.136972
Whole weight	0.791814
Shucked weight	0.345022
Viscera weight	0.173504
Shell weight	0.227166
age	11.127284
Sex_F	0.307134
Sex_I	0.333917
Sex_M	0.358949
- 67 164	

dtype: float64

df.median()

Length Diameter Height Whole weight Shucked weight	0.5350 0.4200 0.1400 0.7745 0.3265
Viscera weight	0.1650
Shell weight	0.2235
age	10.5000
Sex_F	0.0000
Sex_I	0.0000
Sex_M	0.0000
dtype: float64	

df.mode()

Length	Diameter	Height	Whole weight	Shucked weight	Viscera
weight \					
0 0.575	0.45	0.15	0.2225	0.175	
0.1715					

```
Shell weight age Sex_F Sex_I Sex_M 0 0.275 10.5 0 0 0
```

#Handle Missing Value

df.isna()


wojah		Diamet	er He	eight N	Whole we	ight	Shucked	weight	Viscera
weight 0 False 1	False	Fal	.se F	alse	F	alse		False	
	False	Fal	.se F	alse	F	alse		False	
False	False	Fal	.se F	alse	F	alse		False	
False	False	Fal	.se F	alse	F	alse		False	
	False	Fal	.se F	alse	F	alse		False	
		Fal	.se F	alse	F	alse		False	
False	False	Fal	.se F	alse	F	alse		False	
False	False	Fal	.se F	alse	F	alse		False	
	False	Fal	.se F	alse	F	alse		False	
		Fal	.se F	alse	F	alse		False	
0 1 2 3 4 4172 4173 4174 4175 4176		False	False False False False	False False False False False False False False False	False False False False False False	False			

[3995 rows x 11 columns]

df.isna().any()


Length False Diameter False Height False

```
Whole weight
                    False
Shucked weight
                    False
Viscera weight
                    False
Shell weight
                    False
                    False
age
Sex_F
                    False
Sex<sup>-</sup>I
                    False
Sex M
                    False
dtype: bool
Outlier handling
df = pd.get_dummies(df)
dummy df = \overline{d}f
var = 'Viscera weight'
plt.scatter(x = df[var], y = df['age'])
plt.grid(True)
```




```
df.drop(df[(df['Viscera weight'] > 0.5) &(df['age'] < 20)].index,
inplace = True)
df.drop(df[(df['Viscera weight']<0.5) & (df['age'] > 25)].index,
inplace = True)

var = 'Shell weight'
plt.scatter(x = df[var], y = df['age'])
plt.grid(True)
```




```
\label{eq:df_df_df_df_df_df} $$ df.drop(df[(df['Shell weight'] > 0.6) & (df['age'] < 25)].index, inplace = True) \\ df.drop(df[(df['Shell weight'] < 0.8) & (df['age'] > 25)].index, inplace = True) \\
```

```
var = 'Shucked weight'
plt.scatter(x = df[var], y = df['age'])
plt.grid(True)
```




```
df.drop(df[(df['Shucked weight'] >= 1) &(df['age'] < 20)].index,
inplace = True)
df.drop(df[(df['Viscera weight']<1) & (df['age'] > 20)].index, inplace
= True)

var = 'Whole weight'
plt.scatter(x = df[var], y = df['age'])
plt.grid(True)
```




```
df.drop(df[(df['Whole weight'] >= 2.5) &(df['age'] < 25)].index,
inplace = True)
df.drop(df[(df['Whole weight']<2.5) & (df['age'] > 25)].index, inplace
= True)

var = 'Diameter'
plt.scatter(x = df[var], y = df['age'])
plt.grid(True)
```




```
df.drop(df[(df['Diameter'] <0.1) &(df['age'] < 5)].index, inplace =
True)
df.drop(df[(df['Diameter']<0.6) & (df['age'] > 25)].index, inplace =
True)
df.drop(df[(df['Diameter']>=0.6) & (df['age'] < 25)].index, inplace =
True)

var = 'Height'
plt.scatter(x = df[var], y = df['age'])
plt.grid(True)</pre>
```



```
var = 'Length'
plt.scatter(x = df[var], y = df['age'])
plt.grid(True)
```



```
df.drop(df[(df['Length'] < 0.1) \& (df['age'] < 5)].index, inplace =
True)
df.drop(df[(df['Length']<0.8) \& (df['age'] > 25)].index, inplace =
df.drop(df[(df['Length']>=0.8) \& (df['age'] < 25)].index, inplace =
True)
X = df.drop('age', axis = 1)
y = df['age']
KNeighbours Regression
from sklearn.preprocessing import StandardScaler
from sklearn.model selection import train test split, cross val score
from sklearn.feature selection import SelectKBest
standardScale = StandardScaler()
standardScale.fit transform(X)
selectkBest = SelectKBest()
X new = selectkBest.fit transform(X, y)
X train, X test, y train, y test = train test split(X new, y,
test size = 0.25)
from sklearn.neighbors import KNeighborsRegressor
knn = KNeighborsRegressor(n neighbors =4 )
knn.fit(X train, y train)
knn.fit(X test, y test)
KNeighborsRegressor(n neighbors=4)
y train pred = knn.predict(X train)
y test pred = knn.predict(X_test)
knn.score(X train, y train)
0.45267360390467304
knn.score(X test, y test)
0.6869454325742071
accuracy is 68%
```