Problem Statement:

IoT-Based Smart Crop Protection System for Agriculture

Domain:

Internet of Things

ASSIGNMENT 1

Ву,

Abish S-95191902001 Anantha balan T-95191902005 Arun Kumar K-951919020 Krishna Moorthy -95191902049

Code:

```
const int pingPin = 10;
const int ledUS = 2;
const int light = 7;
const int pir = 4;
#define photoSensor A0
#define buzzer 3
int const PINO_SGAS = A5;
int const ledGas = 8;
int const button = 5;
int const motor = 13;
void setup()
{
 pinMode(ledUS, OUTPUT);
 pinMode(light, OUTPUT);
 pinMode(buzzer, OUTPUT);
 pinMode(ledGas, OUTPUT);
 pinMode(motor, OUTPUT);
 pinMode(pir, INPUT);
 pinMode(button, INPUT);
 pinMode(photoSensor, INPUT);
 Serial.begin(9600);
}
void loop()
{
 long duration, cm;
 int valLight = analogRead(photoSensor);
 int valPIR= digitalRead(pir);
 int valGAS = analogRead(PINO_SGAS);
```

```
valGAS = map(valGAS, 300, 750, 0, 100);
int valBt = digitalRead(button);
pinMode(pingPin, OUTPUT);
digitalWrite(pingPin, LOW);
delayMicroseconds(2);
digitalWrite(pingPin, HIGH);
delayMicroseconds(5);
digitalWrite(pingPin, LOW);
pinMode(pingPin, INPUT);
duration = pulseIn(pingPin, HIGH);
cm = microsecondsToCentimeters(duration);
if(cm < 336){
digitalWrite(ledUS, HIGH);
}else{
digitalWrite(ledUS, LOW);
}
if(valLight < 890){
digitalWrite(light, HIGH);
}else{
digitalWrite(light, LOW);
if(valPIR == 1){
digitalWrite(buzzer, HIGH);
}else{
digitalWrite(buzzer, LOW);
}
if(valBt == 1){
digitalWrite(motor, HIGH);
}else{
```

```
digitalWrite(motor, LOW);
}
if(valGAS > 20){
    digitalWrite(ledGas, HIGH);
}else{
    digitalWrite(ledGas, LOW);
}
Serial.print(valPIR);
Serial.println();
}
long microsecondsToCentimeters(long microseconds) {
    return microseconds / 29 / 2;
}
```

Simulation:

