


SENDGRID INTEGRATION WITH PYTHON CODE

Task ID	TSK-275366
Team ID	PNT2022TMID44588
Student Name	Durgadevi V
Student Roll Number	731719205004



The screenshot displays the Visual Studio Code interface with a Python Flask application named `mail_api.py` open. The code is as follows:

```
10 onfig['MAIL_PASSWORD'] = 'zxecwscskhvhtpr'
11 onfig['MAIL_USE_TLS'] = False
12 onfig['MAIL_USE_SSL'] = True
13 = Mail(app)
14
15 route("/")
16 ndex():
17 g = Message('Hello', sender = 'skillandjobrecommender@gmail.com', recipients = ['durgavadiveldurgavadivel@gmail.
18 g.body = "Hello Flask message sent from Flask-Mail"
19 il.send(msg)
20 turn "Sent"
21
22 name__ == '__main__':
23 p.run(debug = True)
```

The terminal output shows the application running with debug mode enabled:

```
* Restarting with stat
* Debugger is active!
* Debugger PIN: 139-216-701
127.0.0.1 - - [10/Nov/2022 15:28:51] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [10/Nov/2022 15:28:52] "GET /favicon.ico HTTP/1.1" 404 -
```

