

PROJECT DEVELOPMENT PHASE

SPRINT-III

Team ID	PNT2022TMID44588
Project Title	Skill/job Recommender Application
Date	19-11-2022

app.py

```
import bcrypt
import ibm_db
from sendmail import *
from flask import Flask, redirect, render_template, request, session, url_for

ibm_db.connect("DATABASE=bludb;HOSTNAME=98538591-7217-4024-b027-8baa776ffad1.c3n41cmd0nqnrk39u98g.databases.appdomain.cloud;PORT=30875;PROTOCOL=TCPIP;SECURITY=SSL;SSLServerCertificate=DigiCertGlobalRootCA.crt;UID=fxm42113;PWD=XHzCZLrUPYhyRiHW;", "", "")

app = Flask(__name__)
app.secret_key = b'_5#y2L"F4Q8z\n\xec]/'

@app.route("/", methods=['GET'])
def home():
    if 'email' not in session:
        return redirect(url_for('apply'))
    return render_template('apply.html', name='Home')

@app.route("/apply")
def index():
    return render_template('index.html')

@app.route("/index1")
def index1():
    return render_template('index1.html')

@app.route("/job_details")
def job_details():
    return render_template('job_details.html')

@app.route("/job_details1")
def job_details1():
    return render_template('job_details1.html')

@app.route("/job_details2")
```

```

def job_details2():
    return render_template('job_details2.html')

@app.route("/job_details3")
def job_details3():

    return render_template('job_details3.html')

@app.route("/job_details4")
def job_details4():
    return render_template('job_details4.html')

@app.route("/job_details5")
def job_details5():
    return render_template('job_details5.html')

@app.route("/job_details6")
def job_details6():
    return render_template('job_details6.html')

@app.route("/job_listing")
def job_listing():
    return render_template('job_listing.html')

@app.route("/about")
def about():
    return render_template('about.html')


@app.route("/registration",methods=['GET','POST'])
def register():
    if request.method == 'POST':
        name = request.form['name']
        phn = request.form['phn']
        email = request.form['email']
        psw = request.form['psw']

        if not name or not email or not phn or not psw:
            return render_template('registration.html',error='Please fill all fields')
        hash=bcrypt.hashpw(psw.encode('utf-8'),bcrypt.gensalt())
        query = "SELECT * FROM user_detail WHERE email=? OR phn=?"
        stmt = ibm_db.prepare(conn, query)
        ibm_db.bind_param(stmt,1,email)
        ibm_db.bind_param(stmt,2,phn)
        ibm_db.execute(stmt)

```

```

print(stmt)
isUser = ibm_db.fetch_assoc(stmt)
if not isUser:
    insert_sql = "INSERT INTO user_detail(name, email, phn, psw) VALUES (?, ?, ?, ?)"
    prep_stmt = ibm_db.prepare(conn, insert_sql)
    ibm_db.bind_param(prepare_stmt, 1, name)
    ibm_db.bind_param(prepare_stmt, 2, email)
    ibm_db.bind_param(prepare_stmt, 3, phn)
    ibm_db.bind_param(prepare_stmt, 4, hash)
    ibm_db.execute(prepare_stmt)

    sendMailUsingSendGrid(API,from_email,to_emails,subject,html_content)
    return render_template('registration.html',success="You can login")
else:
    return render_template('registration.html',error='Invalid Credentials')

return render_template('registration.html',name='Home')

@app.route("/login",methods=['GET','POST'])
def login():
    if request.method == 'POST':
        email = request.form['email']
        psw = request.form['psw']

        if not email or not psw:
            return render_template('login.html',error='Please fill all fields')
        query = "SELECT * FROM user_detail WHERE email=?"
        stmt = ibm_db.prepare(conn, query)
        ibm_db.bind_param(stmt,1,email)
        ibm_db.execute(stmt)
        isUser = ibm_db.fetch_assoc(stmt)
        print(isUser,psw)

        if not isUser:
            return render_template('login.html',error='Invalid Credentials')

        isPasswordMatch = bcrypt.checkpw(psw.encode('utf-8'),isUser['PSW'].encode('utf-8'))

        if not isPasswordMatch:
            return render_template('login.html',error='Invalid Credentials')

        session['email'] = isUser['EMAIL']
        return redirect(url_for('home'))

    return render_template('login.html',name='Home')

@app.route("/apply",methods=['GET','POST'])
def apply():
    if request.method == 'POST':

```

```

name = request.form['name']
email = request.form['email']
psw = request.form['password']
age = request.form['age']
job = request.form['job']
interest = request.form['interest']

if not name or not email or not psw:
    return render_template('apply.html',error='Please fill all fields')
hash=bcrypt.hashpw(psw.encode('utf-8'),bcrypt.gensalt())
query = "SELECT * FROM applyform WHERE email=? OR psw=?"
stmt = ibm_db.prepare(conn, query)
ibm_db.bind_param(stmt,1,email)
ibm_db.bind_param(stmt,2,psw)
ibm_db.execute(stmt)
isUser = ibm_db.fetch_assoc(stmt)
if not isUser:
    insert_sql = "INSERT INTO admin_detail(name, email, psw,age,job,interest) VALUES
(?,?,?,?,?,?)"

    prep_stmt = ibm_db.prepare(conn, insert_sql)
    ibm_db.bind_param(prepare_stmt, 1, name)
    ibm_db.bind_param(prepare_stmt, 2, email)
    ibm_db.bind_param(prepare_stmt, 3, psw)
    ibm_db.bind_param(prepare_stmt, 4, age)
    ibm_db.bind_param(prepare_stmt, 5, job)
    ibm_db.bind_param(prepare_stmt, 6, interest)
    ibm_db.execute(prepare_stmt)
    return render_template('apply.html',success="You can login")
else:
    return render_template('apply.html',error='Invalid Credentials')

return render_template('apply.html',name='Home')

if __name__ == "__main__":
    app.run(debug=True)

```

Viewjobs.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>JOBPORTAL | HOME</title>
  <meta charset="UTF-8">
  <!-- favicon -->
  <!-- <link rel="shortcut icon" href="/assets/img/favicon.ico" type="image/x-
icon"> -->
  <!-- <link rel="icon" href="/assets/img/favicon.ico" type="image/x-icon"> -->
  <link rel="icon" type="image/png" sizes="16x16" href="/assets/img/favicon-
32x32.png">
  <!-- bootstrap css cdn -->
  <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
integrity="sha384-JcKb8q3iqJ61gNV9KGb8thSsNjpsL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.css">
  <!-- css stylesheet -->
  <link rel="stylesheet" href="{url_for('static',filename='css/style.css') }{">
  <!-- font styles cdn -->
  <link rel="preconnect" href="https://fonts.gstatic.com">
  <link href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap"
rel="stylesheet">
  <link
href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600&display=swap"
rel="stylesheet">
</head>
<div class="image">
  <style>
    body {
      background-image: url('img6.jpg');
      background-repeat: no-repeat;
      background-attachment: fixed;
      background-size: cover;
    }
  </style>

</style>
<script>
  window.watsonAssistantChatOptions = {
    integrationID: "7bb0dbd6-2b28-4c7f-9e76-a9347dc3d1cc", // The ID of this
integration.
```

```

        region: "au-syd", // The region your integration is hosted in.
        serviceInstanceID: "10e6c64e-74a9-4d0e-a73b-9bbaa6d8424f", // The ID of your
service instance.
        onLoad: function(instance) { instance.render(); }
    };
    setTimeout(function(){
        const t=document.createElement('script');
        t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
        document.head.appendChild(t);
    });
</script>

<body>
    <!-- bootstrap navbar -->
    <nav class="navbar sticky-top navbar-expand-lg navbar-light">
        <div class="container-fluid">
            <a class="main-logo-img mt-3" href="#">
                <!-- <a class="navbar-brand" href="index.html">JobPortal</a> -->
            </a>
            <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">
                <span class="navbar-toggler-icon"></span>
            </button>

            <div class="row donate-sponsor">
                <a type="button" class="btn btn-success mr-1" id="donate"
href="login_1.html">LOGOUT</a>
                <a type="button" class="btn btn-warning mr-1" id="sponsor"
href="register_1.html">REGISTER</a>
                <a type="button" class="btn btn-primary mr-1" id="sponsor"
href="myjobs_1.html">MY JOBS</a>
            </div>
        </div>
    </nav>
    <!-- navbar ends -->

    <!-- what we focus on -->
    <section class="our-focus">
        <div class="container">
            <center>
                <h2 style="color:red">Available Jobs!!</h2>
            </center>
            <h2 class="text-center mt-3"></h2>
            <div class="row ml-3 mt-3">
                <div class="col-lg-3 mr-5" id="focus-first">
                    <div class="card" style="width: 19rem;">


```

```

        <!--  -->
        <div class="card-body">
            <h5 class="card-title">ENGINEERING& MANUFACTURING</h5>
            <p class="card-text"> Required skills: Technical knowledge,
Communication, Leadership, Creativity.
            </p>
            <a href="apply" class="btn btn-primary">Apply Now</a>
        </div>
    </div>
</div>
<div class="col-lg-3 mr-5" id="focus-second">
    <div class="card" style="width: 20rem;">
        <!--  -->
        <div class="card-body">
            <h5 class="card-title">HEALTH CARE AND HOSPITAL MANAGEMENT</h5>
            <p class="card-text">Required Skills: Positive attitude,
Flexibility, Empathy, Stress Management.</p>
            <a href="apply" class="btn btn-primary">Apply Now</a>
        </div>
    </div>
</div>
<div class="col-lg-3 ml-5" id="focus-third">
    <div class="card" style="width: 20rem;">
        <!--  -->
        <div class="card-body">
            <h5 class="card-title">ACCOUNTANCY, BANKING, FINANCIAL </h5>
            <p class="card-text"> Required skills: Data Management, Cash flow
Management, Mathematics.</p>
            <a href="apply" class="btn btn-primary">Apply Now</a>
        </div>
    </div>
</div>
</div>
</section>
<!-- focus section ends -->

<!-- footer starts -->
<!-- Site footer -->
</body>
</html>

```



login.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>JOBPORTAL | LOGIN</title>
  <link rel="stylesheet" href="style.css">
  <!-- favicon -->
  <!-- <link rel="shortcut icon" href="/assets/img/favicon.ico"
type="image/x-icon"> -->
  <!-- <link rel="icon" href="/assets/img/favicon.ico"
type="image/x-icon"> -->
  <link rel="icon" type="image/png" sizes="16x16"
href="/assets/img/favicon-32x32.png">
  <!-- bootstrap css cdn -->
  <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min
.css" integrity="sha384-
```



```

JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-
awesome.css">
    <!-- css stylesheet -->
    <link rel="stylesheet"
href="{{url_for('static',filename='css/style.css')} }}">
    <!-- font styles cdn -->
    <link rel="preconnect" href="https://fonts.gstatic.com">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap"
rel="stylesheet">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600&display=s
wap" rel="stylesheet">
</head>
<style>
    body {
        background-image: url('img12.jpg');
        background-repeat: no-repeat;
        background-attachment: fixed;
        background-size: cover;
    }
</style>

</style>
<script>
    window.watsonAssistantChatOptions = {
        integrationID: "7bb0dbd6-2b28-4c7f-9e76-a9347dc3d1cc", // The ID of
this integration.
        region: "au-syd", // The region your integration is hosted in.
        serviceInstanceID: "10e6c64e-74a9-4d0e-a73b-9bbaa6d8424f", // The ID
of your service instance.
        onLoad: function(instance) { instance.render(); }
    };
    setTimeout(function(){
        const t=document.createElement('script');
        t.src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +

```


```

(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
  });
</script>
<body>
  <!-- bootstrap navbar -->
  <div class="logo mt-3 text-center">
    <a class="main-logo-img mt-5" href="#">
      <!-- <a class="navbar-brand" href="index.html">JobPortal</a> -
->
      </a>
    </div>
    <!-- navbar ends -->
    <!-- Login form -->
    <div class="login text-center mt-5">
      <h2> Login Form </h2>
      <form action="/login" method="post">

        <input type="text" name="username" placeholder="Enter Your
Username" id="username" required></br></br>
        <input type="password" name="password" placeholder="Enter Your
Password" id="password" required></br></br>
        <br>
        <br>
        <button type="submit" id="button" class="btn btn-primary"> Login
</button>
      </form>
    </div>


    <div class="note mt-3 text-center"> <!--Register form -->
    <h2> Don't have an account yet? Click here to <a
href="register.html">register! </a> </h2>
    </div>
  </body>
</html>

```



myjobs.html

```
<html>
  <head>
    <title>my_jobs</title>
  </head>
  <style>
    body {
      background-image: url('img11.jpg');
      background-repeat: no-repeat;
      background-attachment: fixed;
      background-size: cover;
    }
  </style>
  <body>
    <center>
      <h1> MY JOBS!!!</h1><br>
      <h2>Software Testing</h2>
      <h2>Website Developer</h2>
      <h2>Photographer</h2>
      <h2>App Developer</h2>
      <h2>Quality Controller</h2>
    </center>
  </body>
</html>
```



register.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>JOBPORTAL | LOGIN</title>
  <link rel="stylesheet" href="style.css">

  <!-- favicon -->
  <!-- <link rel="shortcut icon" href="/assets/img/favicon.ico"
type="image/x-icon"> -->
  <!-- <link rel="icon" href="/assets/img/favicon.ico"
type="image/x-icon"> -->
  <link rel="icon" type="image/png" sizes="16x16"
href="/assets/img/favicon-32x32.png">
  <!-- bootstrap css cdn -->
  <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min
```

```

.css" integrity="sha384-
JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-
awesome.css">
    <!-- css stylesheet -->
    <link rel="stylesheet"
href="{{url_for('static',filename='css/style.css')}}">
    <!-- font styles cdn -->
    <link rel="preconnect" href="https://fonts.gstatic.com">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap"
rel="stylesheet">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600&display=s
wap" rel="stylesheet">
</head>
<style>
    body {
        background-image: url('img11.jpg');
        background-repeat: no-repeat;
        background-attachment: fixed;
        background-size: cover;
    }
</style>

</style>
<script>
    window.watsonAssistantChatOptions = {
        integrationID: "7bb0dbd6-2b28-4c7f-9e76-a9347dc3d1cc", // The ID of
this integration.
        region: "au-syd", // The region your integration is hosted in.
        serviceInstanceID: "10e6c64e-74a9-4d0e-a73b-9bbaa6d8424f", // The ID
of your service instance.
        onLoad: function(instance) { instance.render(); }
    };
    setTimeout(function(){
        const t=document.createElement('script');

```

```

        t.src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
        document.head.appendChild(t);
    });
</script>
<body>
    <!-- bootstrap navbar -->
    <div class="logo mt-3 text-center">
        <a class="main-logo-img mt-5" href="#">
            <!-- <a class="navbar-brand" href="index.html">JobPortal</a> -
->

            </a>
        </div>
        <!-- navbar ends -->
        <!-- Login form -->
        <div class="login text-center mt-5">
            <h2> Register Form </h2>
            <form action="/register" method="post">
                <!-- <input type="text" placeholder="fullname" id="fullname">
</br></br> -->

                <input type="text" name="username" placeholder="Enter Your
Username" id="username" required></br></br>
                <input type="email" name="email" placeholder="Enter Your Email ID"
id="email" required></br></br>
                <input type="password" name="password" placeholder="Enter Your
Password" id="password" required></br></br>

                </br>
                </br>
                <a type="button" class="btn btn-success mr-1" id="donate"
href="login.html">REGISTER</a>
            </form>
        </div>


        <div class="note mt-3 text-center"> <!--Register form -->

```

```

    <h2> already have an account ? please login <a
href="login.html">login! </a> </h2>
  </div>
</body>
</html>

```



yorsdetail.html

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>JOBPORTAL | HOME</title>
  <link rel="stylesheet" href="style.css">
  <meta charset="UTF-8">
  <!-- favicon -->
  <!-- <link rel="shortcut icon" href="/assets/img/favicon.ico" type="image/x-
icon"> -->
  <!-- <link rel="icon" href="/assets/img/favicon.ico" type="image/x-icon"> -->
  <link rel="icon" type="image/png" sizes="16x16" href="/assets/img/favicon-
32x32.png">
  <!-- bootstrap css cdn -->
  <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"

```



```

integrity="sha384-JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.css">
    <!-- css stylesheet -->
    <link rel="stylesheet" href="css/style.css">
    <!-- font styles cdn -->
    <link rel="preconnect" href="https://fonts.gstatic.com">
    <link href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap"
rel="stylesheet">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600&display=swap"
rel="stylesheet">
</head>
<style>
    body {
        background-image: url('img14.jpg');
        background-repeat: no-repeat;
        background-attachment: fixed;
        background-size: cover;
    }
</style>
</style>
<script>
    window.watsonAssistantChatOptions = {
        integrationID: "7bb0dbd6-2b28-4c7f-9e76-a9347dc3d1cc", // The ID of this integration.
        region: "au-syd", // The region your integration is hosted in.
        serviceInstanceID: "10e6c64e-74a9-4d0e-a73b-9bbaa6d8424f", // The ID of your service
instance.
        onLoad: function(instance) { instance.render(); }
    };
    setTimeout(function(){
        const t=document.createElement('script');
        t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
        document.head.appendChild(t);
    });
</script>
<body>
    <!-- bootstrap navbar -->
    <nav class="navbar sticky-top navbar-expand-lg navbar-light">
        <div class="container-fluid">
            <a class="main-logo-img mt-3" href="#">
            <!-- <a class="navbar-brand" href="index.html">JobPortal</a> -->
            </a>
            <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">


```



```

        <span class="navbar-toggler-icon"></span>
    </button>
    <div class="row donate-sponsor">
        <a type="button" class="btn btn-success mr-1" id="donate"
href="login_1.html">LOGOUT</a>
        <a type="button" class="btn btn-warning mr-1" id="sponsor"
href="register_1.html">REGISTER</a>
        <a type="button" class="btn btn-primary mr-1" id="sponsor"
href="myjobs_1.html">MY JOBS</a>
    </div>
</div>
</nav>
<!-- navbar ends -->
<!-- what we focus on -->
<section class="our-focus">
    <div class="container">
        <h1 class="text-center mt-3">Your Details</h1>
        <div class="border">
            <table class="worddark"><br><br><br><br>
                <h2>
                    <tr>
                        <td><h3>userid:</h3></td>
                        <td><h3></h3></td>
                    </tr>
                </h2>
                <tr>
                    <td><h3>username:</h3></td>
                    <td><h3></h3></td>
                </tr>
                <tr>
                    <td><h3>Email ID:</h3></td>
                    <td><h3></h3></td>
                </tr>
                <tr>
                    <td><h3>qualification:</h3></td>
                    <td><h3></h3></td>
                </tr>
                <tr>
                    <td><h3>skills:</h3></td>
                    <td><h3></h3></td>
                </tr>
                <tr>
                    <td><h3>JOB Applied:</h3></td>
                    <td><h3></h3></td>
                </tr>
            </table>
        </div>
    </section>
</body>
</html>

```



sidebar.html

```
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<style>
body {
  font-family: "Lato", sans-serif;
}

.sidenav {
  height: 100%;
  width: 160px;
  position: fixed;
  z-index: 1;
  top: 0;
  left: 0;
  background-color: rgb(137, 141, 145);
  overflow-x: hidden;
  padding-top: 20px;
}

.sidenav a {
  padding: 6px 8px 6px 16px;
  text-decoration: none;
```

```

    font-size: 25px;
    color: #0e0d0d;
    display: block;
}

.sidenav a:hover {
    color: #63094c;
}

.main {
    margin-left: 160px; /* Same as the width of the sidenav */
    font-size: 28px; /* Increased text to enable scrolling */
    padding: 0px 10px;
}

@media screen and (max-height: 450px) {
    .sidenav {padding-top: 15px;}
    .sidenav a {font-size: 18px;}
}
</style>
<style>
    body {
        background-image: url('img14.jpg');
        background-repeat: no-repeat;
        background-attachment: fixed;
        background-size: cover;
    }
</style>
</head>
<script>
    window.watsonAssistantChatOptions = {
        integrationID: "7bb0dbd6-2b28-4c7f-9e76-a9347dc3d1cc", // The ID of this integration.
        region: "au-syd", // The region your integration is hosted in.
        serviceInstanceID: "10e6c64e-74a9-4d0e-a73b-9bbaa6d8424f", // The ID of your service
instance.
        onLoad: function(instance) { instance.render(); }
    };
    setTimeout(function(){
        const t=document.createElement('script');
        t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
        document.head.appendChild(t);
    });
</script>

<body>

<div class="sidenav">
    <a href="apply_1.html">HOME</a><br>

```

```

<a href="login_1.html">LOGIN</a>
<br>
<a href="register_1.html">REGISTER</a>
<br>
<a href="availablejobs_1.html">AVAILABLE JOBS!!</a>
<br>
<a href="display_1.html">YOUR DETAILS</a>
<br>
<a href="about_1.html">ABOUT</a>
<br>
</div>

<div class="main">
  <center>
    <h1>SKILL AND JOB RECOMMENDER</h1>
    <h1>APPLICATION</h1>
  </center>
</div>

</body>
</html>

```



apply.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>JOBPORTAL | APPLY</title>
  <link rel="stylesheet" href="style.css">
  <!-- favicon -->
  <!-- <link rel="shortcut icon" href="/assets/img/favicon.ico" type="image/x-
icon"> -->
  <!-- <link rel="icon" href="/assets/img/favicon.ico" type="image/x-icon"> -->
  <link rel="icon" type="image/png" sizes="16x16" href="/assets/img/favicon-
32x32.png">
  <!-- bootstrap css cdn -->
  <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
integrity="sha384-JcKb8q3iqJ61gNV9KGb8thSsNjpsL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.css">
  <!-- css stylesheet -->
  <link rel="stylesheet" href="css/style.css">
  <!-- font styles cdn -->
  <link rel="preconnect" href="https://fonts.gstatic.com">
  <link href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap"
rel="stylesheet">
  <link
href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600&display=swap"
rel="stylesheet">
</head>
<div class="image">
  <style>
    body {
      background-image: url('img10.jpg');
      background-repeat: no-repeat;
      background-attachment: fixed;
      background-size: cover;
    }
  </style>
  <script>
window.watsonAssistantChatOptions = {
  integrationID: "7bb0dbd6-2b28-4c7f-9e76-a9347dc3d1cc", // The ID of this integration.
  region: "au-syd", // The region your integration is hosted in.
  serviceInstanceID: "10e6c64e-74a9-4d0e-a73b-9bbaa6d8424f", // The ID of your service
instance.
  onLoad: function(instance) { instance.render(); }
}
```

```

});
setTimeout(function(){
    const t=document.createElement('script');
    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
});
</script>
</div>
<body>
    <!-- bootstrap navbar -->
    <div class="logo mt-3 text-center">
        <a class="main-logo-img mt-5" href="#">
        <!-- <a class="navbar-brand" href="index.html">JobPortal</a> -->
        </a>
    </div>
    <!-- navbar ends -->
    <!-- Login form -->
    <div class="login text-center mt-5">
        <h2>Apply Now</h2>
        <form action="/apply" method="post" class="mt-3">
            <!-- <input type="text" placeholder="fullname" id="fullname"> </br></br> -->
            <input type="text" name="username" placeholder="Enter Your Username"
id="username" required></br></br>
            <input type="email" name="email" placeholder="Enter Your email" id="email"
required></br></br>
            <input type="text" name="qualification" placeholder="Enter Your
Qualification" id="qualification" required></br></br>
            <input type="text" name="skills" placeholder="Enter Your skills" id="skills"
required></br></br>


            <select name ="s">
<option value ="PYTHON"> Python</option>
<option value ="ML"> ML</option>
<option value ="AI"> AI</option>
</select>

            </br></br>
            <button type="submit" id="button" class="btn btn-primary"> Submit</button>
        </form>
    </div>

    <div class="note mt-3 text-center">
        <h2> click here to go to dashboard <a href="dashboard.html">Dashboard! </a> </h2>

    </div>
</body>
</html>

```



about.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Customer Care Registry</title>
  <link rel="stylesheet" href="style.css">
  <meta charset="UTF-8">
    <!-- favicon -->
    <!-- <link rel="shortcut icon" href="/assets/img/favicon.ico"
type="image/x-icon"> -->
    <!-- <link rel="icon" href="/assets/img/favicon.ico"
type="image/x-icon"> -->
    <link rel="icon" type="image/png" sizes="16x16"
href="/assets/img/favicon-32x32.png">
    <!-- bootstrap css cdn -->
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min
.css" integrity="sha384-
```



```

JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-
awesome.css">
    <!-- css stylesheet -->
    <link rel="stylesheet"
href="{{url_for('static',filename='css/style.css')} }}">
    <!-- font styles cdn -->
    <link rel="preconnect" href="https://fonts.gstatic.com">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap"
rel="stylesheet">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600&display=s
wap" rel="stylesheet">
</head>
<body>
    <style>
        body {
            background-image: url('img5.jpg');
            background-repeat: no-repeat;
            background-attachment: fixed;
            background-size: cover;
        }
    </style>
    <script>
        window.watsonAssistantChatOptions = {
            integrationID: "7bb0dbd6-2b28-4c7f-9e76-a9347dc3d1cc", // The ID of
this integration.
            region: "au-syd", // The region your integration is hosted in.
            serviceInstanceID: "10e6c64e-74a9-4d0e-a73b-9bbaa6d8424f", // The ID
of your service instance.
            onLoad: function(instance) { instance.render(); }
        };
        setTimeout(function(){
            const t=document.createElement('script');
            t.src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +

```



```

(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
  });
</script>
  <!-- bootstrap navbar -->
  <nav class="navbar sticky-top navbar-expand-lg navbar-dark">
    <div class="container-fluid">
      <a class="main-logo-img mt-3" href="#">
      <!-- <a class="navbar-brand"
href="index.html">JobPortal</a> -->
    </a>

    <div class="row donate-sponsor">
      <a type="button" class="btn btn-success mr-1" id="donate"
href="login_1.html">LOGIN</a>
      <a type="button" class="btn btn-warning mr-1" id="sponsor"
href="register_1.html">REGISTER</a>
      <a type="button" class="btn btn-primary mr-1" id="sponsor"
href="contactus_1.html">CONTACT US</a>
    </div>
  </div>
</nav>
  <!-- navbar ends -->

  <!-- what we focus on -->
  <section class="our-focus">
    <div class="container">
      <h2 class="text-center mt-3">ABOUT US</h2>
      <div class="row ml-3 mt-3">
        <div class="col-lg-3 mr-5" id="focus-first">
          <div class="card" style="width: 19rem;">
            <!--  -->
            <div class="card-body">
              <h5 class="card-title">Mission</h5>
              <p class="card-text">Career Link assists job seekers
and employers to achieve employment goals. The agency works with community
partners to respond to emerging needs and opportunities with creativity

```

and professionalism. This trait makes it easier for job seekers to decide on specific career.

```
        </p>
      </div>
    </div>
  </div>
  <div class="col-lg-3 mr-5" id="focus-second">
    <div class="card" style="width: 20rem;">
      <!--  -->
      <div class="card-body">
        <h5 class="card-title">Vision</h5>
        <p class="card-text">I plan to achieve this career
vision through one-on-one learning situations (teaching and coaching);
creating and publishing empowering and uplifting web content (career
college success wellness); and developing and leading inspiring
workshops. It defines what success and excellence look like to you. </p>
      </div>
    </div>
  </div>
  <div class="col-lg-3 ml-5" id="focus-third">
    <div class="card" style="width: 20rem;">
      <!--  -->
      <div class="card-body">
        <h5 class="card-title">Objective</h5>
        <p class="card-text">Having lots of skills but
wondering which job will best suit you? Don't need to worry! We have come
up with a skill recommender solution through which the fresher or the
skilled person can log in and find the jobs by using the search option or
they can directly interact with the chatbot and get their dream job.
      </p>
      </div>
    </div>
  </div>
</div>
</section>
<!-- focus section ends -->
```


```

<!-- footer starts -->
<!-- Site footer -->
<footer class="site-footer">
  <div class="container mt-5">
    <div class="row">
      <div class="col-sm-12 col-md-6">
        <h3>JobPortal</h3>
        <p class="text-justify">A job portal helps both the job
seekers and recruiters finding the right organization for the employees.
In the case of job seekers, according to their educational qualification,
experience and their preferences, the job portal shows the list of
companies to the job seeker.</p>
      </div>

      <div class="col-xs-6 col-md-3">
        <h4>Get in Touch</h4>
        <ul class="footer-links">
          <li><a
href="mailto:test@gmail.com">jobrecommender774@gmail.com</a></li>
          <li><a href="">+91 9876543210</a></li>
        </ul>
      </div>

    </div>
    <hr>
  </div>
</footer>
</body>
</html>

```




contactus.html

```
<html>
  <head>
    <title>contact</title>
  </head>
  <center>
    <h1>Contact Us</h1>

    <h2><b>www.skill/job_recommender.com</b></h2>
    <h3>skill/jobrecommender@gmail.com</h3>
    <h3>8796506434</h3>
    <h3> 8903213490</h3>

  </center>
</html>
```



Contact Us

www.skill/job recommender.com

skill.jobrecommender@gmail.com

8796506434

8903213490

