

## Assignment-IV

Name	SUDEEP
Team ID	PNT2022TMID18844
Roll No	MECR19CS051
Project Name	Customer Care Registry

1. Pull an Image from docker hub and run it in docker playground.


```
[node1] (local) root@192.168.0.8 ~
$ docker pull alpine
Using default tag: latest
latest: Pulling from library/alpine
Digest: sha256:bc41182d7ef5ffc53a40b044e725193bc10142a1243f395ee852a8d9730fc2ad
Status: Image is up to date for alpine:latest
docker.io/library/alpine:latest
[node1] (local) root@192.168.0.8 ~
$ docker run alpine
[node1] (local) root@192.168.0.8 ~
$
```

2. Create a docker file for the hello world application and deploy it in Docker desktop application.

Building the image from the file: `docker build -t helloworld:0.1 .`

```
Command Prompt
C:\Users\Lenovo\Desktop\HelloWorld>docker images
REPOSITORY TAG IMAGE ID CREATED SIZE
C:\Users\Lenovo\Desktop\HelloWorld>docker build -t helloworld:1.0 .
[+] Building 9.5s (17/17) FINISHED
=> [internal] load build definition from Dockerfile 0.1s
=> => transferring dockerfile: 32B 0.0s
=> [internal] load .dockerignore 0.1s
=> => transferring context: 2B 0.0s
=> resolve image config for docker.io/docker/dockerfile:1 2.6s
=> [auth] docker/dockerfile:pull token for registry-1.docker.io 0.0s
=> CACHED docker-image://docker.io/docker/dockerfile:1@sha256:9ba7531bd80fb0a858632727cf7a112fbfd19b17e94c4e84ced81e24ef1a00dbc 0.0s
=> [internal] load .dockerignore 0.0s
=> [internal] load build definition from Dockerfile 0.0s
=> [internal] load metadata for docker.io/library/python:3.7-alpine 1.7s
=> [auth] library/python:pull token for registry-1.docker.io 0.0s
=> [1/6] FROM docker.io/library/python:3.7-alpine@sha256:6e24a01708ffd8a4e99c1f4c357a96190b7efe47230c3bed184b8f4ad368fb9f 0.0s
=> [internal] load build context 0.0s
=> => transferring context: 292B 0.0s
=> CACHED [2/6] WORKDIR /code 0.0s
=> CACHED [3/6] RUN apt-get update -o Acquire::Cache=off; apt-get install -y python3-dev python3-pip 0.0s
=> [4/6] COPY requirements.txt requirements.txt 0.1s
=> [5/6] RUN pip install -r requirements.txt 4.1s
=> [6/6] COPY . 0.1s
=> exporting to image 0.3s
=> => exporting layers 0.3s
=> => writing image sha256:be2758ec1e5657cc600e59dcebf0a2a7ebd48513b676d7c600e2ce94b8390597 0.0s
=> => naming to docker.io/library/helloworld:1.0 0.0s
Use 'docker scan' to run Snyk tests against images to find vulnerabilities and learn how to fix them
C:\Users\Lenovo\Desktop\HelloWorld>docker images
REPOSITORY TAG IMAGE ID CREATED SIZE
helloworld 1.0 be2758ec1e56 14 seconds ago 179MB
C:\Users\Lenovo\Desktop\HelloWorld>
```

Docker desktop app:



Run the container:

```
Command Prompt - docker run -p 5000:5000 be2758ec1e56

C:\Users\Lenovo\Desktop\HelloWorld>docker run -p 5000:5000 be2758ec1e56
* Serving Flask app 'app.py'
* Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on all addresses (0.0.0.0)
* Running on http://127.0.0.1:5000
* Running on http://172.17.0.2:5000
Press CTRL+C to quit
172.17.0.1 - - [10/Nov/2022 16:38:10] "GET / HTTP/1.1" 200 -
```

Output:



3. Create a IBM container registry and deploy hello world app.

```

C:\Users\Lenovo>ibmcloud plugin install container-registry
Looking up 'container-registry' from repository 'IBM Cloud'...
Plug-in 'container-registry[cr] 1.0.2' found in repository 'IBM Cloud'
Attempting to download the binary file...
 11.90 MiB / 11.90 MiB [=====] 100.00% 0s
12476416 bytes downloaded
Installing binary...
OK
Plug-in 'container-registry 1.0.2' was successfully installed into C:\Users\Lenovo\.bluemix\plugins\container-registry. Use 'ibmcloud plugin show container-registry' to show its details.

C:\Users\Lenovo>ibmcloud cr region-set global
The region is set to 'global', the registry is 'icr.io'.

OK

```

```

C:\Users\Lenovo>ibmcloud cr namespace-add apphelloworld
No resource group is targeted. Therefore, the default resource group for the account ('Default') is targeted.

Adding namespace 'apphelloworld' in resource group 'Default' for account Aswin Venkat's Account in registry icr.io...

Successfully added namespace 'apphelloworld'

OK

C:\Users\Lenovo>

```

```

C:\Users\Lenovo>ibmcloud cr login
Logging 'docker' in to 'icr.io'...
Logged in to 'icr.io'.

OK

```

```

C:\Users\Lenovo>docker tag helloworld:1.0 icr.io/apphelloworld/helloworld:1.0

C:\Users\Lenovo>docker push icr.io/apphelloworld/helloworld:1.0
The push refers to repository [icr.io/apphelloworld/helloworld]
6710d00f007c: Pushed
0be4a798de9f: Pushed
7504a231c5f8: Pushed
a406de449b24: Pushed
680c5f8d2408: Pushed
ed37f306c964: Pushed
31e0f81c5bec: Pushed
b3aede2981e3: Pushed
6666686122fd: Pushed
994393dc58e7: Pushed
1.0: digest: sha256:d521cb0ae002ab12a99e28e7c3873cbc2032a1a4e15a7d9cab72cfbd60b3250e size: 2412

C:\Users\Lenovo>

```

```




C:\Users\Lenovo>ibmcloud cr image-list
Listing images...

Repository          Tag    Digest          Namespace      Created      Size    Security status
icr.io/apphelloworld/helloworld  1.0    d521cb0ae002    apphelloworld  1 hour ago  68 MB  -

OK




```

The image is pushed to the namespace.



4. Create a Kubernetes cluster in IBM cloud and deploy hello world image and also expose the same app to run in node port.

Cluster:



IBM Cloud

Search resources and products...

Q

Catalog

Manage

Aswin Venkat's Account

?

Clusters /

helloworldapp

Normal

Expires in 30 days

Add tags

Help

Kubernetes dashboard

Actions...

Overview

Worker nodes

Worker pools

DevOps

Pool: Filter...

Q Search

+

+

	Name	Status	Worker pool	Zone	Private IP	Public IP	Version
▼	000000ae	Normal	default	Milan 01	10.144.213.179	169.51.203.142	1.24.7_1543

Items per page: 25

1-1 of 1 item

1

1 of 1 page

◀

▶

kubernetes

default

Q Search

+

Workloads

Workloads

Cron Jobs

Daemon Sets

Deployments

Jobs

Pods

Replica Sets

Replication Controllers

Stateful Sets

Service

Ingresses

Ingress Classes

Services

Config and Storage

Config Maps

Persistent Volume Claims

Secrets

Storage Classes

Workload Status

Running: 1

Deployments

Running: 1

Pods

Running: 1

Replica Sets

Deployments

Name	Images	Labels	Pods	Created
helloworldapp	Show all	Show all	1 / 1	an hour ago

Deployments

Name	Images	Labels	Pods	Created
helloworldapp	Show all	Show all	1 / 1	an hour ago

Pods

Name	Images	Labels	Node	Status	Restarts	CPU Usage (cores)	Memory Usage (bytes)	Created
helloworldapp-5df9ff585b-tc6rl	Show all	Show all	10.144.213.179	Running	0	1.00m	19.79Mi	an hour ago

Replica Sets

Name	Images	Labels	Pods	Created
helloworldapp-5df9ff585b	Show all	Show all	1 / 1	an hour ago

IBM Cloud

Search resources and products...

Catalog

Manage

Aswin Venkat's Account

Help

Kubernetes dashboard

Actions...

helloworldapp

Normal Expires in 30 days Add tags

Overview

Worker nodes

Worker pools

DevOps New

Expires in 30 days:

Be sure to back up your data, your cluster will be deleted in 30 days. To access the full capabilities of the service, try out a standard cluster.

Node status

1 of 1

Normal

Details

Add-on status

0 of 0

Normal

Details

Master status

Normal

Docs

Ingress status

Unknown

Docs

Details

Cluster ID

cdofg13f8cam1rk11600

Version

1.24.7\_1542

Infrastructure

Classic

Zones

Milan 01

Created

11/13/2022, 7:29 PM

Resource group

Default

Image security enforcement

Enable

Node health

Worker node details

1 total nodes

Critical 0%

Warning 0%

Normal 100%

Pending 0%

169.51.203.142:31857

Hello World! from Flask.