Assignment -3

Assignment Date	17 October2022
Student Name	Chitra Devi G
Student Roll Number	194036
Maximum Marks	2 Marks

Question-1:

Create a Bucket in IBM object storage.

Solution:

Question-2:

Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.

Solution:

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width,
    initial-scale=1.0"> <title>Bucket</title>
</head>
```

```html
<body>
    <img src="https://s3.au-syd.cloud-object-storage.appdomain.cloud/my
bucket24/chat%20bot.jpg">
    <img src="https://s3.au-syd.cloud-object-storage.appdomain.cloud/my
bucket24/chat%20bot%202.jpg">
    <img src="https://s3.au-syd.cloud-object-storage.appdomain.cloud/my
bucket24/chat%20bot%203.png">
    <img src="https://s3.au-syd.cloud-object-storage.appdomain.cloud/my
bucket24/chat%20bot%204.png">
    <img src="https://s3.au-syd.cloud-object-storage.appdomain.cloud/my
bucket24/chat%20bot%205.png">
</body>
</html>
```


Question-3:

Upload a css page to the object storage and use the same page in your HTML code.

<u>Solution:</u>

```html
<html>
    <head>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width,
initial-scale=1, shrink-to-fit=no">
        <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font
awesome/4.7.0/css/font-awesome.min.css">
        <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/css/bootstrap.min.c
ss ">
        <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/particlesjs/2.2.3/particles.min
.j s">
        <link rel="stylesheet" href="https://s3.au-syd.cloud-object
storage.appdomain.cloud/my
```

```html
bucket24/style.cssxxxxxxxxxxxxxxxxxxxxx">
</head>

    <body>
        <div class="signup">
            <form action="\result" method="post">
            <h2>LOGIN</h2>

            <div class="form-group">
                <div class="input-group">
                    <span class="input-group-addon"><i class="fa fa
envelope"></i></span>
                    <input type="email" name="email" class=" form
control"placeholder="Email" required>
                </div>
            </div>

            <div class="form-group">
                <div class="input-group">
                    <span class="input-group-addon"><i class="fa fa
lock"></i></span>
                    <input type="password" name="password" class=" form
control"placeholder="password" required>
                </div>
            </div>

            <div class="form-group">
                <button type="submit" class="btn btn-primary btn-lg btn
block">Login</button>
            </div>

        </form>
        </div>

    </body>
</html>
```

Question-4:

Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

Solution:

https://web
chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%
2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-f8e994d6-a0d7-422f-a9f3-
852a308d5f26%3A%3A9313e8ba-e53d-470d-8fb1-7db9327ba407&integrationID=4eb80521-2d5d
4e2b-ac4b-5124347d8655&region=au-syd&serviceInstanceID=f8e994d6-a0d7-422f-a9f3-
852a308d5f26

Question-5:

Create Watson assistantservice with 10 steps and use 3 conditionsin it. Load thatscript in HTML page.

Solution:

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width,
    initial-scale=1.0"> <title>Document</title>
</head>
<body>
  <script>
    window.watsonAssistantChatOptions = {
      integrationID: "d5aae4c6-7146-488c-8235-4a7abe46526d", // The ID of
this integration.
      region: "au-syd", // The region your integration is hosted in.
```

```
serviceInstanceID: "f8e994d6-a0d7-422f-a9f3-852a308d5f26", // The ID of your
service instance.
      onLoad: function(instance) { instance.render(); }
    };

    setTimeout(function(){
      const t=document.createElement('script');
      t.src="https://web
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest')
+ "/WatsonAssistantChatEntry.js";
      document.head.appendChild(t);
    });
  </script>
</body>
</html>
```