

SMART FARMER – IoT ENABLED SMART FARMER APPLICATION

ASSIGNMENT - 3


NAME	ROLL NO
SRI HARI SUDHAN	718020L435

Write a python code for blinking LED and Traffic Lights for Raspberry Pi.

(i) Python Code for Blinking LED:

```
#import RPi.GPIO as GPIO
#from gpiozero import LED
from time import sleep
#led = LED(17)
while True:
    #led.on()
    print("LED turned ON")
    sleep(1)
    #led.off()
    print("LED turned OFF")
    sleep(1)
```

Editor Window:

A screenshot of a Python IDE window titled 'led_blink.py - D:\ibm_proj\assignment\py\led_blink.py (3.9.6)'. The window has a menu bar with 'File', 'Edit', 'Format', 'Run', 'Options', 'Window', and 'Help'. The code is displayed in a light blue background with syntax highlighting: keywords are in red, comments are in orange, strings are in green, and function names are in purple. The code is identical to the one provided in the previous block.

```
#import RPi.GPIO as GPIO
#from gpiozero import LED
from time import sleep
#led = LED(17)
while True:
    #led.on()
    print("LED turned ON")
    sleep(1)
    #led.off()
    print("LED turned OFF")
    sleep(1)
```

Output Window:

A screenshot of an IDLE Shell 3.9.6 window. The window has a menu bar with 'File', 'Edit', 'Shell', 'Debug', 'Options', 'Window', and 'Help'. The main text area displays a list of 18 lines of text, all in blue font, alternating between 'LED turned ON' and 'LED turned OFF' starting with 'LED turned ON'.

```
*IDLE Shell 3.9.6*
File Edit Shell Debug Options Window Help
LED turned ON
LED turned OFF
LED turned ON
LED turned OFF
LED turned ON
LED turned OFF
LED turned ON
LED turned OFF
LED turned ON
LED turned OFF
LED turned ON
LED turned OFF
LED turned ON
LED turned OFF
LED turned ON
LED turned OFF
LED turned ON
LED turned OFF
```

(ii) Python Code for Traffic Lights:

```
import RPi.GPIO as GPIO

import time

import signal

import sys

#setup

GPIO.setmode(GPIO.BCM)

GPIO.setup(9, GPIO.OUT)

GPIO.setup(10, GPIO.OUT)

GPIO.setup(11, GPIO.OUT)

#Turn off all lights

def allLightOff(signal, frame):

    GPIO.output(9,False)

    GPIO.output(10,False)

    GPIO.output(11,False)

    GPIO.cleanup()

    sys.exit(0)

signal.signal(signal.SIGINT, allLightsOff)

#Forever Loop

while True:

    #Red
```

```
GPIO.output(9, True)
time.sleep(3)
GPIO.output(10, True)
time.sleep(1)
#Green
GPIO.output(9,False)
GPIO.output(10,False)
GPIO.output(11,True)
time.sleep(5)
#Amber
GPIO.output(11,False)
GPIO.output(10,True)
time.sleep(2)
#Amber off
GPIO.output(10,False)
```

Editor Window:

```
import RPi.GPIO as GPIO
import time
import signal
import sys
#setup
GPIO.setmode(GPIO.BCM)
GPIO.setup(9, GPIO.OUT)
GPIO.setup(10, GPIO.OUT)
GPIO.setup(11, GPIO.OUT)
#Turn off all lights
def allLightOff(signal, frame):
    GPIO.output(9,False)
    GPIO.output(10,False)
    GPIO.output(11,False)
    GPIO.cleanup()
    sys.exit(0)
signal.signal(signal.SIGINT, allLightsOff)
#Forever Loop
while True:
    #Red
    GPIO.output(9, True)
    time.sleep(3)
    GPIO.output(10, True)
    time.sleep(1)
    #Green
    GPIO.output(9,False)
    GPIO.output(10,False)
    GPIO.output(11,True)
    time.sleep(5)
    #Amber
    GPIO.output(11,False)
    GPIO.output(10,True)
    time.sleep(2)
    #Amber off
    GPIO.output(10,False)
```