Project Development-Delivery Of Sprint-1 DASHBORAD

Date	14-11-2022
TeamID	PNT2022TMID19077
ProjectName	Project-IoT Based Safety Gadget ForChildSafetyMonitoring& Notification
MaximumMarks	

```
HTMLCODE:
!DOCTYPEhtml>
<htmllang="en">
<head>
  <metacharset="UTF-8">
  <meta http-equiv="X-UA-
Compatible"content="IE=edge">
  <meta name="viewport" content="width=device-
width,initial-scale=1.0">
  <linkrel="stylesheet"href="./DASHBOARD.css">
  <title>Dashboard</title>
  <scriptsrc="./LOCALFORAGE.js"></script>
</head>
<body>
  <divclass="wrapper">
    <divclass="header">
      <spanclass="heading">Dashboard</span>
      <spanclass="right">
```

```
<spanclass="username">HelloUser</span>
        <span>
          <imq
class="profilePic"src="https://avatars.dicebear.com/api/
avataaars/asdfasdfds.svg"alt="UserProfile"height="30"
width="30">
        </span>
      </span>
    </div>
<divclass="actionCenter">
      <divclass="action">
        <span>CreateChildCard</span>
      </div>
      <divclass="action">
        <spanclass="logout">Logout</span>
      </div>
    </div>
<divclass="childCardContainer">
      <divclass="childCard">
        <divclass="childCardHeader">
          <span>Gowsa</span>
          <span>Age10</span>
        </div>
        <divclass="actions">
          <span>View</span>
```

```
<span>GeoFence</span>
        </div>
      </div>
    </div>
  </div>
  <script>
    asyncfunctionmain(){
      let userData = await
      localforage.getItem('userData')if(userData==
      null){
        window.location.href="/login"
      document.querySelector(".username").innerHTML
`Hello${userData.firstName}`
document.querySelector(".profilePic").src
=userData.profilePic
    main()
document.querySelector(".logout").addEventListener("cl
ick",async()=> {
      await localforage.setItem('userData',
      null)window.location.href="/login"
    })
  </script>
```

```
</body>
</html>
CSSCODE:
html, body
  {margin:
  0;
  padding:0;
  font-family: system-ui, -apple-
system, Blink Mac System Font, 'Segoe UI', Roboto,
Oxygen, Ubuntu, Cantarell, 'OpenSans',
'HelveticaNeue', sans-serif;
.wrapper
{display:flex;
  flex-direction:
  column; height: 100 vh;
  margin: 0auto;
}
.header
  {display:flex;
  justify-content: space-
  between; align-items: center;
  padding:
```

```
1rem;background-
  color:#f1f1f1;
.heading{
  font-size:1.3rem;
.right{
  display:flex;
  align-items:
  center;gap:0.5re
  m;
.actionCenter{
display:flex;
  justify-content: flex-
  end;align-items:center;
  gap:
  1rem;padding:0.
  5rem0;
}
.actionCenter.action{paddin
  g: 0.5rem 0.8rem;border:
  1px solid
  #444444;border-
```

```
radius:12px;
  margin-right:
  0.5rem;cursor:point
  er;
}
.actionCenter .action:hover
  {background-color:
  #0070f3;color: white;
}
.childCardContaine
  r {display:flex;
flex-wrap:
wrap;padding:0.5rem1r
em;
}
.childCardContainer
   .childCard {display:flex;
  flex-direction:
  column;border: 1px solid
  #444444;border-
  radius:12px;
```

```
max-width:
  300px;font-
  size:1.4rem;
}
.childCardContainer .childCard
   .childCardHeader {display:flex;
  gap:3rem;
  margin: 0.1rem 0.1rem
  0.8rem;padding:
  1rem0.8rem 0;
}
.childCardContainer .childCard
   .actions {background-color:
  #0070f3;
padding: 2rem 0.5rem
1rem;color: white;
  display:flex;
  justify-content: space-
  around;border-radius:12px;
  border-top-left-radius:0;
  border-top-right-radius:0;
}
```

```
.childCardContainer .childCard .actions
    span {border: 1pxsolid#0070f3;
    background-color:
    white;color: #0070f3;
    padding: 0.3rem
    0.9rem;border-radius:
    12px;cursor:pointer;
}
```

OUTPUT:

