

IBM Cloud

Node RED CHTAF 2022-11-18

Details

App URL: <https://node-red-cthaf-2022-11-18.mybluemix.net>

Source: <https://us-south.git.cloud.ibm.com/johinmark96/NodeREDCTHAF20...>

Resource group: Default

Deployment target: Node RED CHTAF 2022-11-18

Created: 18/11/2022

Services

Cloudant

Open dashboard | Documentation | API reference

Credentials

Connect existing services | Create service

Deployment Automation

Name: NodeREDCTHAF2022-11-18

Location: Dallas

Tool integrations: |

Delivery Pipelines

Name: pr-pipeline

Status: No stages detected

Name: ci-pipeline

Status: Success

Getting started quickly

Configuring your app

To connect services and DevOps toolchains to your app:

1. Use the **Services** card to connect a service to your app. Select an existing service instance, or create a new one. [Learn more.](#)
2. If you want to view the code before your app is deployed, click **Download code** to obtain the .zip file.
3. Click **Deploy your app** in the **Deployment Automation** card to select the deployment target and configure the Continuous Delivery service. The deployment begins automatically.
4. After the deployment begins, you can view the status of the deployment, modify your app, view your raps, or view the app's URL.
5. If you make any changes to your app, be sure to deploy it again.

Building, running, and deploying your app locally

To build and run your app locally:

1. Run the `ibmcloud dev code <APPNAME>` command from the IBM Cloud CLI. [Learn more.](#)
2. Run the following commands in a local development container from the app directory:

```
ibmcloud dev build
ibmcloud dev run
ibmcloud dev deploy
```

Activate Windows
Go to Settings to activate Windows.

Node RED

Flow 1

Inject

msg.payload

debug

```
11/18/2022, 8:41:19 PM node: C20848a-b0d698
msg.payload: string(15)
"Hello Node-RED!"
11/18/2022, 8:41:19 PM node: C20848a-b0d698
msg.payload: string(15)
"Hello Node-RED!"
```