

home.html:

```
<!DOCTYPE html>
<html>

<head>
  <title>HOME PAGE</title>
</head>
<style>
  ul {
    list-style-type: none;
    margin: 0;
    padding: 0;
    overflow: hidden;
    background-color: #333;
  }

  li {
    float: left;
  }

  li a {
    display: block;
    color: white;
    text-align: center;
    padding: 14px 16px;
    text-decoration: none;
  }

  li a:hover:not(.active) {
    background-color: #111;
  }

  .active {
    background-color: #04AA6D;
  }
</style>
<body>
  <a
href="file:///C:/Users/ELCOT/Downloads/IBM%20PROJ/action_page.html#work"></a>
  <div class="main">
    <div class="navbar">
      <div class="icon">
        <h2 class="logo">Smart Fashion</h2>
      </div>
```

```

        <div class="menu">
            <div class="w3-top">
                <div class="w3-bar w3-white w3-card" id="myNavbar">
                    <a href="#home" class="w3-bar-item w3-button w3-wide"></a>
                    <!-- Right-sided navbar links -->
                    <div class="w3-right w3-hide-small"><b>
                        <ul>
                            <li><a
href="file:///C:/Users/ELCOT/Downloads/IBM%20PROJ/action_page.html">HOME</a></li>
                            <li><a
href="file:///C:/Users/ELCOT/Downloads/IBM%20PROJ/login.html">LOGIN</a></li>
                            <li><a
href="file:///C:/Users/ELCOT/Downloads/IBM%20PROJ/signup.html">SIGNUP</a></li>
                        </ul>
                    </div>
                </div>
            </div>
            
        </div>
    </body>
</html>

```

Style.css:

```

body {
    background-image: url('bg image.webp');
    font-family: "Roboto", sans-serif;
}

.signup-box {
    width: 360px;
    height: 620px;
    margin: auto;
    background-color: white;
    border-radius: 3px;
}

.login-box {
    width: 360px;
    height: 280px;
    margin: auto;
    border-radius: 3px;
    background-color: white;
}

```

```
h1 {
  text-align: center;
  padding-top: 15px;
}

h4 {
  text-align: center;
}

form {
  width: 300px;
  margin-left: 20px;
}

form label {
  display: flex;
  margin-top: 20px;
  font-size: 18px;
}

form input {
  width: 100%;
  padding: 7px;
  border: none;
  border: 1px solid gray;
  border-radius: 6px;
  outline: none;
}

input[type="submit"] {
  width: 320px;
  height: 35px;
  margin-top: 20px;
  border: none;
  background-color: #49c1a2;
  color: white;
  font-size: 18px;
}

p {
  text-align: center;
  padding-top: 20px;
  font-size: 15px;
}

.para-2 {
```

```

text-align: center;
color: white;
font-size: 15px;
margin-top: -10px;
}
.para-2 a {
color: #49c1a2;
}

```

Sign up.html:

```

<!DOCTYPE html>
<html>
<title>Smart Fashion</title>
<link rel="icon" type="image/x-icon" href="images/download.jpg">
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="https://www.w3schools.com/w3css/4/w3.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Raleway">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css"
integrity="sha384-
x0olHFLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N"
crossorigin="anonymous">

<style>
body,
h1,
h2,
h3,
h4,
h5,
h6 {
font-family: "Raleway", sans-serif
}

body,
html {
height: 100%;
line-height: 1.8;

```

```

}

/* Full height image header */
.bgimg-1 {
  background-position: center;
  background-size: cover;
  background-image: url("images/clothing-line.jpg");
  min-height: 100%;
}

.w3-bar .w3-button {
  padding: 16px;
}
</style>

<body>

  <!-- Navbar (sit on top) -->
  <div class="w3-top">
    <div class="w3-bar w3-white w3-card" id="myNavbar">
      <b>
        <a href="#home" class="w3-bar-item w3-button w3-wide">SMART Z</a>
        <!-- Right-sided navbar links -->
        <div class="w3-right w3-hide-small">
          <a href="#home" class="w3-bar-item w3-button">HOME</a>
          <a href="#about" class="w3-bar-item w3-button">ABOUT</a>
          <a href="#team" class="w3-bar-item w3-button"><i class="fa fa-user"></i>
TEAM</a>
          <a href="#work" class="w3-bar-item w3-button"><i class="fa fa-th"></i>
WORK</a>
          <a href="#contact" class="w3-bar-item w3-button"><i class="fa fa-
envelope"></i> CONTACT</a>
          <a href="login.html" class="w3-bar-item w3-button"><i class="fa fa-sign-
out" aria-hidden="true"></i> LOGOUT</a>
        </div>
      </b>
    </div>

    <!-- Hide right-floated links on small screens and replace them with a menu
icon -->

    <a href="javascript:void(0)" class="w3-bar-item w3-button w3-right w3-hide-
large w3-hide-medium"
      onclick="w3_open()">
      <i class="fa fa-bars"></i>
    </a>
  </div>

```

```

</div>


<!-- Sidebar on small screens when clicking the menu icon -->
<nav class="w3-sidebar w3-bar-block w3-black w3-card w3-animate-left w3-hide-medium w3-hide-large"
    style="display:none" id="mySidebar">
    <a href="javascript:void(0)" onclick="w3_close()" class="w3-bar-item w3-button w3-large w3-padding-16">Close x</a>
    <a href="#home" onclick="w3_close()" class="w3-bar-item w3-button">HOME</a>
    <a href="#about" onclick="w3_close()" class="w3-bar-item w3-button">ABOUT</a>
    <a href="#team" onclick="w3_close()" class="w3-bar-item w3-button">TEAM</a>
    <a href="#work" onclick="w3_close()" class="w3-bar-item w3-button">WORK</a>
    <a href="#contact" onclick="w3_close()" class="w3-bar-item w3-button">CONTACT</a>
</nav>

<!-- Header with full-height image -->
<header class="bgimg-1 w3-display-container w3-grayscale-min" id="home">
    <div class="w3-display-left w3-text-white" style="padding:48px">
        <span class="w3-jumbo w3-hide-small">Start something that
matters</span><br>
        <span class="w3-xxlarge w3-hide-large w3-hide-medium">Start something that
matters</span><br>
        <span class="w3-large">Stop wasting valuable time with projects that just
isn't you.</span>
        <p><a href="#about"
            class="w3-button w3-white w3-padding-large w3-large w3-margin-top w3-opacity w3-hover-opacity-off">Learn more
            and start today</a></p>
    </div>
    <div class="w3-display-bottomleft w3-text-grey w3-large" style="padding:24px 48px">
        <i class="fa fa-facebook-official w3-hover-opacity"></i>
        <i class="fa fa-instagram w3-hover-opacity"></i>
        <i class="fa fa-snapchat w3-hover-opacity"></i>
        <i class="fa fa-pinterest-p w3-hover-opacity"></i>
        <i class="fa fa-twitter w3-hover-opacity"></i>
        <i class="fa fa-linkedin w3-hover-opacity"></i>
    </div>
</header>

<!-- About Section -->
<div class="w3-container" style="padding:128px 16px" id="about">
    <h3 class="w3-center">ABOUT THE COMPANY</h3>

```

```

<p class="w3-center w3-large">Key features of our company</p>
<div class="w3-row-padding w3-center" style="margin-top:64px">
  <div class="w3-quarter">
    <i class="fa fa-desktop w3-margin-bottom w3-jumbo w3-center"></i>
    <p class="w3-large">Responsive</p>
    <p>"When we ground ourselves in the present moment, we spontaneously
connect better with others."</p>
  </div>
  <div class="w3-quarter">
    <i class="fa fa-heart w3-margin-bottom w3-jumbo"></i>
    <p class="w3-large">Passion</p>
    <p>"Believe in your heart that you're meant to live a life full of
passion, purpose, magic and miracles."</p>
  </div>
  <div class="w3-quarter">
    <i class="fa fa-diamond w3-margin-bottom w3-jumbo"></i>
    <p class="w3-large">Design</p>
    <p>"Design creates culture. Culture shapes values. Values determine the
future."</p>
  </div>
  <div class="w3-quarter">
    <i class="fa fa-cog w3-margin-bottom w3-jumbo"></i>
    <p class="w3-large">Support</p>
    <p>"There's a fine line between support and stalking and let's all stay
on the right side of that."</p>
  </div>
</div>
</div>
</div>

<!-- Promo Section - "We know design" -->
<div class="w3-container w3-light-grey" style="padding:128px 16px">
  <div class="w3-row-padding">
    <div class="w3-col m6">
      <h3>We know design.</h3>
      <p>"Make it simple, but significant."</p>
      <p><a href="#work" class="w3-button w3-black"><i class="fa fa-th"> </i>
View Our Works</a></p>
    </div>
    <div class="w3-col m6">
      
    </div>
  </div>
</div>
</div>

```

```

<!-- Team Section -->
<div class="w3-container" style="padding:128px 16px" id="team">
  <h3 class="w3-center">THE TEAM</h3>
  <p class="w3-center w3-large">The ones who runs this company</p>
  <div class="w3-row-padding w3-grayscale" style="margin-top:64px">
    <div class="w3-col l3 m6 w3-margin-bottom">
      <div class="w3-card">
        
        <div class="w3-container">
          <h3>John Doe</h3>
          <p class="w3-opacity">CEO & Founder</p>
          <p>Manages and directs the company toward its primary goals and
objectives. Oversees employment decisions
          at the executive level of the company. Leads a team of executives
to consider major decisions including
          acquisitions, mergers, joint ventures, or large-scale
expansion.</p>
          <p><button class="w3-button w3-light-grey w3-block"><i class="fa fa-
envelope"></i> Contact</button></p>
        </div>
      </div>
    </div>
    <div class="w3-col l3 m6 w3-margin-bottom">
      <div class="w3-card">
        
        <div class="w3-container">
          <h3>Anja Doe</h3>
          <p class="w3-opacity">Stylist</p>
          <p>Responsible for the visual style and images in magazines,
newspapers, product packaging.Inspire and guide
          the vision
          of the design team, oversee the work of illustrators,
graphic/visualdesigners, photographers, and others
          who are
          engaged in artwork or layout design.</p>
          <p><button class="w3-button w3-light-grey w3-block"><i class="fa fa-
envelope"></i> Contact</button></p>
        </div>
      </div>
    </div>
    <div class="w3-col l3 m6 w3-margin-bottom">
      <div class="w3-card">
        
        <div class="w3-container">
          <h3>Mike Ross</h3>

```



```

        <p class="w3-opacity">Designer</p>
        <p>Plan, create and code internet sites and web pages, many of which
combine text with sounds, pictures,
        graphics
        and video clips.Responsible for creating the design and layout of a
website or web pages.
        It and can mean working on a brand new website or updating an
already existing site.</p>
        <p><button class="w3-button w3-light-grey w3-block"><i class="fa fa-
envelope"></i> Contact</button></p>
    </div>
</div>
<div class="w3-col l3 m6 w3-margin-bottom">
    <div class="w3-card">
        
        <div class="w3-container">
            <h3>Dan Star</h3>
            <p class="w3-opacity">Marketing Manager</p>
            <p>Conceptualize visuals based on requirements. Prepare rough drafts
and present ideas. Develop
                illustrations,
                logos and other designs using software or by hand. Use the
appropriate colors and layouts for each
                graphic.
                Work with copywriters and creative director to produce final
design.</p>
            <p><button class="w3-button w3-light-grey w3-block"><i class="fa fa-
envelope"></i> Contact</button></p>
        </div>
    </div>
</div>
</div>
</div>
<!-- Promo Section "Statistics" -->
<div class="w3-container w3-row w3-center w3-dark-grey w3-padding-64">
    <div class="w3-quarter">
        <span class="w3-xxlarge">7+</span>
        <br>Partners
    </div>
    <div class="w3-quarter">
        <span class="w3-xxlarge">5K+</span>
        <br>Designers
    </div>

```

```

<div class="w3-quarter">
  <span class="w3-xxlarge">10K+</span>
  <br>Happy Clients
</div>
<div class="w3-quarter">
  <span class="w3-xxlarge">150+</span>
  <br>Awards
</div>
</div>

<!-- Work Section -->
<div class="w3-container" style="padding:128px 16px" id="work">
  <h3 class="w3-center">OUR WORK</h3>
  <p class="w3-center w3-large">What we've done for people</p>

  <div style="margin-left: 40px;">

    <a href="view/view1.html">
      </a>
    <a href="view/view2.html">
      </a>
    <a href="view/view3.html">
      </a>
    <a href="view/view4.html">
      </a>
    <a href="view/view5.html">
      </a>
    <a href="view/view6.html">
      </a>
    <a href="view/view7.html">
      </a>
  </div>

```

```

</div>

<div class="list-group" style="text-align:center" >
  <a class="list-group-item list-group-item-action"><h1>Find yourself more
in:</h1></a>
  <a href="category/womenformals.html" class="list-group-item list-group-
item-action list-group-item-primary"><h1>Women formals</h1></a>
  <a href="category/menformals.html" class="list-group-item list-group-item-
action list-group-item-secondary"><h1>Men formals</h1></a>
  <a href="category/kidsfashion.html" class="list-group-item list-group-item-
action list-group-item-success"><h1>Kids fashion</h1></a>
  <a href="category/fashionsilks.html" class="list-group-item list-group-
item-action list-group-item-danger"><h1>Fashion silks</h1></a>
  <a href="category/chappels.html" class="list-group-item list-group-item-
action list-group-item-warning"><h1>Chappels</h1></a>
  <a href="category/bags.html" class="list-group-item list-group-item-action
list-group-item-info"><h1>Bags</h1></a>

</div>

<script>
  window.watsonAssistantChatOptions = {
    integrationID: "ef29ddf3-1ad6-4ae1-bb89-6b2874052e04", // The ID of this
integration.
    region: "au-syd", // The region your integration is hosted in.
    serviceInstanceID: "c9725f2c-df35-4683-8958-3989a7075028", // The ID of
your service instance.
    onLoad: function(instance) { instance.render(); }
  };
  setTimeout(function(){
    const t=document.createElement('script');
    t.src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
  });
</script>

</div>

<!-- Modal for full size images on click-->
<div id="modal01" class="w3-modal w3-black"
onclick="this.style.display='none'">

```

```

    <span class="w3-button w3-xxlarge w3-black w3-padding-large w3-display-
topright" title="Close Modal Image">x</span>
    <div class="w3-modal-content w3-animate-zoom w3-center w3-transparent w3-
padding-64">
        <img id="img01" class="w3-image">
        <p id="caption" class="w3-opacity w3-large"></p>
    </div>
</div>

<!-- Skills Section -->
<div class="w3-container w3-light-grey w3-padding-64">
    <div class="w3-row-padding">
        <div class="w3-col m6">
            <h3>Our Skills.</h3>
            <p>Sketching designs <br>
                Selecting fabrics and embellishments and sourcing suppliers<br>
                Sewing and creating physical pieces<br>
                Hosting model fittings and making necessary alterations<br>
                Participating in fashion shows<br>
                Communicating with clients and the media<br>
                Marketing designs<br>
                Promoting designs to creative directors and merchandisers<br>
            </p>
        </div>
        <div class="w3-col m6">
            <p class="w3-wide"><i class="fa fa-camera w3-margin-
right"></i>Styling</p>
            <div class="w3-grey">
                <div class="w3-container w3-dark-grey w3-center"
style="width:90%">90%</div>
            </div>
            <p class="w3-wide"><i class="fa fa-desktop w3-margin-
right"></i>Designing</p>
            <div class="w3-grey">
                <div class="w3-container w3-dark-grey w3-center"
style="width:85%">85%</div>
            </div>
            <p class="w3-wide"><i class="fa fa-photo w3-margin-
right"></i>Marketing</p>
            <div class="w3-grey">
                <div class="w3-container w3-dark-grey w3-center"
style="width:75%">80%</div>
            </div>
        </div>
    </div>
</div>

```

```

</div>

<!-- Contact Section -->
<div class="w3-container w3-light-grey" style="padding:128px 16px"
id="contact">
  <h3 class="w3-center">CONTACT</h3>
  <p class="w3-center w3-large">Lets get in touch. Send us a message:</p>
  <div style="margin-top:48px">
    <p><i class="fa fa-map-marker fa-fw w3-xxlarge w3-margin-
right"></i>CHENNAI, India.</p>
    <p><i class="fa fa-phone fa-fw w3-xxlarge w3-margin-right"></i> Phone:
+919376456032</p>
    <p><i class="fa fa-envelope fa-fw w3-xxlarge w3-margin-right"> </i> Email:
smartfashionrecommender@gmail.com</p>
    <br>
    <form action="/action_page.php" target="_blank">
      <p><input class="w3-input w3-border" type="text" placeholder="Name"
required name="Name"></p>
      <p><input class="w3-input w3-border" type="text" placeholder="Email"
required name="Email"></p>
      <p><input class="w3-input w3-border" type="text" placeholder="Subject"
required name="Subject"></p>
      <p><input class="w3-input w3-border" type="text" placeholder="Message"
required name="Message"></p>
      <p>
        <button class="w3-button w3-black" type="submit" input type="reset">
          <i class="fa fa-paper-plane"><a style="text-decoration: none;"
href="submit.html"> SEND MESSAGE </a></i>
        </button>
      </p>
    </form>
    <!-- Image of location/map -->
    
  </div>
</div>

<!-- Footer -->
<footer class="w3-center w3-black w3-padding-64">
  <a href="#home" class="w3-button w3-light-grey"><i class="fa fa-arrow-up w3-
margin-right"></i>To the top</a>
  <div class="w3-xlarge w3-section">
    <i class="fa fa-facebook-official w3-hover-opacity"></i>
    <i class="fa fa-instagram w3-hover-opacity"></i>

```

```

        <i class="fa fa-snapchat w3-hover-opacity"></i>
        <i class="fa fa-pinterest-p w3-hover-opacity"></i>
        <i class="fa fa-twitter w3-hover-opacity"></i>
        <i class="fa fa-linkedin w3-hover-opacity"></i>
    </div>
</footer>

<script>
    // Modal Image Gallery
    function onClick(element) {
        document.getElementById("img01").src = element.src;
        document.getElementById("modal01").style.display = "block";
        var captionText = document.getElementById("caption");
        captionText.innerHTML = element.alt;
    }

    // Toggle between showing and hiding the sidebar when clicking the menu icon
    var mySidebar = document.getElementById("mySidebar");

    function w3_open() {
        if (mySidebar.style.display === 'block') {
            mySidebar.style.display = 'none';
        } else {
            mySidebar.style.display = 'block';
        }
    }

    // Close the sidebar with the close button
    function w3_close() {
        mySidebar.style.display = "none";
    }
</script>

</body>

</html>

```

App.py:

```

from flask import Flask, render_template, request, redirect, url_for, session
import ibm_db
import re

app = Flask(__name__)

```

```

app.secret_key = 'a'

conn=ibm_db.connect("DATABASE=bludb;HOSTNAME=9938aec0-8105-433e-8bf9-
0fbb7e483086.clogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=32459;Security=SSL;SSLServerCertificate=DigiCertGlobalRootCA.crt;UID=dpk79343;PWD=29Jm7Ebz0ubtoerk", '', '')

@app.route('/')

def homer():
    return render_template('index.html')

@app.route('/Login',methods =['GET', 'POST'])
def login():
    global userid
    msg = ''

    if request.method == 'POST' :
        username = request.form['username']
        password = request.form['password']
        sql = "SELECT * FROM users WHERE username =? AND password=?"
        stmt = ibm_db.prepare(conn, sql)
        ibm_db.bind_param(stmt,1,username)
        ibm_db.bind_param(stmt,2,password)
        ibm_db.execute(stmt)
        account = ibm_db.fetch_assoc(stmt)
        print (account)
        if account:
            session['loggedin'] = True
            session['id'] = account['USERNAME']
            userid= account['USERNAME']
            session['username'] = account['USERNAME']
            msg = 'Logged in successfully !'

            msg = 'Logged in successfully !'
            return render_template('homepage.html', msg = msg)
        else:
            msg = 'Incorrect username / password !'
    return render_template('index.html', msg = msg)

```

```

@app.route('/Register', methods =['GET', 'POST'])
def registet():
    msg = ''
    if request.method == 'POST' :
        username = request.form['username']
        email = request.form['email']
        password = request.form['password']
        sql = "SELECT * FROM users WHERE username =?"
        stmt = ibm_db.prepare(conn, sql)
        ibm_db.bind_param(stmt,1,username)
        ibm_db.execute(stmt)
        account = ibm_db.fetch_assoc(stmt)
        print(account)
        if account:
            msg = 'Account already exists !'
        elif not re.match(r'^@+@[^@]+\.[^@]+', email):
            msg = 'Invalid email address !'
        elif not re.match(r'[A-Za-z0-9]+', username):
            msg = 'name must contain only characters and numbers !'
        else:
            insert_sql = "INSERT INTO  users VALUES (?, ?, ?)"
            prep_stmt = ibm_db.prepare(conn, insert_sql)
            ibm_db.bind_param(prepare_stmt, 1, username)
            ibm_db.bind_param(prepare_stmt, 2, email)
            ibm_db.bind_param(prepare_stmt, 3, password)
            ibm_db.execute(prepare_stmt)
            msg = 'You have successfully registered !'
    elif request.method == 'POST':
        msg = 'Please fill out the form !'
    return render_template('reg.html', msg = msg)

@app.route('/Homepage')
def dash():

    return render_template('homepage.html')

@app.route('/apply',methods =['GET', 'POST'])
def apply():
    msg = ''
    if request.method == 'POST' :
        username = request.form['username']
        email = request.form['email']

        qualification= request.form['qualification']

```



```

skills = request.form['skills']
jobs = request.form['s']
sql = "SELECT * FROM users WHERE username =?"
stmt = ibm_db.prepare(conn, sql)
ibm_db.bind_param(stmt,1,username)
ibm_db.execute(stmt)
account = ibm_db.fetch_assoc(stmt)
print(account)
if account:
    msg = 'there is only 1 job position! for you'
    return render_template('apply.html', msg = msg)

```

```

insert_sql = "INSERT INTO job VALUES (?, ?, ?, ?, ?)"
prep_stmt = ibm_db.prepare(conn, insert_sql)
ibm_db.bind_param(prepare_stmt, 1, username)
ibm_db.bind_param(prepare_stmt, 2, email)
ibm_db.bind_param(prepare_stmt, 3, qualification)
ibm_db.bind_param(prepare_stmt, 4, skills)
ibm_db.bind_param(prepare_stmt, 5, jobs)
ibm_db.execute(prepare_stmt)
msg = 'You have successfully applied for job !'
session['loggedin'] = True
TEXT = "Hello,a new application for job position" +jobs+"is requested"

```

```

elif request.method == 'POST':
    msg = 'Please fill out the form !'
    return render_template('apply.html', msg = msg)

```

```
@app.route('/display')
```

```
def display():
```

```
    print(session["username"],session['id'])
```

```
    cursor = mysql.connection.cursor()
```

```
    cursor.execute('SELECT * FROM job WHERE userid = % s', (session['id'],))
```

```
    account = cursor.fetchone()
```

```
    print("accountdisplay",account)
```

```
    return render_template('display.html',account = account)
```

```

@app.route('/logout')

def logout():
    session.pop('loggedin', None)
    session.pop('id', None)
    session.pop('username', None)
    return render_template('home.html')

if __name__ == '__main__':
    app.run(host='0.0.0.0')

```

privacy.html:

```

<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Privacy Policy</title>
    <link rel="icon" type="image/x-icon" href="images/download.jpg">
    <link rel="stylesheet" href="style.css" />
    <link
      href="https://fonts.googleapis.com/css2?family=Roboto:wght@300&display=swap"
      rel="stylesheet"
    />
  </head>
  <body>
    <div class="signup-box" style="height: 390px; margin-top:175px ;">
      <h1>Privacy Policy</h1>

      <p style="margin-left: 2em; margin-right: 2em;">Your privacy is important to
us. To better protect your privacy we provide
      this notice explaining our online information practices and the choices
you can make about the way your information is
      collected and used.We maintain the privacy of your email address and
password submitted to us in the registration process
      (unless you enter such information as your username or in the text of
your entries to user areas), but other information
      you provide should be considered nonconfidential and available for
viewing by others.
    </p>
    <a style="margin-left: 10em;" href="signup.html">Back</a>
    </div>
  </body>

```

```
</html>
```

Login.html:

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Login</title>
    <link rel="icon" type="image/x-icon" href="images/download.jpg">
    <link rel="stylesheet" href="style.css" />
    <link
      href="https://fonts.googleapis.com/css2?family=Roboto:wght@300&display=swap"
      rel="stylesheet"
    />
  </head>
  <body>
    <div class="login-box" style="margin-top:175px ;">
      <h1>Login</h1>
      <form action="action_page.html">
        <label>Email</label>
        <input type="email" placeholder="" />
        <label>Password</label>
        <input type="password" placeholder="" />
        <input type="submit" value="Submit" />
      </form>
    </div>
    <p class="para-2">
      Not have an account? <a href="signup.html">Sign Up Here</a>
    </p>
  </body>
</head>
</html>
```

Setup.py:

```
from setuptools import setup

setup(
    name='mypackage',
    version='0.0.1',
    install_requires=[
        'requests',
        'importlib-metadata; python_version == "3.8"',
    ],
)
```

```

    ],
)

import codecs
import os
import re

from setuptools import setup, find_packages

#####

NAME = "attrs"
PACKAGES = find_packages(where="src")
META_PATH = os.path.join("src", "attr", "__init__.py")
KEYWORDS = ["class", "attribute", "boilerplate"]
CLASSIFIERS = [
    "Development Status :: 5 - Production/Stable",
    "Intended Audience :: Developers",
    "Natural Language :: English",
    "License :: OSI Approved :: MIT License",
    "Operating System :: OS Independent",
    "Programming Language :: Python",
    "Programming Language :: Python :: 2",
    "Programming Language :: Python :: 2.7",
    "Programming Language :: Python :: 3",
    "Programming Language :: Python :: 3.4",
    "Programming Language :: Python :: 3.5",
    "Programming Language :: Python :: 3.6",
    "Programming Language :: Python :: 3.7",
    "Programming Language :: Python :: 3.8",
    "Programming Language :: Python :: Implementation :: CPython",
    "Programming Language :: Python :: Implementation :: PyPy",
    "Topic :: Software Development :: Libraries :: Python Modules",
]
INSTALL_REQUIRES = []

#####

HERE = os.path.abspath(os.path.dirname(__file__))

def read(*parts):
    """
    Build an absolute path from *parts* and return the contents of the

```

```

resulting file. Assume UTF-8 encoding.
"""
with codecs.open(os.path.join(HERE, *parts), "rb", "utf-8") as f:
    return f.read()

META_FILE = read(META_PATH)

def find_meta(meta):
    """
    Extract __*meta*__ from META_FILE.
    """
    meta_match = re.search(
        r"^\_{meta}\_ = ['\"]([^\"]*)['\"]".format(meta=meta),
        META_FILE, re.M
    )
    if meta_match:
        return meta_match.group(1)
    raise RuntimeError("Unable to find __{meta}__ string.".format(meta=meta))

if __name__ == "__main__":
    setup(
        name=NAME,
        description=find_meta("description"),
        license=find_meta("license"),
        url=find_meta("uri"),
        version=find_meta("version"),
        author=find_meta("author"),
        author_email=find_meta("email"),
        maintainer=find_meta("author"),
        maintainer_email=find_meta("email"),
        keywords=KEYWORDS,
        long_description=read("README.rst"),
        long_description_content_type="text/x-rst",
        packages=PACKAGES,
        package_dir={"": "src"},
        zip_safe=False,
        classifiers=CLASSIFIERS,
        install_requires=INSTALL_REQUIRES,
        options={"bdist_wheel": {"universal": "1"}},
    )

```

