

ASSIGNMENT 3

Assignment Date	7 October 2022
Maximum Marks	2 Marks

1. Create a Bucket in IBM object storage.




2. Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.




HTML code:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA_Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Smart Fashion Recommender</title>
<style>
body{
background-color: darkcyan;
display: flex;
align-items: center;
justify-content: center;
flex-direction: column;
}
img{
height: 240px;
border-radius: 10px;
margin: 10px;
}
</style>
</head>
<body>
<h1>Welcome to Smart Fashion Recommender</h1>
<div>
<img src="https://ibm-buck.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-obj-</pre>
1.jpg"alt="Shop" srcset="">
```

```
<img src="https://ibm-buck.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-obj-
2.jpg"alt="Shop" srcset="">
<img src="https://ibm-buck.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-obj-
3.jpg"alt="Shop" srcset="">
<img src="https://ibm-buck.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-obj-
4.jpg"alt="Shop" srcset="">
<img src="https://ibm-buck.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-obj-
5.jpg"alt="Shop" srcset="">
</div>
</div>
</body>
</html>
```




3. Upload a css page to the object storage and use the same page in your HTML code.




HTML code:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA_Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Smart Fashion Recommender</title>
link rel="stylesheet" href="https://ibm-buck.s3.jp-tok.cloud-object-storage.appdomain.cloud/style.css">
</head>
<body>
<h1>Welcome to Smart Fashion Recommender</h1>
<div>
<img src="https://ibm-buck.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-obj-1.jpg"alt="Shop" srcset="">
```

```
<img src="https://ibm-buck.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-obj-
2.jpg"alt="Shop" srcset="">
<img src="https://ibm-buck.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-obj-
3.jpg"alt="Shop" srcset="">
<img src="https://ibm-buck.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-obj-
4.jpg"alt="Shop" srcset="">
<img src="https://ibm-buck.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-obj-
5.jpg"alt="Shop" srcset="">
</div>
</div>
</body>
</html>
```




4. Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.



Web URL: Hospital

5.Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.



HTML code:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA_Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Smart Fashion Recommender</title>
<style>
body{
background-color: darkcyan;
display: flex;
align-items: center;
justify-content: center;
flex-direction: column;
}
img{
height: 240px;
border-radius: 10px;
margin: 10px;
}
</style>
</head>
<body>
<h1>Welcome to Smart Fashion Recommender</h1>
<div>
<img src="https://ibm-buck.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-obj-</pre>
1.jpg"alt="Shop" srcset="">
```

```
<img src="https://ibm-buck.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-obj-</pre>
2.jpg"alt="Shop" srcset="">
<img src="https://ibm-buck.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-obj-</pre>
3.jpg"alt="Shop" srcset="">
<img src="https://ibm-buck.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-obj-</pre>
4.jpg"alt="Shop" srcset="">
<img src="https://ibm-buck.s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-obj-</pre>
5.jpg"alt="Shop" srcset="">
</div>
<script>
 window.watsonAssistantChatOptions = {
  integrationID: "fcaaa4c6-08ab-4e0e-a3ce-b6435fd1e12e", // The ID of this integration.
  region: "au-syd", // The region your integration is hosted in.
  serviceInstanceID: "90b722a3-3b41-43c1-beea-2104ada854b8", // The ID of your service
instance.
  onLoad: function(instance) { instance.render(); }
 };
 setTimeout(function(){
  const t=document.createElement('script');
  t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
  document.head.appendChild(t);
 });
</script>
</body>
</html>
```

