```
"nbformat": 4,
 "nbformat minor": 0,
 "metadata": {
   "colab": {
     "provenance": []
    "kernelspec": {
      "name": "python3",
      "display_name": "Python 3"
   "language_info": {
      "name": "python"
 },
 "cells": [
      "cell type": "markdown",
      "source": [
       "# **Importing Model building libraries**"
      "metadata": {
       "id": "MhbOo52DAWRe"
   },
      "cell type": "code",
      "execution count": null,
      "metadata": {
        "id": "XZyIORX4AGEp"
      "outputs": [],
      "source": [
        "import pandas as pd n,
        "import numpy as np\n",
        "from sklearn.model selection import train test split\n",
        "from sklearn.preprocessing import LabelEncoder\n",
        "from keras.models import Model\n",
        "from keras.layers import LSTM, Activation, Dense, Dropout,
Input, Embedding\n",
        "from keras.optimizers import RMSprop\n",
        "from keras.preprocessing.text import Tokenizer\n",
        "from keras_preprocessing import sequence\n",
        "from keras.utils import to categorical\n",
        "from keras.models import load model"
      ]
    },
      "cell_type": "markdown",
      "source": [
       "# **Importing NLTK libraries**"
      "metadata": {
        "id": "9KrfALGSAfHP"
      }
   },
      "cell type": "code",
```

```
"source": [
        "import csv\n",
        "import tensorflow as tf\n",
        "import pandas as pd\n",
        "import numpy as np\n",
        "import matplotlib.pyplot as plt\n",
        "from tensorflow.keras.preprocessing.text import Tokenizer\n",
        "from tensorflow.keras.preprocessing.sequence import
pad sequences\n",
        "import nltk\n",
        "nltk.download('stopwords')
        "from nltk.corpus import stopwords\n",
        "STOPWORDS = set(stopwords.words('english'))"
      ],
      "metadata": {
        "colab": {
          "base uri": "https://localhost:8080/"
        "id": "dkpUF8JBATxq",
        "outputId": "84e9e3cb-21c2-4418-fd85-f52206bf30e1"
      "execution_count": null,
      "outputs": [
        {
          "output type": "stream",
          "name": "stderr",
          "text": [
            "[nltk data] Downloading package stopwords to
/root/nltk_data...\n",
            "[nltk data] Package stopwords is already up-to-date!\n"
        }
      ]
    },
      "cell type": "markdown",
      "source": [
        "# **Reading dataset and preprocessing**"
      "metadata": {
        "id": "EOx wA fAOcw"
      }
    },
      "cell type": "code",
      "source": [
        "from google.colab import drive\n",
        "drive.mount('/content/drive')"
      ],
      "metadata": {
        "colab": {
          "base uri": "https://localhost:8080/"
        } ,
        "id": "L5de CWPAj1-",
        "outputId": "5de09c6f-a645-4036-afb9-406051205928"
      "execution count": null,
      "outputs": [
```

```
"output type": "stream",
          "name": "stdout",
          "text": [
            "Drive already mounted at /content/drive; to attempt to
forcibly remount, call drive.mount(\"/content/drive\",
force remount=True).\n"
      ]
    },
      "cell_type": "code",
      "source": [
        "cd/content/drive/MyDrive/Colab Notebooks"
      "metadata": {
        "colab": {
          "base uri": "https://localhost:8080/"
        "id": "96FFZiUsA5 h",
        "outputId": "471ac98e-18e8-456f-8c90-14fe67a91d3e"
      "execution count": null,
      "outputs": [
          "output_type": "stream",
"name": "stdout",
          "text": [
            "/content/drive/MyDrive/Colab Notebooks\n"
        }
      ]
    },
      "cell type": "code",
      "source": [
        "df =
pd.read csv('/content/drive/MyDrive/AI IBM/spam.csv',delimiter=',',encodi
ng='latin-1')\n",
        "df.head()"
      ],
      "metadata": {
        "colab": {
          "base uri": "https://localhost:8080/",
          "height": 206
        "id": "r6L00VYbA97L",
        "outputId": "a6cb887c-9bc0-4a4c-e846-9da6d7394c82"
      "execution count": null,
      "outputs": [
        {
          "output_type": "execute_result",
          "data": {
            "text/plain": [
                                                                           v2
                    v1
Unnamed: 2 \\\n",
```

```
'' ()
                 ham Go until jurong point, crazy.. Available only ...
NaN
     n'',
            "1
                 ham
                                       Ok lar... Joking wif u oni...
NaN
     n'',
            "2
                    Free entry in 2 a wkly comp to win FA Cup fina...
                spam
NaN
     \n",
            "3
                 ham U dun say so early hor... U c already then say...
NaN
     n",
            '' 4
                 ham Nah I don't think he goes to usf, he lives aro...
     \n",
NaN
            "\n",
            " Unnamed: 3 Unnamed: 4
                                   \n",
            '' ()
                     NaN
                               NaN
                                   \n",
            "1
                                   \n",
                     NaN
                               NaN
            "2
                     NaN
                               NaN
                                   \n",
            "3
                     NaN
                               NaN \n",
            "4
                     NaN
                               NaN
           ],
           "text/html": [
            "\n",
            " <div id=\"df-9bf3cfc5-e3d7-40f7-a5eb-4b50ab09a8c4\">\n",
                 <div class=\"colab-df-container\">\n",
            **
                   <div>\n",
            "<style scoped>\n",
                 .dataframe tbody tr th:only-of-type {\n",
                    vertical-align: middle; \n",
            **
                 }\n",
            "\n",
            **
                 .dataframe tbody tr th {\n",
            **
                    vertical-align: top;\n",
            11
                 }\n",
            "\n",
            "
                 .dataframe thead th \{\n'',
            **
                    text-align: right; \n",
                 }\n",
            "</style>\n",
            "\n",
               <thead>\n",
            **
                 \n",
            **
                   \n",
            **
                  <th>>v1</th>>n",
            "
                  v2\n",
            "
                  Unnamed: 2\n",
                   Unnamed: 3\n",
            11
                  Unnamed: 4\n",
            11

n",
            "
               </thead>\n",
            **
               \n",
            "
                 \n",
            11
                  >0\n",
            **
                   ham\n",
                   Go until jurong point, crazy.. Available only
...\n",
            "
                  NaN\n",
            **
                  NaN\n",
            **
                   NaN\n",
            "
                 \n",
                 \n",
```

```
1\n",
                   ham\n",
                  Ok lar... Joking wif u oni...\n",
            **
                  NaN\n",
            **
                  NaN\n",
            **
                   NaN\n",
            "

n",
            "
                 <tr>\n",
            "
                   2\n",
                  spam\n",
                  Free entry in 2 a wkly comp to win FA Cup
fina...\n",
                  NaN\n",
                  NaN\n",
            "
                  NaN\n",
            11
                 \n",
            **
                 \n",
                  3\n",
            "
                  ham\n",
            **
                  U dun say so early hor... U c already then
say...\n",
                  NaN\n",
            "
                  NaN\n",
            **
                  NaN\n",
            11
                 \n",
                 \n",
            **
                  4\n",
                  ham\n",
                  Nah I don't think he goes to usf, he lives
aro...\n'',
                  NaN\n",
            "
                  NaN\n",
            11
                  NaN\n",
                 \n",
            " \n",
            "\n",
            "</div>\n",
                  <button class=\"colab-df-convert\"</pre>
onclick=\"convertToInteractive('df-9bf3cfc5-e3d7-40f7-a5eb-
4b50ab09a8c4')\"\n",
                          title=\"Convert this dataframe to an
interactive table.\"\n",
                          style=\"display:none;\">\n",
                    \n",
              <svg xmlns=\"http://www.w3.org/2000/svq\"</pre>
height=\"24px\"viewBox=\"0 0 24 24\\"\n\",
                   width=\"24px\">\n",
            **
                 <path d=\"M0 0h24v24H0V0z\" fill=\"none\"/>\n",
                 \phi = \mbox{"M18.56 5.441.94 2.06.94-2.06 2.06-.94-2.06-}
.94-.94-2.06-.94 2.06-2.06.94zm-11 1L8.5 8.51.94-2.06 2.06-.94-2.06-
.94L8.5 2.51-.94 2.06-2.06.94zm10 101.94 2.06.94-2.06 2.06-.94-2.06-.94-
.94-2.06-.94 2.06-2.06.94z\"/><path d=\"M17.41 7.961-1.37-1.37c-.4-.4-
.92 - .59 - 1.43 - .59 - .52 0 - 1.04 . 2 - 1.43 . 59 L 10 . 3 9.451 - 7.72 7.72c - .78 . 78 - .78
2.05 0 2.83L4 21.41c.39.39.9.59 1.41.59.51 0 1.02-.2 1.41-.5917.78-7.78
2.81-2.81c.8-.78.8-2.07 0-2.86zM5.41 20L4 18.5917.72-7.72 1.47 1.35L5.41
20z\"/>\n",
               </svg>\n",
                  </button>\n",
```

```
\n",
                 <style>\n",
                    .colab-df-container {\n",
              11
                      display:flex; \n",
              11
                      flex-wrap:wrap;\n",
                      gap: 12px;\n",
              "
                    }\n",
              "\n",
              "
                    .colab-df-convert {\n",
                      background-color: #E8F0FE;\n",
              "
                      border: none; \n",
              11
                     border-radius: 50%; \n",
              "
                     cursor: pointer; \n",
                     display: none; \n",
              **
                     fill: #1967D2;\n",
              **
                     height: 32px; n",
              **
                      padding: 0 0 0 0;\n",
                      width: 32px; \n",
              "
                    }\n",
              "\n",
              "
                    .colab-df-convert:hover {\n",
              "
                      background-color: #E2EBFA; \n",
                      box-shadow: 0px 1px 2px rgba(60, 64, 67, 0.3), 0px
1px 3px 1px rgba(60, 64, 67, 0.15);\n",
                      fill: #174EA6;\n",
                    }\n",
              "\n",
                    [theme=dark] .colab-df-convert {\n",
              11
                      background-color: #3B4455;\n",
              **
                      fill: #D2E3FC;\n",
              **
                    }\n",
              "\n",
              "
                    [theme=dark] .colab-df-convert:hover {\n",
              **
                      background-color: #434B5C; \n",
                      box-shadow: 0px 1px 3px 1px rgba(0, 0, 0, 0.15); \n",
                      filter: drop-shadow(0px 1px 2px rgba(0, 0, 0,
0.3)); \n",
                     fill: #FFFFFF;\n",
              **
                    }\n",
              "
                 </style>\n",
              "\n",
                      <script>\n",
              "
                        const buttonEl =\n'',
                          document.guerySelector('#df-9bf3cfc5-e3d7-40f7-
a5eb-4b50ab09a8c4 button.colab-df-convert'); \n",
                      buttonEl.style.display =\n",
                          google.colab.kernel.accessAllowed ? 'block' :
'none'; \n",
              "\n",
                        async function convertToInteractive(key) {\n",
                         const element = document.querySelector('#df-
9bf3cfc5-e3d7-40f7-a5eb-4b50ab09a8c4'); \n",
              **
                          const dataTable =\n",
                            await
google.colab.kernel.invokeFunction('convertToInteractive', \n",
[key], {}); n",
                          if (!dataTable) return; \n",
```

```
"\n",
                         const docLinkHtml = 'Like what you see? Visit
the ' + n",
                           '<a target=\"_blank\"</pre>
href=https://colab.research.google.com/notebooks/data table.ipynb>data
table notebook</a>'\n",
                           + ' to learn more about interactive
tables.'; \n",
                         element.innerHTML = '';\n",
                         dataTable['output type'] = 'display data';\n",
                         await
google.colab.output.renderOutput(dataTable, element); \n",
                         const docLink =
document.createElement('div'); \n",
                         docLink.innerHTML = docLinkHtml; \n",
              **
                        element.appendChild(docLink); \n",
              11
                      }\n",
                    </script>\n",
              11
                  </div>\n",
              " </div>\n",
           ]
          },
          "metadata": {},
          "execution count": 5
      ]
    },
      "cell type": "code",
      "source": [
        "df.drop(['Unnamed: 2','Unnamed: 3', 'Unnamed:
4'],axis=1,inplace=True) \n",
        "df.info()"
      ],
      "metadata": {
        "colab": {
          "base uri": "https://localhost:8080/"
        "id": "erhXmm58CR8r",
        "outputId": "c76e0df2-2ae5-43e8-f8e1-8f789ff32ffe"
      "execution_count": null,
      "outputs": [
        {
          "output_type": "stream",
          "name": "stdout",
          "text": [
            "<class 'pandas.core.frame.DataFrame'>\n",
            "RangeIndex: 5572 entries, 0 to 5571\n",
            "Data columns (total 2 columns):\n",
            " # Column Non-Null Count Dtype \n",
                         ----\n",
            " 0 v1
                         5572 non-null object\n",
            " 1
                         5572 non-null object\n",
                 v2
            "dtypes: object(2)\n",
            "memory usage: 87.2+ KB\n"
          ]
```

```
]
    },
      "cell type": "code",
      "source": [
        "df.groupby(['v1']).size()"
      "metadata": {
        "colab": {
          "base uri": "https://localhost:8080/"
        "id": "i6E3-2vgCXLi",
        "outputId": "a564a7ae-dd3d-427b-d1c4-208f0373fc68"
      },
      "execution count": null,
      "outputs": [
          "output_type": "execute_result",
          "data": {
            "text/plain": [
              "v1\n",
                       4825\n",
              "spam
                       747\n",
              "dtype: int64"
          } ,
          "metadata": {},
          "execution count": 7
      1
    },
      "cell type": "code",
      "source": [
        "#Label Encoding Required Column\n",
        "X = df.v2\n",
        "Y = df.v1\n",
        "le = LabelEncoder()\n",
        "Y = le.fit transform(Y)\n",
        "Y = Y.reshape(-1,1)"
      ],
      "metadata": {
       "id": "qfBLVkujCZWm"
      "execution count": null,
      "outputs": []
    },
      "cell_type": "code",
      "source": [
       "# Test and train data split \n",
        "X_train,X_test,Y_train,Y_test =
train_test_split(X,Y,test_size=0.15)"
      ],
      "metadata": {
       "id": "RyFCWqR2CbSJ"
      },
```

```
"execution count": null,
      "outputs": []
    },
      "cell type": "code",
      "source": [
        "# Tokenisation function\n",
        "max words = 1000 \n",
        "max len = 150\n",
        "tok = Tokenizer(num words=max words) \n",
        "tok.fit_on_texts(X_train)\n",
        "sequences = tok.texts to sequences (X train) \n",
        "sequences matrix =
sequence.pad sequences (sequences, maxlen=max len) \n"
      "metadata": {
        "id": "35ZUG70XCdYy"
      "execution_count": null,
      "outputs": []
    },
      "cell type": "markdown",
      "source": [
        "# **Create Model**\n",
        "# **Add layers (LSTM ,Dense-(HiddenLayers),Ouput) **"
      ],
      "metadata": {
        "id": "zMQYBl1bCf6h"
    },
      "cell type": "code",
      "source": [
        "#LSTM model\n",
        "inputs = Input(name='InputLayer', shape=[max len]) \n",
        "layer = Embedding(max words, 50, input length=max len)(inputs)\n",
        "layer = LSTM(64)(layer)\n",
        "layer = Dense(256, name='FullyConnectedLayer1')(layer)\n",
        "layer = Activation('relu')(layer)\n",
        "layer = Dropout(0.5)(layer)\n",
        "layer = Dense(1, name='OutputLayer')(layer) \n",
        "layer = Activation('sigmoid')(layer)"
      ],
      "metadata": {
        "id": "OVUDcMoJCz-h"
      "execution count": null,
      "outputs": []
    },
      "cell type": "code",
      "source": [
        "model = Model(inputs=inputs, outputs=layer) \n",
        "model.summary() \n",
"model.compile(loss='binary crossentropy',optimizer=RMSprop(),metrics=['a
ccuracy'])"
```

```
],
     "metadata": {
      "colab": {
        "base uri": "https://localhost:8080/"
      "id": "UKam-C9ZC1rQ",
      "outputId": "73bc4ec5-38bb-49b9-90dd-41942f5f5c3d"
     "execution count": null,
     "outputs": [
        "output_type": "stream",
        "name": "stdout",
        "text": [
          "Model: \"model\"\n",
                                                         \n",
          " Layer (type)
                                   Output Shape
                                                           Param
   \n",
" InputLayer (InputLayer) [(None, 150)]
\n",
\n'',
          " embedding (Embedding) (None, 150, 50)
                                                           50000
\n'',
\n'',
          " lstm (LSTM)
                                   (None, 64)
                                                            29440
n'',
\n'',
          " FullyConnectedLayer1 (Dense (None, 256)
                                                           16640
\n'',
          ")
\n'',
\n'',
          " activation (Activation) (None, 256)
                                                            0
\n",
\n",
          " dropout (Dropout) (None, 256)
                                                            0
\n'',
\n",
          " OutputLayer (Dense) (None, 1)
                                                            257
\n'',
\n'',
          " activation 1 (Activation) (None, 1)
                                                            0
\n'',
\n",
          "Total params: 96,337\n",
```

```
"Trainable params: 96,337\n",
"Non-trainable params: 0\n",
```

```
\n"
       }
     1
   },
     "cell type": "code",
     "source": [
"model.fit(sequences matrix, Y train, batch size=128, epochs=25, validation s
plit=0.2)"
     ],
     "metadata": {
       "colab": {
         "base uri": "https://localhost:8080/"
       "id": "XU0fZWRCC3ML",
       "outputId": "b55d7118-743d-4d38-d843-958316b2b6b7"
     "execution count": null,
     "outputs": [
       {
         "output type": "stream",
         "name": "stdout",
         "text": [
           "Epoch 1/25\n",
           "30/30 [========= ] - 28s 720ms/step -
loss: 0.3323 - accuracy: 0.8772 - val loss: 0.1085 - val accuracy:
0.9715\n",
           "Epoch 2/25\n",
           "30/30 [===========] - 18s 588ms/step -
loss: 0.0818 - accuracy: 0.9807 - val loss: 0.0794 - val accuracy:
0.9800\n",
           "Epoch 3/25\n",
           "30/30 [========== ] - 12s 384ms/step -
loss: 0.0421 - accuracy: 0.9884 - val loss: 0.0518 - val accuracy:
0.9842 \n'',
           "Epoch 4/25\n",
           "30/30 [========= ] - 9s 291ms/step -
loss: 0.0293 - accuracy: 0.9921 - val loss: 0.0461 - val accuracy:
0.9884\n",
           "Epoch 5/25\n",
           "30/30 [=========== ] - 9s 288ms/step -
loss: 0.0261 - accuracy: 0.9921 - val loss: 0.0517 - val accuracy:
0.9873\n",
           "Epoch 6/25\n",
           "30/30 [=========== ] - 9s 291ms/step -
loss: 0.0161 - accuracy: 0.9952 - val loss: 0.0582 - val accuracy:
0.9863\n",
           "Epoch 7/25\n",
           "30/30 [========= ] - 9s 291ms/step -
loss: 0.0110 - accuracy: 0.9971 - val loss: 0.0660 - val accuracy:
0.9895\n",
           "Epoch 8/25\n",
```

```
"30/30 [=========== ] - 11s 369ms/step -
loss: 0.0087 - accuracy: 0.9974 - val loss: 0.0765 - val accuracy:
0.9863\n",
          "Epoch 9/25\n",
          "30/30 [========= ] - 9s 294ms/step -
loss: 0.0059 - accuracy: 0.9982 - val loss: 0.0815 - val accuracy:
0.9884\n",
          "Epoch 10/25\n",
          "30/30 [========== ] - 9s 290ms/step -
loss: 0.0051 - accuracy: 0.9987 - val loss: 0.0902 - val accuracy:
0.9852\n",
          "Epoch 11/25\n",
          "30/30 [========= ] - 9s 318ms/step -
loss: 0.0038 - accuracy: 0.9987 - val loss: 0.0964 - val accuracy:
0.9884\n",
          "Epoch 12/25\n",
          "30/30 [======= ] - 9s 290ms/step -
loss: 0.0039 - accuracy: 0.9984 - val_loss: 0.1214 - val_accuracy:
0.9863\n",
          "Epoch 13/25\n",
          "30/30 [=========== ] - 11s 363ms/step -
loss: 0.0011 - accuracy: 0.9997 - val loss: 0.1153 - val accuracy:
0.9895\n",
          "Epoch 14/25\n",
          "30/30 [=========== ] - 9s 294ms/step -
loss: 6.9965e-04 - accuracy: 0.9997 - val loss: 0.1322 - val accuracy:
0.9873\n",
          "Epoch 15/25\n",
          "30/30 [=========== ] - 9s 292ms/step -
loss: 0.7710 - accuracy: 0.9739 - val loss: 0.1286 - val accuracy:
0.9884\n",
          "Epoch 16/25\n",
          "30/30 [=========== ] - 9s 294ms/step -
loss: 5.0771e-04 - accuracy: 0.9997 - val loss: 0.1294 - val accuracy:
0.9895\n",
          "Epoch 17/25\n",
          loss: 2.4364e-04 - accuracy: 1.0000 - val loss: 0.1362 - val accuracy:
0.9895\n'',
          "Epoch 18/25\n",
          "30/30 [============== ] - 9s 293ms/step -
loss: 7.7019e-05 - accuracy: 1.0000 - val loss: 0.1435 - val accuracy:
0.9863\n",
          "Epoch 19/25\n",
          "30/30 [=============== ] - 9s 294ms/step -
loss: 4.9329e-05 - accuracy: 1.0000 - val loss: 0.1585 - val accuracy:
0.9863\n",
          "Epoch 20/25\n",
          "30/30 [======= ] - 9s 310ms/step -
loss: 3.0667e-05 - accuracy: 1.0000 - val loss: 0.1735 - val accuracy:
0.9863\n",
          "Epoch 21/25\n",
          "30/30 [=========== ] - 9s 316ms/step -
loss: 1.8201e-05 - accuracy: 1.0000 - val loss: 0.1857 - val accuracy:
0.9852\n",
          "Epoch 22/25\n",
```

```
loss: 7.7908e-06 - accuracy: 1.0000 - val loss: 0.2049 - val accuracy:
0.9884\n",
           "Epoch 23/25\n",
           "30/30 [========= ] - 9s 295ms/step -
loss: 7.4443e-06 - accuracy: 1.0000 - val loss: 0.2257 - val accuracy:
0.9873\n",
           "Epoch 24/25\n",
           "30/30 [========= ] - 9s 298ms/step -
loss: 1.8775e-04 - accuracy: 1.0000 - val loss: 0.2443 - val accuracy:
0.9810\n",
           "Epoch 25/25\n",
           "30/30 [======== ] - 9s 292ms/step -
loss: 1.6095e-06 - accuracy: 1.0000 - val loss: 0.2496 - val accuracy:
0.9810\n"
       },
         "output type": "execute result",
         "data": {
           "text/plain": [
             "<keras.callbacks.History at 0x7f0dc2ac8190>"
           1
         },
         "metadata": {},
         "execution count": 13
     1
   },
     "cell type": "code",
     "source": [
       "model.save(\"Ai Spam Identifier\")"
     ],
     "metadata": {
       "colab": {
         "base uri": "https://localhost:8080/"
       "id": "YHIM235qC4wt",
       "outputId": "b07591db-78ae-4d44-e5fe-535ca42ba663"
     "execution count": null,
     "outputs": [
       {
         "output_type": "stream",
         "name": "stderr",
         "text": [
           "WARNING:absl:Function ` wrapped model` contains input
name(s) InputLayer with unsupported characters which will be renamed to
inputlayer in the SavedModel.\n",
           "WARNING:absl:Found untraced functions such as
lstm_cell_layer_call_fn,
lstm_cell_layer_call_and_return_conditional_losses while saving (showing
2 of 2). These functions will not be directly callable after loading.\n"
         1
     1
   },
```

```
"cell type": "code",
      "source": [
        "test_sequences = tok.texts_to_sequences(X_test) \n",
        "test sequences matrix =
sequence.pad sequences(test sequences, maxlen=max len)"
      "metadata": {
        "id": "bAIssoULC6Jm"
     },
     "execution_count": null,
      "outputs": []
    },
      "cell type": "code",
      "source": [
        "accuracy = model.evaluate(test sequences matrix,Y test)\n",
        "print('Accuracy: {:0.3f}'.format(accuracy[1]))"
      ],
      "metadata": {
        "colab": {
          "base uri": "https://localhost:8080/"
        "id": "YYfPeJHoC7r8",
        "outputId": "ffcf3b94-fd73-40cc-a394-bb24a4eca3c1"
      } ,
      "execution count": null,
      "outputs": [
        {
          "output type": "stream",
          "name": "stdout",
          "text": [
            "27/27 [============ ] - 1s 27ms/step -
loss: 0.3614 - accuracy: 0.9833\n",
           "Accuracy: 0.983\n"
          ]
        }
      ]
    },
      "cell type": "code",
      "source": [
        "y pred = model.predict(test sequences matrix) \n",
        "print(y pred[25:40].round(3))"
      ],
      "metadata": {
        "colab": {
          "base uri": "https://localhost:8080/"
        "id": "TAd2boE7C9iz",
        "outputId": "395e247e-4eff-43a4-f7bf-7a152b2e8299"
      "execution count": null,
      "outputs": [
        {
          "output type": "stream",
          "name": "stdout",
          "text": [
```

```
"27/27 [========= ] - 1s 25ms/step\n",
        "[[0.]\n",
        " [0.]\n",
        " [0.]\n",
        " [0.]\n",
        " [0.]\n",
        " [0.]\n",
        " [0.]\n",
        " [1.]\n",
        " [0.]\n",
        " [0.]\n",
        " [0.]\n",
        " [1.]\n",
        " [0.]\n",
        " [0.]\n",
        " [0.]]\n"
      ]
    }
  ]
},
  "cell type": "code",
  "source": [
    "print(Y_test[25:40])"
  ],
  "metadata": {
    "colab": {
      "base uri": "https://localhost:8080/"
    "id": "TobFDYACC LF",
    "outputId": "01314bb6-79e0-4206-b67f-a4dc1187c725"
  } ,
  "execution_count": null,
  "outputs": [
    {
      "output_type": "stream",
      "name": "stdout",
      "text": [
        "[[0]\n",
        " [0]\n",
        " [0]\n",
        " [0]\n",
        " [0]\n",
        " [0]\n",
        " [0]\n",
        " [1]\n",
        " [0]\n",
        " [0]\n",
        " [0]\n",
        " [1]\n",
        " [0]\n",
        " [0]\n",
        " [0]]\n"
      ]
    }
 ]
}
```

1