

IBM – Nallaiya Thiran Project Assignment 1 – Smart Home

Indhuja P 718019L117

Circuit Diagram:





Source Code:

int t=2;

int e=3;

void setup(){

Serial.begin(9600);

```
pinMode(t,OUTPUT);
pinMode(e,INPUT);
pinMode(12,OUTPUT);
}
void loop()
{
//ultrasonic sensor
digitalWrite(t,LOW);
digitalWrite(t,HIGH);
delayMicroseconds(10);
digitalWrite(t,LOW);
float dur=pulseIn(e,HIGH);
float dis=(dur*0.0343)/2;
Serial.print("Distance is: ");
Serial.println(dis);
//LED ON
if(dis>=100)//(in terms of centimeter)
digitalWrite(8,HIGH);
digitalWrite(7,HIGH);
}
//Buzzer For ultrasonic Sensor
if(dis>=100)
for(int i=0; i<=30000; i=i+10)
{
tone(12,i);
delay(1000);
noTone(12);
```

```
delay(1000);
}
}
//Temperate Sensor
double a= analogRead(A0);
double t=(((a/1024)*5)-0.5)*100;
Serial.print("Temp Value: ");
Serial.println(t);
delay(1000);
//LED ON
if(t>=100)//(in terms of celsius)
digitalWrite(8,HIGH);
digitalWrite(7,HIGH);
}
//Buzzer for Temperature Sensor
if(t>=100)
{
for(int i=0; i<=30000; i=i+10)
{
tone(12,i);
delay(1000);
noTone(12);
delay(1000);
}
//LED OFF
if(t<100)
```

```
{
  digitalWrite(8,LOW);
  digitalWrite(7,LOW);
}
```

Output(Serial Monitor):

```
Serial Monitor
Distance is: 68.89
Temp Value: 24.71
Distance is: 68.70
Temp Value: 24.71
Distance is: 68.70
Temp Value: 24.71
Distance is: 68.89
Temp Value: 24.71
Distance is: 68.70
Temp Value: 24.71
Distance is: 68.70
Temp Value: 24.71
Distance is: 68.89
Temp Value: 24.71
Distance is: 68.70
Temp Value: 24.71
Distance is: 68.70
Temp Value: 24.71
Distance is: 68.89
Temp Value: 24.71
Distance is: 68.70
Temp Value: 24.71
Distance is: 68.67
Temp Value: 24.71
Distance is: 68.89
Temp Value: 24.71
Distance is: 68.70
Temp Value: 24.71
Distance is: 68.70
Temp Value: 24.71
Distance is: 68.89
Temp Value: 24.71
                                                                   Send Clear
```

Tinker cad Link:

https://www.tinkercad.com/things/1SkNDyEBEK4-ibm-iot/editel