

**Assignment -3**  
**Build CNN Model for Classification Of Flowers**

Assignment Date	30 September 2022
Student Name	GIRIJA A
Student Roll Number	211419104078
Maximum Marks	2 Marks

**Question-1:**

Download the dataset

**Question-2:**

Image Augmentation

**Solution**

```
from tensorflow.keras.preprocessing.image import ImageDataGenerator
```

```
train_datagen=ImageDataGenerator(rescale=1./255, zoom_range=0.2, horizontal_flip=True, vertical_flip=True)
```

```
test_datagen=ImageDataGenerator(rescale=1./255)
```

```
2)Image Augmentation

[ ] from tensorflow.keras.preprocessing.image import ImageDataGenerator

[ ] train_datagen=ImageDataGenerator(rescale=1./255, zoom_range=0.2, horizontal_flip=True, vertical_flip=True)

[ ] test_datagen=ImageDataGenerator(rescale=1./255)

Load Data

[ ] x_train=train_datagen.flow_from_directory(r"/content/drive/MyDrive/Assignment 3/Flowers-Dataset/Training", target_size=(64,64), class_mode='categorical', batch_size=24)
Found 3293 images belonging to 5 classes.

[ ] x_test=test_datagen.flow_from_directory(r"/content/drive/MyDrive/Assignment 3/Flowers-Dataset/Testing", target_size=(64,64), class_mode='categorical', batch_size=24)
Found 1317 images belonging to 5 classes.

[ ] x_train.class_indices

{'daisy': 0, 'dandelion': 1, 'rose': 2, 'sunflower': 3, 'tulip': 4}
```

**Question-3:**

Create model

**Solution**

```
from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import Dense,Convolution2D,MaxPooling2D,Flatten
model=Sequential()
```

3)Create Model

```
[ ] from tensorflow.keras.models import Sequential
```

```
[ ] from tensorflow.keras.layers import Dense,Convolution2D,MaxPooling2D,Flatten
```

```
[ ] model=Sequential()
```

**Question-4:**

Add Layers (Convolution,MaxPooling,Flatten,Dense-(Hidden Layers),Output)

**Solution****a)Convolution Layer**

```
model.add(Convolution2D(32,(3,3),kernel_initializer="random_uniform",activation="relu",strides=(1,1),input_shape=(64,64,3)))
```

**b)MaxPooling Layer**

```
model.add(MaxPooling2D(pool_size=(2,2)))
```

**c)Flatten Layer**

```
model.add(Flatten())
```

**d) Dense(Hidden layer)**

```
model.add(Dense(300,activation="relu"))
```

```
model.add(Dense(300,activation="relu"))
```

**e)Output layer**

```
model.add(Dense(5,activation="softmax"))
```

a)Convolution Layer

```
[ ] model.add(Convolution2D(32,(3,3),kernel_initializer="random_uniform",activation="relu",strides=(1,1),input_shape=(64,64,3)))
```

b)MaxPooling Layer

```
[ ] model.add(MaxPooling2D(pool_size=(2,2)))
```

c)Flatten

```
[ ] model.add(Flatten())
```

d)Dense(Hidden layer)

```
[ ] model.add(Dense(300,activation="relu"))
```

```
[ ] model.add(Dense(300,activation="relu"))
```

d)Dense(Hidden layer)

```
[ ] model.add(Dense(300,activation="relu"))
```

```
[ ] model.add(Dense(300,activation="relu"))
```

e)Output layer

```
▶ model.add(Dense(5,activation="softmax"))
```

### Question-5:

Compile The Model

### Solution

```
model.compile(loss="categorical_crossentropy",metrics=['accuracy'],optimizer='adam')
```

5)Compile the model

```
[ ] model.compile(loss="categorical_crossentropy",metrics=['accuracy'],optimizer='adam')
```

### Question-6:

Fit The Model

#### Solution

```
model.fit(x_train,epochs=5,steps_per_epoch=len(x_train),validation_data=x_test,validation_steps=len(x_test))
```

```
6)Fit the model

[ ] model.fit(x_train,epochs=5,steps_per_epoch=len(x_train),validation_data=x_test,validation_steps=len(x_test))

Epoch 1/5
138/138 [=====] - 29s 285ms/step - loss: 0.0980 - accuracy: 0.9712 - val_loss: 2.5114 - val_accuracy: 0.6560
Epoch 2/5
138/138 [=====] - 26s 190ms/step - loss: 0.1125 - accuracy: 0.9623 - val_loss: 2.1169 - val_accuracy: 0.6735
Epoch 3/5
138/138 [=====] - 26s 190ms/step - loss: 0.0765 - accuracy: 0.9787 - val_loss: 1.8115 - val_accuracy: 0.7213
Epoch 4/5
138/138 [=====] - 27s 193ms/step - loss: 0.0675 - accuracy: 0.9757 - val_loss: 1.8917 - val_accuracy: 0.7160
Epoch 5/5
138/138 [=====] - 26s 192ms/step - loss: 0.0841 - accuracy: 0.9745 - val_loss: 2.0121 - val_accuracy: 0.7183
<keras.callbacks.History at 0x7f5d21b18710>
```

### Question-7:

Save The Model

#### Solution

```
model.save("Flowers.h5")
```

7)Save the model

```
[ ] model.save("Flowers.h5")
```

## Question-8:

### Test The Model

#### Solution

```
import numpy as np
from tensorflow.keras.models import load_model
from tensorflow.keras.preprocessing import image
model=load_model("Flowers.h5")
img=image.load_img(r"/content/drive/MyDrive/Assignment 3/Flowers-
Dataset/Testing/daisy/14333681205_a07c9f1752_m.jpg",target_size=(64,64))
x=image.img_to_array(img)
x=np.expand_dims(x,axis=0)
pred=model.predict(x)
pred
index=['daisy','dandelion','rose','sunflower','tulip']
index[np.argmax(pred)]
```

8)Test the model

```
[ ] import numpy as np
    from tensorflow.keras.models import load_model
    from tensorflow.keras.preprocessing import image
```

```
[ ] model=load_model("Flowers.h5")
```

```
[ ] img=image.load_img(r"/content/drive/MyDrive/Assignment 3/Flowers-Dataset/Testing/daisy/14333681205_a07c9f1752_m.jpg",target_size=(64,64))
```

```
[ ] img
```



```
[ ] x=image.img_to_array(img)
```

```
[ ] x=np.expand_dims(x,axis=0)
```

```
[ ] x=image.img_to_array(img)
```

```
[ ] x=np.expand_dims(x,axis=0)
```

```
[ ] pred=model.predict(x)
```

```
[ ] pred
```

```
array([[1., 0., 0., 0., 0.]], dtype=float32)
```

```
[ ] index=['daisy','dandelion','rose','sunflower','tulip']
```

```
[ ] index[np.argmax(pred)]
```

```
'daisy'
```