Sprint 3

Date	25 November 2022
Team ID	PNT2022TMID14548
Project Name	IoT Based Safety Gadget for Child
	Safety Monitoring and
	notification
Maximum Marks	8 Marks

LOCAL

```
FORAGE:
!function(a)
{if("object"==typeof exports&&"undefined"!=typeof
 module)module.exports=a(); else
 if("function"==typeof
 define & & define.amd) define ([],a); else {var b;
   b="undefined"!=typeof window?window:"undefined"!=typeof
global?global:"undefined"!=typeof self?self:this,b.localforage=a()}}(function(){
 return function a(b,c,d){
  function e(g,h){if(!c[g]){if(!b[g]){
   var i="function"==typeof
   require & & require; if (!h & & i) return
   i(g,!0);if(f)return f(g,!0);
```

```
var j=new Error("Cannot find module ""+g+""");
throw j.code="MODULE_NOT_FOUND",j}var
k=c[g]={exports:{}};
b[g][O].call(k.exports,function(a){
         var c=b[g][1][a];return
         e(c||a)},k,k.exports,a,b,c,d)} return c[g].exports}
for(var f="function"==typeof require&&require,g=0;g<d.length;g++)e(d[g]);</pre>
```

```
function c(){k=!0;for(var
                     a,b,c=1.length;c;
                      for(b=1,1=[],a=-
                     1;++a<c;)b[a]();c=l.length]k=!1
                     function d(a){1!==l.push(a)||k||e()}var
e,f=a.MutationObserver||a.WebKitMutationObserver;
                     if(f)\{var\ g=0,h=new\}
f(c)_i = a.document.createTextNode(""); h.observe(i,{characterData:!0})_i = function(){i.dat}
a=g=++g%2}} else if(a.setImmediate void ea.MessageChannel)e="document"in
all"onreadystatechange in a.document.createElement("script") function(){var b=a.
document.createElement("script");b.onreadystatechange-function()(c(),b.
onreadystatechange=null,b.parentNode.removeChild
(b),b=null),a.document.documentElement.appendChild(b)}:function()
(setTimeout(c,8));else{var j-new
a.MessageChannel;j.port1.onmessage=c,efunction(){j.port2.postMessage(0)}}var k,1-
[];b.exports-d)).call(this,
```

return e}({1:[function(a,b,c){(function(a){"use strict";

"undefined"!=typeof global?global: "undefined"!=typeof self?self: "undefined"!=typeof window?window: {})},{}],2: [function(a,b,c){"use strict"; function d()() function e(a){if("function" I-typeof

a) throw new TypeError("resolver must be a function"); this.states, this.queue=[], this.outcome vald O,aldi(this,a)} function f(a,b,c){this.promise-a, "function"==typeof b&&(this.onFulfilled-b, this.callFulfilled- this.otherCallFulfilled), "function"typeof c&&(this.onRejected=c,

```
INDEX:

<!DOCTYPE html>

<html lang="en" style="height: 100%; margin: 0;">

<head>

<meta charset="UTF-8" />

<meta name="description" content="The Home Page after Logged In" />

<meta name="viewport" content="width=device-width, initial-scale=1.0" />
```

```
<title>IOT Based Safety Gadget for Child Safety Monitoring and
     Notification</title>
<script src="./localforage.js"></script>
     <script> if (window.location.hostname
          !==
               "localhost") { if
               (location.protocol !== "https:") {
                    location.replace(
                         `https:${location.href.subst
                              ring(location.protoco
                              1.length
                         )}`
          async function check() {
   let data =
```

```
localforage.getItem("userData") if
  (data == null) {
    window.location.href = "/login"
 check()
    </script>
</head>
<body
    style="
         height: 100%;
         margin: 0; font-
         weight: 300;
         font-family: -apple-system, BlinkMacSystemFont,
              'Segoe UI', Roboto, Oxygen, Ubuntu, Cantarell,
              'Open Sans', 'Helvetica Neue',
              sans-serif;
```

```
<di v
   class="wrapp
   er" style="
   height:
            90%;
            display: flex;
            flex-direction:
            column;
            alignitems:
            center; justify-
            content:
            center;
text-align:
       center;
 >
       <di <sup>V</sup>
               class="detail s"
        style=" display: flex; flex-
```

```
direction: column;
     alignitems: center; gap:
     20px; padding: 1rem;
     border-radius:
             5px;
             box-shadow: 0 0 8px 0px #44444444;
max-width: 80%;
    >
         <h1 class="name" style="margin: 0"></h1>
         <div class="imageContainer"</pre>
             style="padding: 10px; height: 10rem; width: 10rem"
         >
             <img class="image" alt="profile picture" />
         </div>
         <h2 class="email" style="margin: 0"></h2>
```

```
<a style="text-decoration: none;text-align: center;font-size:</pre>
1.2rem;color: #0070f3;font-weight: 400;" href="./dashboard">Go to Dashboard
?</a> </div>
        </div>
        <script> async function
             main() {
       let name =
       document.querySelector(".name") let
       image =
       document.querySelector(".image") let
       email =
       document.querySelector(".email")
       let userData = await
       localforage.getItem("userData") if(userData
       == null) { window.location.href
         = "/login"
       }
```