KSR College Of Engineering, Tiruchengode

Department of Information Technology

NALAIYA THIRAN AI ASSESMENT- 1

```
{
 "nbformat": 4,
 "nbformat_minor": 0,
 "metadata": {
  "colab": {
   "provenance": [],
   "collapsed_sections": []
  },
  "kernelspec": {
   "name": "python3",
   "display_name": "Python 3"
  },
  "language_info": {
   "name": "python"
  }
 },
 "cells": [
  {
   "cell_type": "markdown",
   "source": [
    "# Basic Python"
   ],
```

```
"metadata": {
  "id": "McSxJAwcOdZ1"
}
},
{
 "cell_type": "markdown",
 "source": [
 "## 1. Split this string"
],
 "metadata": {
 "id": "CU48hgo4Owz5"
}
},
 "cell_type": "code",
 "source": [
 "s = \"Hi there Sam!\""
],
 "metadata": {
 "id": "s07c7JK7Oqt-"
 },
 "execution_count": null,
 "outputs": []
},
 "cell_type": "code",
 "source": [
 "n=s.split()\n",
 "print(n)"
 ],
 "metadata": {
```

```
"id": "6mGVa3SQYLkb",
  "colab": {
   "base_uri": "https://localhost:8080/"
  },
  "outputId": "4aac7685-8efb-482d-b47b-9cb29a6dc618"
 },
 "execution_count": null,
 "outputs": [
  {
   "output_type": "stream",
   "name": "stdout",
   "text": [
    "['Hi', 'there', 'Sam!']\n"
   ]
  }
]
},
 "cell_type": "markdown",
 "source": [
  "## 2. Use .format() to print the following string. \n",
  "\n",
  "### Output should be: The diameter of Earth is 12742 kilometers."
],
 "metadata": {
  "id": "GH1QBn8HP375"
}
},
 "cell_type": "code",
 "source": [
```

```
"planet = \"Earth\"\n",
  "diameter = 12742"
 ],
 "metadata": {
  "id": "_ZHoml3kPqic"
 },
 "execution_count": null,
 "outputs": []
},
{
 "cell_type": "code",
 "source": [
  "print('The diameter of {} is {} kilometers.'.format(planet, diameter))"
],
 "metadata": {
  "id": "HyRyJv6CYPb4",
  "colab": {
   "base_uri": "https://localhost:8080/"
  },
  "outputId": "5bd7def2-98e7-4a5e-8b06-3c802ad5bed3"
 },
 "execution_count": null,
 "outputs": [
   "output_type": "stream",
   "name": "stdout",
   "text": [
    "The diameter of Earth is 12742 kilometers.\n"
   ]
  }
]
```

```
},
{
 "cell_type": "markdown",
 "source": [
  "## 3. In this nest dictionary grab the word \"hello\""
],
 "metadata": {
  "id": "KE74ZEwkRExZ"
}
},
{
 "cell_type": "code",
 "source": [
  "d = {'k1':[1,2,3,{'tricky':['oh','man','inception',{'target':[1,2,3,'hello']}]}}"
],
 "metadata": {
  "id": "fcVwbCc1QrQI"
 },
 "execution_count": null,
 "outputs": []
},
 "cell_type": "code",
 "source": [
  "d['k1'][3]['tricky'][3]['target'][3]"
 ],
 "metadata": {
  "id": "MvbkMZpXYRaw",
  "colab": {
   "base_uri": "https://localhost:8080/",
   "height": 35
```

```
},
 "outputId": "99eab825-c5e4-4e10-9ac1-e0fc7699b1bc"
},
 "execution_count": null,
 "outputs": [
 {
   "output_type": "execute_result",
   "data": {
    "text/plain": [
     "'hello'"
    ],
    "application/vnd.google.colaboratory.intrinsic+json": {
     "type": "string"
    }
   },
   "metadata": {},
   "execution_count": 6
 }
]
},
"cell_type": "markdown",
 "source": [
 "# Numpy"
],
 "metadata": {
 "id": "bw0vVp-9ddjv"
}
},
"cell_type": "code",
```

```
"source": [
  "import numpy as np"
],
 "metadata": {
  "id": "LLiE_TYrhA10"
 },
 "execution_count": null,
 "outputs": []
},
{
 "cell_type": "markdown",
 "source": [
  "## 4.1 Create an array of 10 zeros? \n",
  "## 4.2 Create an array of 10 fives?"
],
 "metadata": {
  "id": "wOg8hinbgx30"
}
},
 "cell_type": "code",
 "source": [
  "array=np.zeros(10)\n",
  "print(\"An array of 10 zeros\")\n",
  "print(array)"
 ],
 "metadata": {
  "id": "NHrirmgCYXvU",
  "colab": {
   "base_uri": "https://localhost:8080/"
  },
```

```
"outputId": "f77de545-d11b-4145-fc88-0e2f395979cf"
 },
 "execution_count": null,
 "outputs": [
  {
   "output_type": "stream",
   "name": "stdout",
   "text": [
    "An array of 10 zeros\n",
    "[0. 0. 0. 0. 0. 0. 0. 0. 0. 0.]\n"
   ]
  }
]
},
 "cell_type": "code",
 "source": [
  "array=np.ones(10)*5\n",
  "print(\"An array of 10 fives\")\n",
  "print(array)"
 ],
 "metadata": {
  "id": "e4005lsTYXxx",
  "colab": {
   "base_uri": "https://localhost:8080/"
  },
  "outputId": "fd31a750-af9f-4164-9217-e29a9af2e2c9"
 },
 "execution_count": null,
 "outputs": [
  {
```

```
"output_type": "stream",
   "name": "stdout",
   "text": [
    "An array of 10 fives\n",
    "[5. 5. 5. 5. 5. 5. 5. 5. 5.]\n"
   ]
  }
]
},
{
 "cell_type": "markdown",
 "source": [
  "## 5. Create an array of all the even integers from 20 to 35"
],
 "metadata": {
  "id": "gZHHDUBvrMX4"
}
},
 "cell_type": "code",
 "source": [
  "a=np.arange(20,35,2)\n",
  "print(a)"
 ],
 "metadata": {
  "id": "oAI2tbU2Yag-",
  "colab": {
   "base_uri": "https://localhost:8080/"
  "outputId": "36166281-fd5e-4b70-83ee-0a92db38f47f"
 },
```

```
"execution_count": null,
 "outputs": [
 {
   "output_type": "stream",
   "name": "stdout",
   "text": [
    "[20 22 24 26 28 30 32 34]\n"
  ]
 }
]
},
{
 "cell_type": "markdown",
 "source": [
 "## 6. Create a 3x3 matrix with values ranging from 0 to 8"
],
 "metadata": {
 "id": "NaOM308NsRpZ"
}
},
{
 "cell_type": "code",
 "source": [
 "x=np.arange(0,9).reshape(3,3)\n",
  "print(x)"
],
 "metadata": {
  "id": "tOIEVH7BYceE",
  "colab": {
  "base_uri": "https://localhost:8080/"
  },
```

```
"outputId": "f61cf420-5f06-490a-adc2-9b614b912b17"
 },
 "execution_count": null,
 "outputs": [
  {
   "output_type": "stream",
   "name": "stdout",
   "text": [
    "[[0 1 2]\n",
    " [3 4 5]\n",
    " [6 7 8]]\n"
   ]
  }
]
},
 "cell_type": "markdown",
 "source": [
  "## 7. Concatenate a and b n",
  "## a = np.array([1, 2, 3]), b = np.array([4, 5, 6])"
],
 "metadata": {
  "id": "hQ0dnhAQuU_p"
}
},
 "cell_type": "code",
 "source": [
  "a=np.array([1,2,3])\n",
  "b=np.array([4,5,6])\n",
  "np.concatenate((a, b,), axis=0, out=None)"
```

```
],
 "metadata": {
 "id": "rAPSw97aYfE0",
  "colab": {
  "base_uri": "https://localhost:8080/"
 },
  "outputId": "9d787b9f-1f8b-4a5f-d427-1a85081f72dd"
},
 "execution_count": null,
 "outputs": [
 {
   "output_type": "execute_result",
   "data": {
    "text/plain": [
     "array([1, 2, 3, 4, 5, 6])"
   ]
   },
   "metadata": {},
   "execution_count": 18
 }
]
},
"cell_type": "markdown",
 "source": [
 "# Pandas"
],
"metadata": {
 "id": "dlPEY9DRwZga"
}
},
```

```
{
 "cell_type": "markdown",
 "source": [
  "## 8. Create a dataframe with 3 rows and 2 columns"
],
 "metadata": {
  "id": "ijoYW51zwr87"
 }
},
{
 "cell_type": "code",
 "source": [
  "import pandas as pd\n"
 ],
 "metadata": {
  "id": "T5OxJRZ8uvR7"
 },
 "execution_count": null,
 "outputs": []
},
{
 "cell_type": "code",
 "source": [
  "data=[['Hari', 55], ['vamsi', 20], ['sai', 30]]\n",
  "a=pd . DataFrame (data, columns=[ 'Name' , 'Age' ])\n",
  "\n",
  "print(a)\n"
 ],
 "metadata": {
  "id": "xNpI_XXoYhs0",
  "colab": {
```

```
"base_uri": "https://localhost:8080/"
 },
  "outputId": "6604a2bb-51d5-4711-cda3-cd422626c127"
},
 "execution_count": null,
 "outputs": [
 {
   "output_type": "stream",
   "name": "stdout",
   "text": [
    " Name Age\n",
    "0 Hari 55\n",
    "1 vamsi 20\n",
    "2 sai 30\n"
  ]
 }
]
},
 "cell_type": "markdown",
 "source": [
  "## 9. Generate the series of dates from 1st Jan, 2023 to 10th Feb, 2023"
],
 "metadata": {
 "id": "UXSmdNclyJQD"
}
},
 "cell_type": "code",
 "source": [
  "from datetime import date, timedelta\n",
```

```
"\n",
 "sdate = date(2023,1,1) n",
 "edate = date(2023,2,11) n",
 "\n",
 "[sdate+timedelta(days=x) for x in range((edate-sdate).days)]"
],
"metadata": {
 "id": "dgyC0JhVYl4F",
 "colab": {
  "base_uri": "https://localhost:8080/"
 },
 "outputId": "517f0574-4b15-40ec-ccdb-4858e7fbdbe0"
},
"execution_count": null,
"outputs": [
 {
  "output_type": "execute_result",
  "data": {
   "text/plain": [
    "[datetime.date(2023, 1, 1),\n",
    " datetime.date(2023, 1, 2),\n",
    " datetime.date(2023, 1, 3),\n",
    " datetime.date(2023, 1, 4),\n",
    " datetime.date(2023, 1, 5),\n",
    " datetime.date(2023, 1, 6),\n",
    " datetime.date(2023, 1, 7),\n",
    " datetime.date(2023, 1, 8),\n",
    " datetime.date(2023, 1, 9),\n",
    " datetime.date(2023, 1, 10),\n",
    " datetime.date(2023, 1, 11),\n",
    " datetime.date(2023, 1, 12),\n",
```

```
" datetime.date(2023, 1, 13),\n",
 " datetime.date(2023, 1, 14),\n",
 " datetime.date(2023, 1, 15),\n",
 " datetime.date(2023, 1, 16),\n",
 " datetime.date(2023, 1, 17),\n",
 " datetime.date(2023, 1, 18),\n",
 " datetime.date(2023, 1, 19),\n",
 " datetime.date(2023, 1, 20),\n",
 " datetime.date(2023, 1, 21),\n",
 " datetime.date(2023, 1, 22),\n",
 " datetime.date(2023, 1, 23),\n",
 " datetime.date(2023, 1, 24),\n",
 " datetime.date(2023, 1, 25),\n",
 " datetime.date(2023, 1, 26),\n",
 " datetime.date(2023, 1, 27),\n",
 " datetime.date(2023, 1, 28),\n",
 " datetime.date(2023, 1, 29),\n",
 " datetime.date(2023, 1, 30),\n",
 " datetime.date(2023, 1, 31),\n",
 " datetime.date(2023, 2, 1),\n",
 " datetime.date(2023, 2, 2),\n",
 " datetime.date(2023, 2, 3),\n",
 " datetime.date(2023, 2, 4),\n",
 " datetime.date(2023, 2, 5),\n",
 " datetime.date(2023, 2, 6),\n",
 " datetime.date(2023, 2, 7),\n",
 " datetime.date(2023, 2, 8),\n",
 " datetime.date(2023, 2, 9),\n",
 " datetime.date(2023, 2, 10)]"
]
```

},

```
"metadata": {},
   "execution_count": 22
  }
]
},
{
 "cell_type": "markdown",
 "source": [
  "## 10. Create 2D list to DataFrame\n",
  "\n",
  "lists = [[1, 'aaa', 22],\n",
      [2, 'bbb', 25],\n",
      [3, 'ccc', 24]]"
],
 "metadata": {
  "id": "ZizSetD-y5az"
}
},
 "cell_type": "code",
 "source": [
  "lists = [[1, 'aaa', 22], [2, 'bbb', 25], [3, 'ccc', 24]]"
],
 "metadata": {
  "id": "_XMC8aEt0llB"
 },
 "execution_count": null,
 "outputs": []
},
 "cell_type": "code",
```

```
"source": [
  "lists=[[1, 'aaa', 22], [2, 'bbb', 25], [3, 'ccc', 24]]\n",
  "df=pd.DataFrame(lists, columns=[ 'Number', 'FName', 'Age'])\n",
  "print (df)"
],
 "metadata": {
  "id": "knH76sDKYsVX",
  "colab": {
  "base_uri": "https://localhost:8080/"
 },
  "outputId": "59a459c2-7e88-4809-e8c7-b81e73f47649"
},
 "execution_count": null,
 "outputs": [
 {
   "output_type": "stream",
   "name": "stdout",
   "text": [
    " Number FName Age\n",
    "0
         1 aaa 22\n",
         2 bbb 25\n",
    "1
    "2
         3 ccc 24\n"
  ]
 }
]
}
```

]

}