## KSR College Of Engineering, Tiruchengode

## Department of Information Technology

## NALAIYA THIRAN

## AI ASSESMENT- 3

```
"nbformat": 4,
"nbformat_minor": 0,
"metadata": {
 "colab": {
  "provenance": [],
  "collapsed_sections": []
 },
 "kernelspec": {
  "name": "python3",
  "display_name": "Python 3"
 },
 "language_info": {
  "name": "python"
 }
},
"cells": [
 {
  "cell_type": "markdown",
  "source": [
```

```
"# **Assignment 3**"
],
 "metadata": {
 "id": "j8bF22iNxMDx"
}
},
 "cell_type": "markdown",
 "source": [
  "# **CNN MODEL FOR FLOWER CLASSIFICATION**\n",
  "# **Trained by Team ID : PNT2022TMID17050**"
],
 "metadata": {
 "id": "BdPpvl8Q0IIY"
}
},
"cell_type": "markdown",
 "source": [
 "# **Pre-Requisites**"
],
 "metadata": {
 "id": "d5mO5lxMq9BQ"
}
},
```

```
{
   "cell_type": "code",
   "execution_count": 1,
   "metadata": {
    "colab": {
     "base_uri": "https://localhost:8080/"
    },
    "id": "h4I4dfJ6p3kx",
    "outputId": "5605b9f7-ebc0-4587-88c6-268194f1335d"
   },
   "outputs": [
    {
     "output_type": "stream",
     "name": "stdout",
     "text": [
      "Drive already mounted at /content/drive; to attempt to forcibly remount, call
drive.mount(\verb|''|/content/drive|'', force_remount=True). \verb||n|'|
     ]
    }
   ],
   "source": [
    "from google.colab import drive\n",
    "drive.mount('/content/drive')"
   ]
  },
  {
```

```
"cell_type": "markdown",
"source": [
 "# **STEP 1 UNZIP FILES**"
],
"metadata": {
 "id": "B4Kss5zOrXUz"
}
},
{
"cell_type": "code",
"source": [
 "cd/content/drive/MyDrive/AI_IBM"
],
 "metadata": {
  "colab": {
  "base_uri": "https://localhost:8080/"
  },
  "id": "DRNhAxfvrWKc",
  "outputId": "f1a087a8-6f33-4d81-ff79-e50f4c1ff623"
},
"execution_count": 2,
 "outputs": [
  {
   "output_type": "stream",
   "name": "stdout",
```

```
"text": [
    "/content/drive/MyDrive/AI_IBM\n"
   ]
  }
]
},
"cell_type": "code",
 "source": [
 "!unzip Flowers-Dataset.zip"
],
 "metadata": {
  "colab": {
   "base_uri": "https://localhost:8080/"
  },
  "id": "B_hJ27NKrhKz",
  "outputId": "9b319781-61d1-4a0e-ea93-f279d067bfc7"
},
 "execution_count": 3,
 "outputs": [
  {
   "output_type": "stream",
   "name": "stdout",
   "text": [
    "Archive: Flowers-Dataset.zip\n",
```

```
"replace flowers/daisy/100080576_f52e8ee070_n.jpg? [y]es, [n]o, [A]II, [N]one, [r]ename: N\n" ^{\prime\prime}
   ]
  }
]
},
"cell_type": "markdown",
 "source": [
  "# **STEP 2 Image** **Augumentation**"
],
 "metadata": {
 "id": "hvG8h70rrphq"
}
},
{
"cell_type": "code",
 "source": [
  "from tensorflow.keras.preprocessing.image import ImageDataGenerator"
],
 "metadata": {
  "id": "itQt2Ad8rtk8"
},
 "execution_count": 4,
"outputs": []
},
```

```
{
   "cell_type": "code",
   "source": [
    "train_datagen=ImageDataGenerator(rescale=1./255,
zoom_range=0.2,horizontal_flip=True,vertical_flip=False)"
   ],
   "metadata": {
    "id": "9yZUiTxnr0UN"
   },
   "execution_count": 5,
   "outputs": []
  },
   "cell_type": "code",
   "source": [
    "test_datagen=ImageDataGenerator(rescale=1./255)"
   ],
   "metadata": {
    "id": "zD7ristVr3F3"
   },
   "execution_count": 6,
   "outputs": []
  },
  {
   "cell_type": "code",
   "source": [
```

```
"x\_train=train\_datagen.flow\_from\_directory(r\\"/content/drive/MyDrive/Al_IBM/flowers\\",target\_size=(line) and train\_datagen.flow\_from\_directory(r\\"/content/drive/MyDrive/Al_IBM/flowers\\",target\_size=(line) and train\_datagen.flow\_from\_directory(r\\"/content/drive/MyDrive/Al_IBM/flowers\\",target\_size=(line) and train\_datagen.flow\_from\_directory(r\\"/content/drive/MyDrive/Al_IBM/flowers\\",target\_size=(line) and train\_datagen.flow\_from\_directory(r\\"/content/drive/MyDrive/Al_IBM/flowers\\",target\_size=(line) and train\_datagen.flow\_from\_directory(r\\"/content/drive/MyDrive/Al_IBM/flowers\\",target\_size=(line) and train\_datagen.flow\_from\_directory(r\\"/content/drive/MyDrive/Al_IBM/flowers\\",target\_size=(line) and train\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_from\_datagen.flow\_fr
64,64),class_mode='categorical',batch_size=24)"
                 ],
                  "metadata": {
                         "colab": {
                            "base_uri": "https://localhost:8080/"
                        },
                        "id": "BjQo5zGHuHN4",
                        "outputId": "d3d1e296-e74d-4e52-cce8-8d26459d10f1"
                 },
                  "execution_count": 7,
                  "outputs": [
                        {
                             "output_type": "stream",
                             "name": "stdout",
                              "text": [
                                   "Found 4317 images belonging to 5 classes.\n"
                             ]
                       }
                 ]
            },
            {
                 "cell_type": "code",
                  "source": [
```

```
"x_test=test_datagen.flow_from_directory(r\"/content/drive/MyDrive/AI_IBM/flowers\",target_size=(6
4,64),class_mode='categorical',batch_size=24)"
   ],
   "metadata": {
    "colab": {
     "base_uri": "https://localhost:8080/"
    },
    "id": "e4YJwWrCukDq",
    "outputId": "e71a3e44-6642-4592-fa96-7af9c6edb08f"
   },
   "execution_count": 8,
   "outputs": [
    {
     "output_type": "stream",
     "name": "stdout",
     "text": [
      "Found 4317 images belonging to 5 classes.\n"
     ]
    }
   ]
  },
  {
   "cell_type": "code",
   "source": [
    "x_train.class_indices"
```

```
],
 "metadata": {
  "colab": {
   "base_uri": "https://localhost:8080/"
  },
  "id": "EgBhHHYTuv4X",
  "outputId": "8a9f62e0-7d2b-4138-c5ce-4ca16b78fbd1"
},
 "execution_count": 9,
 "outputs": [
  {
   "output_type": "execute_result",
   "data": {
    "text/plain": [
     "{'daisy': 0, 'dandelion': 1, 'rose': 2, 'sunflower': 3, 'tulip': 4}"
    ]
   },
   "metadata": {},
   "execution_count": 9
  }
]
},
{
"cell_type": "markdown",
 "source": [
```

```
"# **Step -3 Initializing CNN And Create Model**"
],
 "metadata": {
  "id": "O5cz-9qOJM_s"
}
},
 "cell_type": "code",
 "source": [
  "from tensorflow.keras.models import Sequential\n",
  "from tensorflow.keras.layers import Dense,Convolution2D,MaxPooling2D,Flatten"
],
 "metadata": {
  "id": "QAUHi2otRcoC"
},
"execution_count": 10,
"outputs": []
},
{
"cell_type": "markdown",
 "source": [
 "# **Step -4 Add layers**"
],
 "metadata": {
  "id": "xew7skua3a0z"
```

```
}
},
{
"cell_type": "code",
 "source": [
  "model=Sequential()"
],
 "metadata": {
 "id": "dack9NXYR2t6"
},
"execution_count": 11,
"outputs": []
},
{
"cell_type": "markdown",
 "source": [
 "# **4.1 Input Layers (Convolution ,MaxPooling,Flatten)**"
],
 "metadata": {
 "id": "SzlvL8Q52DFR"
}
},
{
"cell_type": "code",
 "source": [
```

```
"model.add(Convolution2D(32,(3,3),input_shape=(64,64,3),activation='relu'))"
],
"metadata": {
 "id": "qPUbKxHGR7EX"
},
"execution_count": 12,
"outputs": []
},
{
"cell_type": "code",
"source": [
 "model.add(MaxPooling2D(pool_size=(2,2)))"
],
"metadata": {
 "id": "IBGMZ7sSSAIB"
},
"execution_count": 13,
"outputs": []
},
"cell_type": "code",
"source": [
 "model.add(Flatten())"
],
"metadata": {
```

```
"id": "c65fXm9KSErL"
},
"execution_count": 14,
"outputs": []
},
"cell_type": "code",
 "source": [
 "model.summary()"
],
 "metadata": {
  "colab": {
  "base_uri": "https://localhost:8080/"
 },
  "id": "-go5E-VbSlau",
 "outputId": "1f46f35d-1950-4456-bce9-16a06053d40f"
},
"execution_count": 15,
 "outputs": [
  {
   "output_type": "stream",
   "name": "stdout",
   "text": [
    "Model: \"sequential\"\n",
                                                                                  _\n",
```

```
"Layer (type) Output Shape Param #\n",
   "conv2d (Conv2D) (None, 62, 62, 32) 896 \n",
                           \n",
  "max_pooling2d (MaxPooling2D (None, 31, 31, 32) 0 \n",
  ")
                           \n",
                           \n",
  " flatten (Flatten) (None, 30752) 0 \n",
                           \n",
   "==============n",
   "Total params: 896\n",
  "Trainable params: 896\n",
  "Non-trainable params: 0\n",
                                                       \n"
 ]
 }
]
},
{
"cell_type": "markdown",
"source": [
 "# **4.2 Hidden Layers**"
],
"metadata": {
 "id": "f4ZSQPIFJaeb"
```

```
}
},
{
"cell_type": "code",
 "source": [
  "model.add(Dense(300,activation='relu')) \n",
  "model.add(Dense(150,activation='relu'))"
],
 "metadata": {
 "id": "x8MIUG1PSZ21"
},
"execution_count": 16,
"outputs": []
},
{
"cell_type": "markdown",
 "source": [
 "# **4.3 Output Layers**"
],
 "metadata": {
 "id": "PNLk8KHHJf3K"
}
},
{
"cell_type": "code",
```

```
"source": [
  "model.add(Dense(5,activation='softmax'))"
],
 "metadata": {
 "id": "grl0lbuwSeq0"
},
 "execution_count": 17,
"outputs": []
},
{
 "cell_type": "code",
 "source": [
  "model.compile(loss='categorical_crossentropy',optimizer='adam',metrics=['accuracy'])"
],
 "metadata": {
  "id": "I44vMW4QShaw"
},
 "execution_count": 18,
"outputs": []
},
"cell_type": "code",
 "source": [
  "len(x_train)"
],
```

```
"metadata": {
  "colab": {
   "base_uri": "https://localhost:8080/"
  },
  "id": "Beiar4NESkL4",
  "outputId": "4b264b09-51b5-4786-b2a8-d60ac129229d"
},
 "execution_count": 19,
 "outputs": [
  {
   "output_type": "execute_result",
   "data": {
    "text/plain": [
     "180"
    ]
   },
   "metadata": {},
   "execution_count": 19
  }
]
},
{
 "cell_type": "markdown",
 "source": [
  "# **Step -5 Train the Model**"
```

```
],
   "metadata": {
    "id": "Y9f3ElSv3Nc6"
   }
  },
   "cell_type": "code",
   "source": [
    "model.fit\_generator(x\_train,steps\_per\_epoch=len(x\_train), \ validation\_data=x\_test,
validation_steps=len(x_test), epochs= 30)"
   ],
   "metadata": {
    "colab": {
     "base_uri": "https://localhost:8080/"
    },
    "id": "ATt0m5Cv6R-w",
    "outputId": "734d2b05-c864-450f-a46f-8ce129904306"
   },
   "execution_count": 20,
   "outputs": [
    {
     "output_type": "stream",
     "name": "stderr",
     "text": [
      "/usr/local/lib/python3.7/dist-packages/ipykernel_launcher.py:1: UserWarning:
`Model.fit_generator` is deprecated and will be removed in a future version. Please use `Model.fit`,
which supports generators.\n",
```

```
" \"\"Entry point for launching an IPython kernel.\n"
   ]
   },
   {
    "output_type": "stream",
    "name": "stdout",
    "text": [
    "Epoch 1/30\n",
    val loss: 1.1275 - val_accuracy: 0.5532\n",
    "Epoch 2/30\n",
    "180/180 [=========================] - 74s 409ms/step - loss: 1.0600 - accuracy:
0.5854 - val loss: 0.9406 - val accuracy: 0.6301\n",
    "Epoch 3/30\n",
    "180/180 [===============] - 73s 405ms/step - loss: 0.9678 - accuracy:
0.6247 - val_loss: 0.9603 - val_accuracy: 0.6203\n",
    "Epoch 4/30\n",
    "180/180 [========================] - 77s 429ms/step - loss: 0.8884 - accuracy:
0.6546 - val loss: 0.8187 - val accuracy: 0.6938\n",
    "Epoch 5/30\n",
    "180/180 [================] - 76s 422ms/step - loss: 0.8358 - accuracy:
0.6787 - val_loss: 0.7393 - val_accuracy: 0.7225\n",
    "Epoch 6/30\n",
    0.6965 - val_loss: 0.8389 - val_accuracy: 0.6928\n",
    "Epoch 7/30\n",
    0.7158 - val loss: 0.8503 - val accuracy: 0.6789\n",
```

```
"Epoch 8/30\n",
     "180/180 [===============] - 74s 411ms/step - loss: 0.7048 - accuracy:
0.7313 - val_loss: 0.6492 - val_accuracy: 0.7521\n",
     "Epoch 9/30\n",
     "180/180 [================] - 72s 400ms/step - loss: 0.6502 - accuracy:
0.7521 - val_loss: 0.6458 - val_accuracy: 0.7438\n",
     "Epoch 10/30\n",
     "180/180 [================] - 74s 409ms/step - loss: 0.6182 - accuracy:
0.7684 - val_loss: 0.5721 - val_accuracy: 0.7818\n",
     "Epoch 11/30\n",
     0.7931 - val_loss: 0.5968 - val_accuracy: 0.7725\n",
     "Epoch 12/30\n",
     "180/180 [========================] - 72s 401ms/step - loss: 0.5600 - accuracy:
0.7908 - val loss: 0.6907 - val accuracy: 0.7612\n",
     "Epoch 13/30\n",
     0.8138 - val loss: 0.5185 - val accuracy: 0.8117\n",
     "Epoch 14/30\n",
     "180/180 [===============] - 71s 394ms/step - loss: 0.4830 - accuracy:
0.8249 - val loss: 0.3613 - val accuracy: 0.8673\n",
     "Epoch 15/30\n",
     "180/180 [=========================] - 71s 397ms/step - loss: 0.4650 - accuracy:
0.8196 - val loss: 0.3396 - val accuracy: 0.8768\n",
     "Epoch 16/30\n",
     "180/180 [===============] - 71s 393ms/step - loss: 0.4117 - accuracy:
0.8559 - val_loss: 0.3472 - val_accuracy: 0.8738\n",
     "Epoch 17/30\n",
```

```
"180/180 [===============] - 71s 397ms/step - loss: 0.3892 - accuracy:
0.8631 - val loss: 0.3314 - val accuracy: 0.8826\n",
      "Epoch 18/30\n",
      "180/180 [================] - 70s 389ms/step - loss: 0.3441 - accuracy:
0.8726 - val loss: 0.4008 - val accuracy: 0.8589\n",
      "Epoch 19/30\n",
      "180/180 [=========================] - 73s 404ms/step - loss: 0.3467 - accuracy:
0.8719 - val loss: 0.2484 - val accuracy: 0.9060\n",
      "Epoch 20/30\n",
      "180/180 [=======================] - 72s 398ms/step - loss: 0.3327 - accuracy:
0.8758 - val_loss: 0.2234 - val_accuracy: 0.9210\n",
      "Epoch 21/30\n",
      "180/180 [=======================] - 73s 403ms/step - loss: 0.2807 - accuracy:
0.9009 - val loss: 0.2830 - val accuracy: 0.9036\n",
      "Epoch 22/30\n",
      "180/180 [=======================] - 70s 392ms/step - loss: 0.2751 - accuracy:
0.9013 - val loss: 0.2392 - val accuracy: 0.9141\n",
      "Epoch 23/30\n",
      "180/180 [========================] - 73s 404ms/step - loss: 0.2549 - accuracy:
0.9097 - val_loss: 0.2221 - val_accuracy: 0.9189\n",
      "Epoch 24/30\n",
      "180/180 [==========================] - 72s 399ms/step - loss: 0.2412 - accuracy:
0.9243 - val loss: 0.2029 - val accuracy: 0.9291\n",
      "Epoch 25/30\n",
      "180/180 [===============] - 72s 402ms/step - loss: 0.2360 - accuracy:
0.9199 - val_loss: 0.1965 - val_accuracy: 0.9307\n",
      "Epoch 26/30\n",
      "180/180 [==========================] - 72s 401ms/step - loss: 0.2199 - accuracy:
0.9201 - val_loss: 0.1919 - val_accuracy: 0.9331\n",
```

```
"Epoch 27/30\n",
     "180/180 [===============] - 72s 400ms/step - loss: 0.2008 - accuracy:
0.9363 - val_loss: 0.1218 - val_accuracy: 0.9560\n",
     "Epoch 28/30\n",
     "180/180 [=============] - 73s 406ms/step - loss: 0.1889 - accuracy:
0.9310 - val_loss: 0.2838 - val_accuracy: 0.9108\n",
     "Epoch 29/30\n",
     "180/180 [==============] - 70s 389ms/step - loss: 0.2046 - accuracy:
0.9275 - val_loss: 0.2116 - val_accuracy: 0.9307\n",
     "Epoch 30/30\n",
     0.9372 - val_loss: 0.2091 - val_accuracy: 0.9280\n"
    ]
   },
   {
    "output_type": "execute_result",
    "data": {
     "text/plain": [
      "<keras.callbacks.History at 0x7f3e15438e50>"
     ]
    },
    "metadata": {},
    "execution_count": 20
   }
  ]
 },
 {
```

```
"cell_type": "markdown",
"source": [
 "# **Step -6 Save The model**"
],
"metadata": {
 "id": "1uK880jw9Kru"
}
},
{
"cell_type": "code",
"source": [
 "model.save('Flowers_classification_model1.h5')"
],
"metadata": {
 "id": "scoaKurE9FZk"
},
"execution_count": 21,
"outputs": []
},
"cell_type": "markdown",
"source": [
 "# **Step -7 Test The model**"
],
"metadata": {
```

```
"id": "YAH2UVpi9RMV"
                  }
             },
             {
                  "cell_type": "code",
                   "source": [
                         "ls"
                  ],
                   "metadata": {
                         "colab": {
                              "base_uri": "https://localhost:8080/"
                         },
                         "id": "Z-co6hBAEmzg",
                          "outputId": "bf8a661d-3210-4695-dcb7-48e6f365dfce"
                  },
                   "execution_count": 22,
                    "outputs": [
                         {
                               "output_type": "stream",
                               "name": "stdout",
                                "text": [
                                      "\u001b[0m\u001b[01;34mflowers\u001b[0m/\ Flowers\_classification\_model1.h5\ Flowers\_classification\_model1.
Dataset.zip video.mp4\n"
                              ]
                         }
                  ]
```

```
},
{
 "cell_type": "code",
 "source": [
  "import numpy as np\n",
  "from tensorflow.keras.models import load_model\n",
  "from tensorflow.keras.preprocessing import image"
],
 "metadata": {
  "id": "mJvRRo7VvkeO"
},
"execution_count": 23,
"outputs": []
},
{
"cell_type": "code",
 "source": [
  "# Load the model\n",
  "model=load_model('Flowers_classification_model1.h5')"
],
 "metadata": {
 "id": "xo6F_4jw9KBZ"
},
 "execution_count": 24,
 "outputs": []
```

```
},
{
 "cell_type": "code",
 "source": [
  "img=image.load\_img(r\"/content/s3.jpg\",target\_size=(64,64))\",
  "x=image.img_to_array(img)\n",
  "x=np.expand_dims(x,axis=0)\n",
  "y=np.argmax(model.predict(x),axis=1)\n",
  "# x_train.class_indices\n",
  "index=['daisy','dandelion','rose','sunflower','tulip']\n",
  "index[y[0]]"
 ],
 "metadata": {
  "colab": {
   "base_uri": "https://localhost:8080/",
   "height": 35
  },
  "id": "2rnrfMAf-AB9",
  "outputId": "c6357a8b-5163-4884-c82e-05651a65571c"
 },
 "execution_count": 38,
 "outputs": [
  {
   "output_type": "execute_result",
   "data": {
```

```
"text/plain": [
      "'sunflower'"
     ],
     "application/vnd.google.colaboratory.intrinsic+json": {
      "type": "string"
     }
    },
    "metadata": {},
    "execution_count": 38
   }
  ]
 },
 {
  "cell_type": "markdown",
  "source": [
   "# **We Achieved 93 percent of accuracy with this model** \n",
   "# **Trained by Team ID : PNT2022TMID17050**"
  ],
  "metadata": {
   "id": "2f85wU8fL0Si"
  }
 }
]
```

}