Assignment-4

Date	24 October 2022
Name	Mangala Vinith G
Roll Number	620119106050
Team ID	PNT2022TMID30870
Project Name	Industry Specific Intelligent Fire Management System

Question :

Write code and connections in wokwi for ultrasonic sensors. That whenever distance is less than 100 cms send "alert" to ibm cloud and display in device recent events.

Upload document with wokwi share link and images.

Wokwi:

https://wokwi.com/projects/348563919373075027

Code:

```
#include <WiFi.h>
#include <PubSubClient.h>

WiFiClient wifiClient;

#define ORG "rsag62"
#define DEVICE_TYPE "Mangala"
#define DEVICE_ID "Vinith"
#define TOKEN "RQ@nZ_ElnN7!Zdng+7"
#define speed 0.034

char server[] = ORG".messaging.internetofthings.ibmcloud.com";
char publishTopic[] = "iot-2/evt/event_1/fmt/json";
char topic[] = "iot-2/cmd/home/fmt/String";
char authMethod[] = "use-token-auth";
char token[] = TOKEN;
char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;
PubSubClient client(server, 1883, wifiClient);
void publishData();
const int trigpin=5;
const int echopin=18;
String command;
String data="";
long duration;
float dist;
void setup()
{
Serial.begin(115200);
pinMode(trigpin, OUTPUT);
pinMode(echopin, INPUT);
wifiConnect();
```

```
mqttConnect();
}
void loop() {
publishData();
delay(500);
if (!client.loop()) {
mqttConnect();
}
}
void wifiConnect() {
Serial.print("Connecting to "); Serial.print("Wifi");
WiFi.begin("Wokwi-GUEST", "", 6);
while (WiFi.status() != WL_CONNECTED) {
delay(500);
Serial.print(".");
}
Serial.print("WiFi connected, IP address: ");
Serial.println(WiFi.localIP()); }
void mqttConnect() {
if (!client.connected()) {
Serial.print("Reconnecting MQTT client to ");
Serial.println(server);
while (!client.connect(clientId, authMethod, token)) {
Serial.print(".");
delay(500);
}
initManagedDevice();
Serial.println();
}
}
void initManagedDevice() {
if (client.subscribe(topic)) {
// Serial.println(client.subscribe(topic));
Serial.println("subscribe to cmd OK");
}
else {
Serial.println("subscribe to cmd FAILED");
}
}
void publishData()
{
digitalWrite(trigpin,LOW);
digitalWrite(trigpin,HIGH);
delayMicroseconds(10);
digitalWrite(trigpin,LOW);
duration=pulseIn(echopin,HIGH);
dist=duration*speed/2;
if(dist<100){
String payload = "{\"Alert distance\":";
payload += dist;
payload += "}";
Serial.print("\n");
Serial.print("Sending payload: ");
```

```
Serial.println(payload);
if (client.publish(publishTopic, (char*) payload.c_str()))
{ Serial.println("Publish OK");
} else {
Serial.println("Publish FAILED");
}
}
}
```

Diagram:



Wokwi Output:




```
#include <WiFi.h>
#include <PubSubClient.h>

WiFiClient wifiClient;

#define ORG "rsag62"
#define DEVICE_TYPE "Mangala"
#define DEVICE_ID "Vinith"
#define TOKEN "RQ@nZ_ElnN7!Zdng+7"
#define speed 0.034


char server[] = ORG".messaging.internetofthings.ibmcloud.com";
char publishTopic[] = "iot-2/evt/event_1/fmt/json";
char topic[] = "iot-2/cmd/home/fmt/String";
char authMethod[] = "use-token-auth";
char token[] = TOKEN;
char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;
PubSubClient client(server, 1883, wifiClient);
void publishData();
const int trigpin=5;
const int echopin=18;
String command;
String data="";
long duration;
float dist;
void setup()
{
Serial.begin(115200);
pinMode(trigpin, OUTPUT);
```



IBM cloud output: