```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta http-equiv="X-UA-Compatible" content="IE=edge" />
  <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0" \rangle
  <title>Sidebar Menu</title>
  <1ink
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.
min.css" rel="stylesheet"
    integrity="sha384-
Zenh87qX5JnK2J10vWa8Ck2rdkQ2Bzep5IDxbcnCeu0xjzrPF/et3URy9Bv1WTRi"
crossorigin="anonymous" />
  <link rel="stylesheet" href="static/css/style.css" />
</head>
<body>
  <div class="wrapper">
    <!-- Sidebar -->
    <nav id="sidebar">
      <div class="sidebar-header">
        <h3>Inventory</h3>
      </div>
      <a>Dashboard</a>
        \langle /1i \rangle
        <1i>>
          <a href="#">Add item</a>
        \langle /1i \rangle
        <1i>>
          <a href="#pageSubmenu">Pages</a>
        <1i>>
          <a href="#">delete items</a>
        \langle /1i \rangle
        <1i>>
          <a href="#">Help</a>
        \langle /1i \rangle
      </nav>
```

```
<!-- Page Content -->
    <div id="content">
      <h2>Dashboard</h2>
      Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed
do
        eiusmod tempor incididunt ut labore et dolore magna aliqua.
Ut enim ad
        minim veniam,
    </div>
  \langle div \rangle
  <nav class="navbar navbar-expand-lg bg-light">
    <div class="container-fluid">
      <a class="navbar-brand" href="#">Navbar</a>
      <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarNavDropdown"
        aria-controls="navbarNavDropdown" aria-expanded="false" aria-
label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarNavDropdown">
        <a class="nav-link active" aria-current="page"</pre>
href="#">Home</a>
          \langle /1i \rangle
          class="nav-item">
            <a class="nav-link" href="#">Features</a>
          \langle /1i \rangle
          <a class="nav-link" href="#">Pricing</a>
          \langle /1i \rangle
          class="nav-item dropdown">
            <a class="nav-link dropdown-toggle" href="#"</pre>
role="button" data-bs-toggle="dropdown" aria-expanded="false">
              Dropdown link
            \langle a \rangle
            class="dropdown-menu">
              <a class="dropdown-item" href="#">Action</a>
              <a class="dropdown-item" href="#">Another</a>
action </a>
              \langle 1i \rangle
```

```
<a class="dropdown-item" href="#">Something else
here</a>
              \langle /1i \rangle
        \langle u1 \rangle
      </div>
    \langle div \rangle
  </nav>
  <nav>
    <div class="search">
      <i class="bx bx-search"></i></i>
      <input type="text" class="hide" placeholder="Quick Search ..."</pre>
/>
    </div>
    <div class="sidebar-links">
      <111>
        <div class="active-tab"></div>
        <a href="#" class="active" data-active="0">
            <div class="icon">
              <i class="bx bx-tachometer"></i></i></or>
              <i class="bx bxs-tachometer"></i></i></or>
            <span class="link hide">Dashboard</span>
          </a>
        <a href="#" data-active="1">
            <div class="icon">
              <i class="bx bx-folder"></i></i>
              <i class="bx bxs-folder"></i></i>
            </div>
            <span class="link hide">Products</span>
          \langle a \rangle
        \langle /1i \rangle
        <1i class="tooltip-element" data-tooltip="2">
          <a href="#" data-active="2">
            <div class="icon">
              <i class="bx bx-message-square-detail"></i></i>
              <i class="bx bxs-message-square-detail"></i></i>
            </div>
```

```
<span class="link hide">Add items</span>
      </a>
    class="tooltip-element" data-tooltip="3">
      <a href="#" data-active="3">
        <div class="icon">
          <i class="bx bx-bar-chart-square"></i></i>
          <i class="bx bxs-bar-chart-square"></i></i>
        </div>
        <span class="link hide">Remove items</span>
      </a>
    \langle /1i \rangle
    <div class="tooltip">
      <span class="show">Dashboard</span>
      <span>Projects</span>
      <span>Messages</span>
      <span>Analytics</span>
    </div>
    class="tooltip-element" data-tooltip="1">
      <a href="#" data-active="5">
        <div class="icon">
          <i class="bx bx-help-circle"></i></i>
          <i class="bx bxs-help-circle"></i></i>
        </div>
        <span class="link hide">Help</span>
      </a>
    \langle /1i \rangle
    class="tooltip-element" data-tooltip="2">
      <a href="#" data-active="6">
        <div class="icon">
          <i class="bx bx-cog"></i></i></or>
          <i class="bx bxs-cog"></i></i></or>
        </div>
        <span class="link hide">Settings</span>
      </a>
    <div class="tooltip">
      <span class="show">Tasks</span>
      <span>Help</span>
      <span>Settings</span>
    \langle div \rangle
  </div>
```

```
<div class="sidebar-footer">
       <a href="#" class="account tooltip-element" data-tooltip="0">
         <i class="bx bx-user"></i></i>
       </a>
       <div class="admin-user tooltip-element" data-tooltip="1">
         <div class="admin-profile hide">
           <img src="./img/face-1.png" alt="" />
           <div class="admin-info">
              \langle h3 \rangle Ganesh \langle /h3 \rangle
              \langle h5 \rangle user \langle /h5 \rangle
           </div>
         \langle div \rangle
         <a href="#" class="log-out">
           <i class="bx bx-log-out"></i></i>
         </a>
       </div>
       <div class="tooltip">
         <span class="show">Ganesh</span>
         <span>Logout</span>
       </div>
    </div>
  </nav>
  <main>
    <h1>My Dashboard</h1>
  </main>
  <script src="static/js/app.js"></script>
</body>
</html>
```