

```
<!DOCTYPE html>

<html>

  <head>

    <style>html{visibility: hidden;opacity:0;}</style>

    <meta charset="utf-8">

    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">


    <!-- Bootstrap CSS -->

    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css" integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJISAwIGgFAW/dAiS6JXm"
crossorigin="anonymous">


    <link rel="stylesheet" type="text/css" href="{{ url_for('static', filename='main.css') }}">

    <link href="//netdna.bootstrapcdn.com/bootstrap/3.0.0/css/bootstrap-glyphicons.css"
rel="stylesheet">


    <title>Inventory site</title>

  </head>

  <body>

    <header class="site-header">

      <nav class="navbar navbar-expand-md navbar-dark bg-steel fixed-top">

        <div class="container">

          <a class="Main" href="/Overview">Inventory</a>

          <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarToggle" aria-controls="navbarToggle" aria-expanded="false" aria-label="Toggle
navigation">

            <span class="navbar-toggler-icon"></span>

          </button>

          <div class="collapse navbar-collapse" id="navbarToggle">

            <div class="navbar-nav mr-auto">

              <!--<a class="nav-item nav-link" href="/">Home</a>

              <a class="nav-item nav-link" href="/about">About</a-->

            </div>

          </div>

        </div>

      </nav>

    </header>

  </body>

</html>
```

```

</div>

<!-- Navbar Right Side -->

<div class="navbar-nav">

  <a class="nav-item nav-link" href="/">Overview</a>

  <a class="nav-item nav-link" href="/Product">Products</a>

  <a class="nav-item nav-link" href="/Location">Location</a>

  <a class="nav-item nav-link" href="/Transfers">Transfers</a>

</div>

</div>

</div>

</nav>

</header>

<main role="main" class="container-content">

  <div class="row">

    <div class="col-md-8">

      {% block content %}

        <h1>Overview</h1>

        <div >

          <h3 style="display: inline-block;margin-bottom:15px;"> View allocated items in each
warehouse</h3>

          <table class="table table-hover">

            <thead>

              <tr>

                <th>ID</th>

                <th></th>

                <th>Product</th>

                <th></th>

                <th>Warehouse</th>

                <th></th>

                <th>Quantity</th>

```

```
</tr>
```

```
</thead>
```

```
<tbody>
```

```
{%for b in balance%}
```

```
<tr>
```

```
<td>{{b.bid}}</td>
```

```
<td></td>
```

```
<td>{{b.product}}</td>
```

```
<td></td>
```

```
<td>{{b.location}}</td>
```

```
<td></td>
```

```
<td>{{b.quantity}}</td>
```

```
</tr>
```

```
{% endfor %}
```

```
</table>
```

```
</div>
```

```
<div class="container" style="margin-top:15px;">
```

```
{% with messages = get_flashed_messages(with_categories=true) %}
```

```
{%if messages %}
```

```
    {%for category,message in messages %}
```

```
        <div class="alert alert-{{category}}">
```

```
            <h4 style="text-align:center;">{{ message }}</h4>
```

```
        </div>
```

```
    {%endfor%}
```

```
{%endif %}
```

```
{%endwith%}
```

```
</div>
```

```
</table>
```

</div>

</tbody>

{% endblock %}

</div>

</div>

</main>

<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-KJ3o2DKtlkvYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN" crossorigin="anonymous"></script>

<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js" integrity="sha384-ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q" crossorigin="anonymous"></script>

<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js" integrity="sha384-JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYI" crossorigin="anonymous"></script>

<script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.0/js/bootstrap.min.js"></script>

</head>

</body>

</html>