

```
{% extends "overview.html" %}

{% block content %}

<div class="container">

    {% with messages = get_flashed_messages(with_categories=true) %}

        {%if messages %}

            {%for category, message in messages %}

                <div class="alert alert-{{ category }}">

                    <h4 style="text-align:center;">{{ message }}</h4>

                </div>

            {%endfor%}

        {%endif %}

    {%endwith%}

</div>

<div class="container">
```

```
<h1>Transfers</h1>
```

```
<div >
```

```
<h3 style="display: inline-block;margin:0;"> Manage product movement</h3>
```

```
<button type="button" class="btn btn-add" data-toggle="modal" data-target="#exampleModal">
```

```
<span class="btn-icon-add"><i class="glyphicon glyphicon-plus"></i></span>Move
Product</button>
```

```
</div>
```

```
<!-- Modal code-->
```

```
<div class="modal fade" id="exampleModal" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel" aria-hidden="true" style="margin-top:150px;">
```

```
<div class="modal-dialog" role="document">
```

```
<div class="modal-content">
```

```
<div class="modal-header">
```

```
<h3 class="modal-title" id="exampleModalLabel">Move Product</h3>
```

```
<button type="button" class="close" data-dismiss="modal" aria-label="Close">
```

```

        <span aria-hidden="true">&times;</span>

    </button>

</div>

<div class="modal-body">

    <form action="" method="post">

        {{ form.csrf_token() }}

        {{form.mprodname.label(class="form-control-label")}}<br>

        <div id="prod">

            {{form.mprodname(class="form-control form-control-lg")}}

        </div>

        <div id="from">

            {{form.src.label(class="form-control-label")}}<br>

            {{form.src(class="form-control form-control-lg")}}

        </div>

        <div id="to">

            {{form.destination.label(class="form-control-label")}}<br>

            {{form.destination(class="form-control form-control-lg")}}

        </div>

        {{form.mprodqty.label(class="form-control-label")}}<br>

        <div class="qty">

            {{form.mprodqty(class="form-control form-control-lg") }}

        </div>

    </div>

    <div class="modal-footer">

        <button type="button" class="btn btn-secondary" data-dismiss="modal">Close</button>

        <div class="move" >

            {{ form.movesubmit(class="btn btn-primary") }}


```

```
        </div>
    </div>
</form>
</div>
</div>
</div>
<!--end of modal design-->
```

```
<table class="table table-hover">
<thead>
<tr>
    <th>ID</th>
    <th>Timestamp</th>
    <th>From</th>
    <th>To</th>
    <th>Product</th>
    <th>Quantity </th>
</tr>
</thead>
<tbody>
{%for d in details%}
<tr>
    <td>{{d.mid}}</td>
    <td>{{d.ts}}</td>
    <td>{{d.frm}}</td>
    <td>{{d.to}}</td>
    <td>{{d.pname}}</td>
    <td>{{d.pqty}}</td>
</tr>
{% endfor %}
</tbody>
```

</table>

</div>

{% endblock content %}