```
{% extends 'base2.html '%} {% block head %}

<title>Dashboard</title>

{% endblock%} {%block body%}

<h2>Dashboard</h2>

<p>

  <h5>The Inventory dashboard to review inventory levels and adjust or move inventory as needed.

    The Inventory dashboard include metrics that show the state of your inventory such as inventory

    approaching out of stock or inventory with excess quantity. </h5>

</p>

{% include 'table.html' %}

<div class="forms-wrapper">

  <form action="{{url_for('UpdateStocks') }}" method="post">

    <h3>Update Stock</h3>

    <div class="field">

      <label class="custom-label" for="item"> Enter Item</label>

      <input class="text-inputs" type="text" name="item" placeholder="milk" />

    </div>

    <div class="field">

      <label for="input-field">Choose a field :</label>

      <select name="input-field" id="field">

        <option value="NAME">NAME</option>

        <option value="PRICE_PER_QUANTITY">PRICE_PER_QUANTITY</option>

        <option value="QUANTITY">QUANTITY</option>

      </select>

    </div>

    <div class="field">

      <label class="custom-label" for="input-value"> Enter Value</label>

      <input

        class="text-inputs"

        type="text"

        name="input-value"
```

```html
        placeholder=" "
      />
    </div>
    <button class="submit-button">Update</button>
  </form>


  <form action="{{url_for('addStocks') }}" method="post">
    <h3>Add New Stock</h3>
    <div class="field">
      <label class="custom-label" for="item"> Enter the item</label>
      <input class="text-inputs" name="item" type="text" placeholder="juice" />
    </div>
    <div class="field">
      <label class="custom-label" for="item"> Enter the item Id</label>
      <input class="text-inputs" name="item_id" type="text" placeholder="juice" />
    </div>
    <div class="field">
      <label class="custom-label" for="quantity"> Enter quantity</label>
      <input
        class="text-inputs"
        type="number"
        name="quantity"
        placeholder="200"
      />
    </div>
    <div class="field">
      <label class="custom-label" for="price"> Enter price</label>
      <input class="text-inputs" type="number" name="price" placeholder="25" />
    </div>
    <button class="submit-button">Add Stock</button>
  </form>
```

```html
<form action="{{url_for('deleteStocks') }}" method="post">
  <h3>Remove stocks</h3>
  <div class="field">
    <label class="custom-label" for="item"> Enter the item</label>
    <input class="text-inputs" name="item" type="text" placeholder="juice" />
  </div>
  <button class="submit-button red-button">Remove</button>
</form>
</div>


{% endblock%}
```