Assignment -4

Assignment Date	4 November 2022
Student Name	S.Santhya
Student Roll Number	910619104072
Maximum Marks	2 Marks

Sketch.ino:

```
#include <WiFi.h>
#include <PubSubClient.h>
#include <ArduinoJson.h>
WiFiClient wifiClient;
#define ORG "kr9fjo"
#define DEVICE_TYPE "TestDeviceType"
#define DEVICE_ID "12345"
#define TOKEN "VJsSC148dk1dCN3UqS"
#define speed 0.034
char server[] = ORG ".messaging.internetofthings.ibmcloud.com";
char publishTopic[] = "iot-2/evt/abcd_1/fmt/json";
char topic[] = "iot-2/cmd/home/fmt/String";
char authMethod[] = "use-token-auth";
char token[] = TOKEN;
char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;
PubSubClient client(server, 1883, wifiClient);
void publishData();
const int trigpin=5;
const int echopin=18;
String command;
String data="";
String lat="14.167589";
String lon="80.248510";
String name="point2";
String icon="";
long duration;
int dist;
void setup()
 Serial.begin(115200);
 pinMode(trigpin, OUTPUT);
```


```
pinMode(echopin, INPUT);
 wifiConnect();
  mqttConnect();
void loop() {
  publishData();
  delay(500);
 if (!client.loop()) {
   mqttConnect();
void wifiConnect() {
  Serial.print("Connecting to "); Serial.print("Wifi");
 WiFi.begin("Wokwi-GUEST", "", 6);
 while (WiFi.status() != WL_CONNECTED) {
    delay(500);
    Serial.print(".");
  Serial.print("WiFi connected, IP address: ");
Serial.println(WiFi.localIP());
void mqttConnect() {
  if (!client.connected()) {
    Serial.print("Reconnecting MQTT client to "); Serial.println(server);
    while (!client.connect(clientId, authMethod, token)) {
      Serial.print(".");
      delay(1000);
   initManagedDevice();
   Serial.println();
  }
void initManagedDevice() {
 if (client.subscribe(topic)) {
     Serial.println(client.subscribe(topic));
    Serial.println("subscribe to cmd OK");
  } else {
    Serial.println("subscribe to cmd FAILED");
void publishData()
```


```
digitalWrite(trigpin, LOW);
digitalWrite(trigpin, HIGH);
delayMicroseconds(10);
digitalWrite(trigpin,LOW);
duration=pulseIn(echopin,HIGH);
dist=duration*speed/2;
if(dist<100){</pre>
  dist=100-dist;
  icon="fa-trash";
}else{
  dist=0;
  icon="fa-trash-o";
DynamicJsonDocument doc(1024);
String payload;
doc["Name"]=name;
doc["Latitude"]=lat;
doc["Longitude"]=lon;
doc["Icon"]=icon;
doc["FillPercent"]=dist;
serializeJson(doc, payload);
delay(3000);
Serial.print("\n");
Serial.print("Sending payload: ");
Serial.println(payload);
if (client.publish(publishTopic, (char*) payload.c_str())) {
  Serial.println("Publish OK");
} else {
  Serial.println("Publish FAILED");
```


Diagram.json:

```
[ "esp:RX0", "$serialMonitor:TX", "", [] ],
    [ "ultrasonic1:VCC", "esp:VIN", "red", [ "v101.24", "h-228.44" ] ],
    [ "ultrasonic1:TRIG", "esp:D5", "green", [ "v33.9", "h-138.33" ] ],
    [ "ultrasonic1:ECHO", "esp:D18", "green", [ "v25.24", "h-145.56" ] ],
    [ "ultrasonic1:GND", "esp:GND.1", "black", [ "v88.57", "h-152.78" ] ]
]
```

Libraries.txt:







Reference Link:

https://wokwi.com/projects/347650046866489938