initialize global getAccountInfo to " https://identitytoolkit.googleapis.com/v1/accoun… "

initialize global login to " https://identitytoolkit.googleapis.com/v1/accoun… "

initialize global token to " "

initialize global API to " AlzaSyD57BrXD3uXk_Mil1AI74R8-q-ByAIa5Dg "

initialize global createaccount to " https://identitytoolkit.googleapis.com/v1/accoun… "

initialize global datalist to create empty list

```
when  SignUpB ▾  .Click
do    set  Web1 ▾ . Url ▾  to  ⚙ join   get  global createaccount ▾
                                         get  global API ▾

      call  Web1 ▾ .PostText
                       text  ⚙ join   " email= "
                                      TextBox1 ▾ . Text ▾
                                      " &password= "
                                      TextBox2 ▾ . Text ▾
                                      " returnSecureToken=true "


when  Web1 ▾  .GotText
  url  responseCode  responseType  responseContent
do    set  Label4 ▾ . Text ▾  to  " Check email for verification link, then login. "
      set  global datalist ▾  to  call  Web1 ▾ .JsonTextDecode
                                              jsonText  get  responseContent ▾
      set  global token ▾  to  look up in pairs  key  " idToken "
                                                pairs  get  global datalist ▾
                                             notFound  " not found "
      set  Web2 ▾ . Url ▾  to  ⚙ join   get  global login ▾
                                        get  global API ▾

      call  Web2 ▾ .PostText
                       text  ⚙ join   " idToken= "
                                      get  global token ▾
                                      " &requestType= "
                                      " VERIFY_EMAIL "
      call  Screen1 ▾ .HideKeyboard
```

```
when  LoginB ▾  .Click
do    set  Web3 ▾  .  Url ▾  to     join    get  global getAccountInfo ▾
                                            get  global API ▾

      call  Web3 ▾  .PostText
                            text      join    " idToken= "
                                            get  global token ▾

      set  Label4 ▾  .  Text ▾  to     " Status "


when  Web3 ▾  .GotText
      url   responseCode   responseType   responseContent
do    if    contains ▾  text    get  responseContent ▾
                        piece    " true "

      then  open another screen  screenName    Screen2 ▾

      else  call  Notifier1 ▾  .ShowMessageDialog
                            message    " Please verify email and retry. "
                            title      " Status "
                            buttonText " OK "
```