CREATE UI TO INTRACT WITH APPLICATION

Student Roll Number	194004
Team ID	PNT2022TMID11405
Student Name	Manisha G

TASK:

Create UI to intract with Application.

SOLUTION:

USER LOGIN:

```html
<!DOCTYPE html>

<html>
    <head>
        <title>Login</title>
        <link rel="stylesheet" href="login.css">
    </head>


<body>
    <div class="signin">
      <div class="back-img">
        <div class="sign-in-text">
          <h2 class="active">Sign In</h2>
          <h2 class="nonactive">Sign Up</h2>
        </div><!--/.sign-in-text-->
        <div class="layer">
        </div><!--/.layer-->
        <p class="point">&#9650;</p>
      </div><!--/.back-img-->
      <div class="form-section">

        <form action="#">
          <!--Email-->
          <div class="mdl-textfield mdl-js-textfield mdl-textfield--floating-
label">
            <label class="mdl-textfield__label" for="sample3">Email</label>
            <input class="mdl-textfield__input" type="email"
id="sample3"><br></br>
            <br>
            <span class="mdl-textfield__error">Enter a correct Email</span>
          </div>
          <br/>
          <br/>
          <!--Password-->
```

```html
            <div class="mdl-textfield mdl-js-textfield mdl-textfield--floating-
label">
                <label class="mdl-textfield__label" for="sample3">Password</label>
                <input pattern=".{8,}" class="mdl-textfield__input"
type="password" id="sample3"><br></br>
                <br>
                <span class="mdl-textfield__error">Minimum 8 characters</span>
            </div>
            <br/>
            <p class="forgot-text">Forgot Password ?</p>
            <!--CheckBox-->
            <label class="mdl-checkbox mdl-js-checkbox mdl-js-ripple-effect"
for="checkbox-1">
                <input type="checkbox" id="checkbox-1" class="mdl-checkbox__input"
checked><br></br>
                <br>
                <span class="keep-text mdl-checkbox__label">Keep me Signed In</span>
            </label>
            </form>
        </div><!--/.form-section-->

        <button class="sign-in-btn mdl-button mdl-js-ripple-effect mdl-js-button
mdl-button--raised mdl-button--colored">
            Sign In
        </button><!--/button-->
    </div><!--/.signin-->
  </body>

</html>
```

ADMINLOGIN:
```html
<!DOCTYPE html>

<html>
    <head>
        <title>Admin Login</title>
        <link rel="stylesheet" href="login.css">
    </head>


<body>
    <div class="signin">
      <div class="back-img">
        <div class="sign-in-text">
          <h2 class="active">Sign In</h2>
          <h2 class="nonactive">Sign Up</h2>
        </div><!--/.sign-in-text-->
        <div class="layer">
        </div><!--/.layer-->
```

```html
        <p class="point">&#9650;</p>
      </div><!--/.back-img-->
      <div class="form-section">

        <form action="#">
          <!--Email-->
          <div class="mdl-textfield mdl-js-textfield mdl-textfield--floating-
label">
            <label class="mdl-textfield__label" for="sample3">Email</label>
            <input class="mdl-textfield__input" type="email"
id="sample3"><br></br>
            <br>
            <span class="mdl-textfield__error">Enter a correct Email</span>
          </div>
          <br/>
          <br/>
          <!--Password-->
          <div class="mdl-textfield mdl-js-textfield mdl-textfield--floating-
label">
            <label class="mdl-textfield__label" for="sample3">Password</label>
            <input pattern=".{8,}" class="mdl-textfield__input"
type="password" id="sample3"><br></br>
            <br>
            <span class="mdl-textfield__error">Minimum 8 characters</span>
          </div>
          <br/>
          <p class="forgot-text">Forgot Password ?</p>
          <!--CheckBox-->
          <label class="mdl-checkbox mdl-js-checkbox mdl-js-ripple-effect"
for="checkbox-1">
            <input type="checkbox" id="checkbox-1" class="mdl-checkbox__input"
checked><br></br>
            <br>
            <span class="keep-text mdl-checkbox__label">Keep me Signed In</span>
          </label>
        </form>
      </div><!--/.form-section-->

      <button class="sign-in-btn mdl-button mdl-js-ripple-effect mdl-js-button
mdl-button--raised mdl-button--colored">
        Sign In
      </button><!--/button-->
    </div><!--/.signin-->
  </body>

</html>
```

LOGIN AS AGENT:

```html
<!DOCTYPE html>
<html>
    <head>
        <title>Agent Login</title>
        <link rel="stylesheet" href="login.css">
    </head>


<body>
    <div class="signin">
      <div class="back-img">
        <div class="sign-in-text">
          <h2 class="active">Sign In</h2>
          <h2 class="nonactive">Sign Up</h2>
        </div><!--/.sign-in-text-->
        <div class="layer">
        </div><!--/.layer-->
        <p class="point">&#9650;</p>
      </div><!--/.back-img-->
      <div class="form-section">

        <form action="#">
          <!--Email-->
          <div class="mdl-textfield mdl-js-textfield mdl-textfield--floating-
label">
            <label class="mdl-textfield__label" for="sample3">Email</label>
            <input class="mdl-textfield__input" type="email"
id="sample3"><br></br>
            <br>
            <span class="mdl-textfield__error">Enter a correct Email</span>
          </div>
          <br/>
          <br/>
          <!--Password-->
          <div class="mdl-textfield mdl-js-textfield mdl-textfield--floating-
label">
            <label class="mdl-textfield__label" for="sample3">Password</label>
            <input pattern=".{8,}" class="mdl-textfield__input"
type="password" id="sample3"><br></br>
            <br>
            <span class="mdl-textfield__error">Minimum 8 characters</span>
          </div>
          <br/>
          <p class="forgot-text">Forgot Password ?</p>
          <!--CheckBox-->
          <label class="mdl-checkbox mdl-js-checkbox mdl-js-ripple-effect"
for="checkbox-1">
```

```html
          <input type="checkbox" id="checkbox-1" class="mdl-checkbox__input"
checked><br></br>
          <br>
          <span class="keep-text mdl-checkbox__label">Keep me Signed In</span>
        </label>
      </form>
    </div><!--/.form-section-->

      <button class="sign-in-btn mdl-button mdl-js-ripple-effect mdl-js-button
mdl-button--raised mdl-button--colored">
        Sign In
      </button><!--/button-->
  </div><!--/.signin-->
  </body>

</html>
```

COMMON REGISTRATION:

```html
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
     <link rel="stylesheet" href="reg.css">

    <title>Document</title>

  </head>
  <body>
    <div class="container">
      <form id="form" class="form">
        <h2>register!</h2>
        <div class="form-control">
          <label for="username">Username</label>
          <input type="text" id="username" placeholder="Enter username" />
          <small>Error message</small>
        </div>
        <div class="form-control">
          <label for="email">Email</label>
          <input type="text" id="email" placeholder="Enter email" />
          <small>Error message</small>
        </div>
        <div class="form-control">
          <label for="password">Password</label>
          <input type="password" id="password" placeholder="Enter password" />
          <small>Error message</small>
        </div>
        <div class="form-control">
          <label for="password2">Confirm password</label>
```

```html
            <input
              type="password"
              id="password2"
              placeholder="Renter your password"
            />
            <small>Error message</small>
          </div>
          <button type="submit">Submit</button>
        </form>
      </div>

    </body>
</html>
```

FORGOT PASSWORD:

```html
<!DOCTYPE html>
<html>
    <head>
        <meta charset="UTF-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <meta name="author" content="Yinka Enoch Adedokun">
        <meta name="description" content="Simple Forgot Password Page Using
HTML and CSS">
        <meta name="keywords" content="forgot password page, basic html and
css">
        <title>Forgot Password Page - HTML + CSS</title>
    </head>
    <body>
        <div class="row">
            <h1>Forgot Password</h1>
            <h6 class="information-text">Enter your registered email to reset
your password.</h6>
            <div class="form-group">
                <input type="email" name="user_email" id="user_email">
                <p><label for="username">Email</label></p>
                <button onclick="showSpinner()">Reset Password</button>
            </div>
            <div class="footer">
                <h5>New here? <a href="#">Sign Up.</a></h5>
                <h5>Already have an account? <a href="#">Sign In.</a></h5>
                <p class="information-text"><span class="symbols" title="Lots
of love from me to YOU!">&hearts; </span><a
href="https://www.facebook.com/adedokunyinka.enoch" target="_blank"
title="Connect with me on Facebook">Yinka Enoch Adedokun</a></p>
            </div>
        </div>
    </body>
</html>
```

OUTPUT: