

**Assignment -1**  
**HTML Form**

Assignment Date	19 September 2022
Student Name	S. MOHAMED THAHIR
Student Roll Number	820419104034
Maximum Marks	2 Marks

**Question-1:**

**Create registration page in html with username, email and phone number and by using POST method display it in next html page.**

**App.py :**

```
from flask import Flask, render_template, request, redirect, url_for, flash

from flask_wtf import FlaskForm

from wtforms import StringField, PasswordField, SubmitField

from wtforms.validators import DataRequired, Email, EqualTo

app = Flask( name ) app.config['SECRET_KEY'] =
'mysecretkey'

class RegistrationForm(FlaskForm):

    first_name = StringField('First Name', validators=[DataRequired()])

    last_name = StringField('Last Name', validators=[DataRequired()])

    email = StringField('Email', validators=[DataRequired(), Email()])

    phone = StringField('Phone', validators=[DataRequired()])

    password = PasswordField('Password', validators=[DataRequired()])

    submit = SubmitField('Submit')

@app.route('/', methods=['GET', 'POST'])

def index():

    return render_template('index.html')

@app.route('/register', methods=['GET', 'POST'])

def register():

    form = RegistrationForm()

    if form.validate_on_submit():

        flash(f'Account created for {form.first_name.data} {form.last_name.data}!', 'success')

        return render_template('success.html', form=form)
```

```
return render_template('success.html', form=form)
```

```
@app.route('/success', methods=['GET', 'POST'])
```

```
def success():
```

```
return render_template('success.html',
```

```
first_name=request.args.get('first_name'),
```

```
last_name=request.args.get('last_name'),
```

```
email=request.args.get('email'),
```

```
phone=request.args.get('phone'))
```

```
if name == ' main ':
```

```
app.run(debug=True)
```

### **Index.html:**

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Flask App</title>
```

```
<link rel="stylesheet"
```

```
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
```

```
integrity="sha384-JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
```

```
cross origin="anonymous">
```

```
</head>
```

```
<body>
```

```
<h1>Registration Page</h1>
```

```
<form action="/register" method="POST">
```

```
<label for="first_name">
```

First Name:

```
</label>
```

```
<input type="text" name="first_name" id="first_name"> <br>
```

```
<label for="last_name">
```

Last Name:

```
</label>
```

```
<input type="text" name="last_name" id="last_name"> <br>
```

```
<label for="email">
```

Email:

</label>

<input type="text" name="email" id="email"> <br>

<label for="phone">

Phone:

</label>

<input type="text" name="phone" id="phone"> <br>

<label for="password">

Password:

</label>

<input type="password" name="password" id="password"> <br>

<input type="submit" value="Submit">

</form>

</body>

</html>

**Success.html:**

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Success</title>

<link rel="stylesheet"

href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css "

integrity="sha384-JcKb8q3iqJ61gNV9KGb8thSsNjpsL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"

crossorigin="anonymous">

</head>

<body>

<h1>Success</h1>

<h2>Thank you for submitting your information</h2>

<h3>Here is the information you submitted:</h3>

```
<p>
First Name: {{form.first_name}}
</p>
<p>
Last Name: {{form.last_name}}
</p>
<p>
Email: {{form.email}}
</p>
<p>
Phone: {{form.phone}}
</p>
</body>
</html>
```

## Registration Page

First Name:	<input type="text" value="Aburva"/>
Last Name:	<input type="text" value="J"/>
Email:	<input type="text" value="abu@gmail.com"/>
Phone:	<input type="text" value="6354357623"/>
Password:	<input type="password" value="*****"/>
<input type="submit" value="Submit"/>	

### Question 2:

**Develop a flask program which should contain at least 5 packages used from pypi.org.**

### Program:

```
# Importing flask module in the project is mandatory
# An object of Flask class is our WSGI application.
from flask import Flask

# Flask constructor takes the name of
# current module (__name__) as argument.
app = Flask(__name__)
```

```
# The route() function of the Flask class is a decorator,  
# which tells the application which URL should call  
# the associated function.  
@app.route('/')  
# '/' URL is bound with hello_world() function.  
Def hello_world():  
    return 'HelloWorld'  
  
# main driver function  
if __name__ == '__main__':  
  
# run() method of Flask class runs the application  
# on the local development server.  
app.run()
```