





## **CREATE AND CONFIGURE IBM CLOUD SERVICES**

### **CREATE NODE-RED SERVICES**

<b>DATE</b>	<b>16 November 2022</b>
<b>TEAM ID</b>	<b>PNT2022TMID50070</b>
<b>PROJECT NAME</b>	<b>IOT-SIGNS WITH SMART CONNECTIVITY FOR BETTER ROAD SAFETY</b>





Node-RED interface showing a flow named "testing\_flow". The flow contains two nodes: "my\_inject\_node" and "Output\_node". The "my\_inject\_node" is connected to the "Output\_node". The interface includes a sidebar with node categories (common, function) and a right panel for configuration. The browser address bar shows the URL: `node-red-uzhqs-2022-10-08.au-syd.mybluemix.net/red/#flow/4a7855400c60c63e`. The Windows taskbar at the bottom shows the time as 2:33 AM on 10/16/2022.

Node-RED interface showing the "Edit debug node" dialog box. The dialog is configured for the "Output\_node" and shows the "Properties" tab. The "Output" is set to "msg.payload", and the "To" is set to "debug window". The "Name" is "Output\_node". The "Enabled" checkbox is checked. The background shows the "testing\_flow" with the "my\_inject\_node" and "complete: 1" node. The browser address bar shows the URL: `node-red-uzhqs-2022-10-08.au-syd.mybluemix.net/red/#flow/4a7855400c60c63e`. The Windows taskbar at the bottom shows the time as 2:37 AM on 10/16/2022.

