


Assignment - 3

| | |
|--------------|------------------|
| STUDENT NAME | AJANTHA S |
| TEAM ID | PNT2022TMID30856 |

Question-1:

Create a Bucket in IBM object storage.

Solution:



Question-2:

Upload an 5 image to IBM object storage and make it public. Write html code to displaying all the 5 image.


Solution:

```
<!DOCTYPEhtml>
<html1lang="en">
<head>
<metacharset="UTF-8">
<metahttp-equiv="X-UA-Compatible"content="IE=edge">
<metaname="viewport"content="width=device-width, initial-scale=1.0">
<title>Bucket</title>
</head>
<body>
<imgsrc="https://s3.au-syd.cloud-
objectstorage.appdomain.cloud/mybucket24/chat%20bot.jpg"><imgsrc="https://s3.au
-syd.cloud-objectstorage.appdomain.cloud/mybucket24/chat%20bot%202.jpg">
```

```

<imgsrc="https://s3.au-syd.cloud-
objectstorage.appdomain.cloud/mybucket24/chat%20bot%203.png">
<imgsrc="https://s3.au-syd.cloud-
objectstorage.appdomain.cloud/mybucket24/chat%20bot%204.png">
<imgsrc="https://s3.au-syd.cloud-
objectstorage.appdomain.cloud/mybucket24/chat%20bot%205.png">
</body>
</html>

```



Question-3:

Upload a CSS page to the object storage and use the same page in your HTML code. Write html code to displaying all the 5 images.

Solution:

```

<html>
<head>
<metacharset="utf-8">
<metaname="viewport"content="width=device-width, initial-scale=1, shrink-to-
fit=no">
<linkrel="stylesheet"href="https://maxcdn.bootstrapcdn.com/fontawesome/4.7.0/cs
s/fontawesome.min.css">
<linkrel="stylesheet"href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/c
ss/bootstrap.min.css ">
<linkrel="stylesheet"href="https://cdnjs.cloudflare.com/ajax/libs/particlesjs/2
.2.3/particles.min.js">
<link rel="stylesheet" href="https://s3.au-
syd.cloudobjectstorage.appdomain.cloud/mybucket24/style.cssxxxxxxxxxxxxx
xxxx x">
</head>

```

```


<body>
<div = "signup">

```

```

<form action="\result" method="post">
<h2>LOGIN</h2>
<div class="form-group">
<div class="input-group">
<span class="input-group-addon"><i class="fa fa-envelope"></i></span>
<input type="email" name="email" class="form-control" placeholder="Email" required>
</div>
</div>
<div class="form-group">
<div class="input-group">
<span class="input-group-addon"><i class="fa fa-envelope"></i></span>
<input type="password" name="password" class="form-control" placeholder="password"
required>
</div>
</div>
<div class="form-group">
<button type="submit" class="btn btn-primary btn-lg btn-block">Login</button>
</div>
</body>
</html>


```



Question-4:

Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as assignment.

Solution:



Question-5: Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

Solution:

```

<!DOCTYPE html>

<html><head>

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Chatbot </title><link rel="stylesheet"

href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css" integrity="sha384-
xOolHFLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N"

crossorigin="anonymous">

<link rel="stylesheet" href="{ {url_for('static',filename='styles/login.css')}} " type="text/css">

<link rel="preconnect" href="https://fonts.googleapis.com">

<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

<script defer src="https://use.fontawesome.com/releases/v5.13.1/js/all.js"></script>

<link

href="https://fonts.googleapis.com/css2?family=Alex+Brush&family=Quicksand:wght@300&displ

ay=swap" rel="stylesheet">

</head>

<body style="background:rgba(128,0,128,0.2)">

<h1 style="font-weight: bolder;

margin: 12%;

font-size: xxx-large;">Building Chatbot For Hospital</h1>

<script> window.watsonAssistantChatOptions = { integrationID: "cba0c163-9f9a42ce-b6e9-979ac6318cc0", //
The ID of this integration. region: "au-syd", // The region

your integration is hosted in serviceInstanceID: "245858a6-01a2-41fc-8707-d603be17b8f0", // The ID of your
service instance. onLoad: function(instance) { instance.render(); }

};

setTimeout(function(){

const t=document.createElement('script');

t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +

(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";

```

```
document.head.appendChild(t); }  
);
```

```
</body>
```

```
</html>
```

