

UPLOAD IMAGE TO IBM CONTAINER REGISTRY

Date	1 Nov 2022
Team ID	PNT2022TMID49744
Project Name	Smart Fashion Recommender Application
Team Members	S.Muthu Venkatesh Iyyappan I.R.Johnson J.V.Jebaz S.Jais Abisake

IBM Cloud

Search resources and products...

Container Registry - IBM Cloud

cloud.ibm.com/registry/catalog

IBM Cloud

Container Registry

Author: IBM • Docs • API docs

Compliance

EU Supported

Related links

API Docs

Docs

Terms

Summary

Manage Docker container images in a fully managed private registry. Push private images into this registry to run them in IBM Cloud Kubernetes Service and other runtime environments. Images are checked for security issues, so that you can make informed decisions about your deployments.

Features

Highly available and scalable private registry

Set up your own image namespace in a multi-tenant, highly available, scalable private registry that is hosted and managed by IBM. Securely store your private Docker images and share them with users in your IBM Cloud account.

Image security compliance with Vulnerability Advisor



Benefit from the automatic scanning of images in your namespaces. Review suggestions, which are specific to your operating system, to fix potential vulnerabilities and protect your containers from being compromised.

Quota limits for storage and pull traffic

Benefit from free storage and pull traffic to your private images until you reach the limit for your free quota. Set custom quota limits for the amount of storage and pull traffic per month so that you avoid exceeding your preferred payment level.

Type here to search

03:29 PM 10-11-2022



https/login x Redirecting... x IBM Cloud x IBM x 192.168.0.8 x ui/d/ui-for-d... x Docker Playg x UI for docker x +

labs.play-with-docker.com/p/cdmh2dm0qau000cumn3g#cdmh2dm0_cdmh2fm0qau000cumn4g

02:53:22

CLOSE SESSION

Instances

+ ADD NEW INSTANCE

192.168.0.8
node1

cdmh2dm0_cdmh2fm0qau000cumn4g

IP
192.168.0.8
OPEN PORT 9000

Memory
1.61% (64.31MiB / 3.906GiB)

CPU
0.11%

SSH
ssh ip172-18-0-68-cdmh2dm0qau000cumn3g@direct.labs.f

DELETE EDITOR

```
$ docker stop
"docker stop" requires at least 1 argument.
See 'docker stop --help'.

Usage: docker stop [OPTIONS] CONTAINER [CONTAINER...]

Stop one or more running containers
(node1) (local) root@192.168.0.8 ~
$ docker ps
CONTAINER ID   IMAGE                                COMMAND                  CREATED        STATUS        PORTS
f5316a82bc94   ui/d/ui-for-docker                  "/ui-for-docker"        57 minutes ago Up 57 minutes 0.0.0.0:9000->9000/tcp
crazy_pike
(node1) (local) root@192.168.0.8 ~
$ docker images
REPOSITORY    TAG       IMAGE ID       CREATED        SIZE
ui/d/ui-for-docker latest    965940f98fa5   6 years ago    8.1MB
(node1) (local) root@192.168.0.8 ~
```

Windows taskbar: Type here to search, 09:33 PM 10-11-2022

Docker Desktop Upgrade plan

Containers

Images

Volumes

Dev Environments BETA

Extensions BETA

Add Extensions

Containers Give feedback

A container packages up code and its dependencies so the application runs quickly and reliably from one computing environment to another. Learn more

Only show running containers

Search

	NAME	IMAGE	STATUS	PORT(S)	STARTED	ACTIONS
	xenodochial_kilby 544d7095e874	docker/getting-started:latest	Exited (255)	80:80		
	practical_shaw 301b1f120a9c	docker/getting-started:latest	Running		13 minutes ago	

Showing 2 Items

Windows taskbar: Type here to search, RAM 1.51GB CPU 0.42% Connected to Hub v4.13.1 09:50 PM 10-11-2022

