Discover.html:


```
{% block head %}
 <style>
   .btn{
     text-align: center;
     text-decoration: none;
     text-decoration: underline;
   font-size:50px;
   body
        background-image:url({{url_for('static',filename='index.jpg')}})
   .flex-parent {
          display: flex;
   .jc-center {
          justify-content: center;
        a:link {
          background-color: none;
        a:visited {
          background-color: none;
   </style>
 <div class="flex-parent jc-center">
   <a href="{{url_for('register')}}" class="btn Sign up for free">Sign up for
free</a>
 </div>
 <br>
 <div class="flex-parent jc-center">
   <a href="{{url_for('inde')}}" class="btn Already have an account signin"</pre>
style="float:right;">Already have an account signin</a>
 </div>
 </body>
</div>
  {% endblock %}
```



Registration.html:

```
{% extends 'bas.html' %}
{% block head %}
    <title>Registration</title>
    <link rel="stylesheet"</pre>
href="{{url_for('static',filename='css/bootstrap.min.css')}}">
    <link rel="stylesheet"</pre>
href="{{url_for('static',filename='myfont/css/all.min.css')}}">
    <script src="{{url_for('static',filename='js/jquery.min.js')}}"></script>
    <style>
        .shadow{
            box-shadow:3px 3px 10px black;
            padding:30px;
        .container img {
            width: 220%;
            height: auto;
          body
          background-image:url('../static/bgimg/food.jpg');
        </style>
    {% endblock %}
```

```
{% block body %}
    <div class="container" style="margin-top:100px">
        <div class="col-md-offset-3 col-md-5">
            <div class="shadow">
                 <form method="POST" action="/register">
                     <h2 class="page-header text-primary text-</pre>
center">Registration</h2>
                     <div class="form-group">
                         <label style="color:rgb(247, 244, 244)">Name</label>
                         <input type="text" class="form-control" name="name"</pre>
required>
                     </div>
                      <div class="form-group">
                         <label style="color:white">Address</label>
                         <textarea class="form-control" name="address"</pre>
required></textarea>
                      </div>
                     <div class="form-group">
                         <label style="color:white">Contact</label>
                         <input type="text" class="form-control" name="contact"</pre>
required>
                     </div>
                     <div class="form-group">
                         <label style="color:white">Mail</label>
                         <input type="text" class="form-control" name="mail"</pre>
required>
                     </div>
                     <!--<div class="form-group">
                         <label>Password</label>
                         <input type="text" class="form-control"</pre>
name="password" required>
                     </div>-->
                      <div class="form-group">
                         <input type="submit" class="btn btn-success btn-block"</pre>
value="Register">
                          <a href="{{url_for('discover')}}" class="btn btn-</pre>
primary btn-block">Back to Home</a>
                     </div>
                 </form>
            </div>
        </div>
    </div>
<script>
    $(document).ready(function(){
        $("form").attr("autocomplete","off");
    });
</script>
```



Login.html:

```
<link rel="stylesheet"</pre>
href="{{url for('static',filename='myfont/css/all.min.css')}}">
    <script src="{{url for('static',filename='js/jquery.min.js')}}"></script>
     <style>
        .shadow{
            box-shadow:3px 3px 10px black;
            padding:30px;
        body
          {
          background-image:url('../static/bgimg/food.jpg');
    </style>
{% endblock %}
{% block body %}
    <div class="container" style="margin-top:100px">
        <div class="col-md-offset-1 col-md-10" >
            <div class="col-md-offset-3 col-md-5">
                 <div class="shadow">
                <form action="/login" method="POST" autocomplete="off">
                     <h3 class="page-header text-primary">Login</h3>
                      {% with messages =
get_flashed_messages(with_categories=true) %}
                {% if messages %}
                     {% for category, message in messages %}
                         <div class="alert alert-</pre>
{{category}}">{{message}}</div>
                     {% endfor %}
                 {% endif %}
                {% endwith %}
                     <div class="form-group">
                         <label>Username</label>
                         <input type="text" name="name" class="form-control"</pre>
required>
                     </div>
                     <div class="form-group">
                         <label>Password</label>
                         <input type="password" name="password" class="form-</pre>
control" required>
                     </div>
                     <div class="form-group">
                         <input type="submit" value="Login" class="btn btn-</pre>
success btn-block">
                         <a href="{{url_for('register')}}" class="btn btn-</pre>
primary btn-block">Register</a>
```

