


PREREQUISITES:

TEAM ID: PNT2022TMID06584

IBM – CLOUD ACCOUNT CREATION:



PYTHON INSTALLATION:

```
C:\Users\VP>pip install ibm-cos-sdk
Collecting ibm-cos-sdk
  Using cached ibm-cos-sdk-2.12.0.tar.gz (55 kB)
  Preparing metadata (setup.py) ... done
Collecting ibm-cos-sdk-core==2.12.0
  Downloading ibm-cos-sdk-core-2.12.0.tar.gz (956 kB)
    ----- 956.8/956.8 kB 48.9 kB/s eta 0:00:00
  Preparing metadata (setup.py) ... done
Collecting ibm-cos-sdk-s3transfer==2.12.0
  Downloading ibm-cos-sdk-s3transfer-2.12.0.tar.gz (135 kB)
    ----- 135.7/135.7 kB 47.8 kB/s eta 0:00:00
  Preparing metadata (setup.py) ... done
Collecting jmespath==0.10.0
  Downloading jmespath-0.10.0-py2.py3-none-any.whl (24 kB)
Collecting python-dateutil<3.0.0,>=2.8.2
  Downloading python_dateutil-2.8.2-py2.py3-none-any.whl (247 kB)
    ----- 247.7/247.7 kB 65.0 kB/s eta 0:00:00
Collecting requests<3.0,>=2.27.1
  Downloading requests-2.28.1-py3-none-any.whl (62 kB)
    ----- 62.8/62.8 kB 26.1 kB/s eta 0:00:00
Collecting urllib3<1.27,>=1.26.9
  Downloading urllib3-1.26.12-py2.py3-none-any.whl (140 kB)
    ----- 140.4/140.4 kB 54.1 kB/s eta 0:00:00
Collecting six>=1.5
  Downloading six-1.16.0-py2.py3-none-any.whl (11 kB)
Collecting charset-normalizer<3,>=2
  Downloading charset-normalizer-2.1.1-py3-none-any.whl (39 kB)
Collecting certifi>=2017.4.17
  Downloading certifi-2022.9.24-py3-none-any.whl (161 kB)
    ----- 161.1/161.1 kB 94.7 kB/s eta 0:00:00
Collecting idna>=2.5
  Downloading idna-3.4-py3-none-any.whl (61 kB)
    ----- 61.5/61.5 kB 84.2 kB/s eta 0:00:00
Building wheels for collected packages: ibm-cos-sdk, ibm-cos-sdk-core, ibm-cos-sdk-s3transfer
  Building wheel for ibm-cos-sdk (setup.py) ... done
  Created wheel for ibm-cos-sdk: filename=ibm_cos_sdk-2.12.0-py3-none-any.whl size=73910 sha256=9c7e17265f10b1b44886ba344541ad7b1a431f54f857ec0b688fa7fcc6b0f
  Stored in directory: c:\users\vp\appdata\local\pip\cache\wheels\53\89\fa\ef16b3874af57e2253ee18a43884db6879c3aa22c58d91b82
  Building wheel for ibm-cos-sdk-core (setup.py) ... done
  Created wheel for ibm-cos-sdk-core: filename=ibm_cos_sdk_core-2.12.0-py3-none-any.whl size=562947 sha256=cbf907d52e34a11c96ed9787ad487f3d2dc45fc5876684e425bbfca9e0be9680
  Stored in directory: c:\users\vp\appdata\local\pip\cache\wheels\72\24\c4\b930b91571fe120c206726f2055a26c95ae9fa323763d42b63
  Building wheel for ibm-cos-sdk-s3transfer (setup.py) ... done
  Created wheel for ibm-cos-sdk-s3transfer: filename=ibm_cos_sdk_s3transfer-2.12.0-py3-none-any.whl size=89765 sha256=7b3a7a9c204f507a32928d9d5560a6626bc3e991b7e6a850a61eab3455e265365
  Stored in directory: c:\users\vp\appdata\local\pip\cache\wheels\3f\bf\b6\4c18868ed276686342eab42be15f0c8ac136d2dd9fb86b6aa8
Successfully built ibm-cos-sdk ibm-cos-sdk-core ibm-cos-sdk-s3transfer
Installing collected packages: urllib3, six, jmespath, idna, charset-normalizer, certifi, requests, python-dateutil, ibm-cos-sdk-core, ibm-cos-sdk-s3transfer, ibm-cos-sdk
Successfully installed certifi-2022.9.24 charset-normalizer-2.1.1 ibm-cos-sdk-2.12.0 ibm-cos-sdk-core-2.12.0 ibm-cos-sdk-s3transfer-2.12.0 idna-3.4 jmespath-0.10.0 python-dateutil-2.8.2 requests-2.28.1 six-1.16.0 urllib3-1.26.12
C:\Users\VP>
```

```
C:\Users\HP>pip install resources
Collecting resources
  Downloading resources-0.0.1.tar.gz (3.7 kB)
  Preparing metadata (setup.py) ... done
Building wheels for collected packages: resources
  Building wheel for resources (setup.py) ... done
  Created wheel for resources: filename=resources-0.0.1-py3-none-any.whl size=4349 sha256=432fa8af2f440f4ed44723d1c26659eae96f6e6013940f81a432203322fccce0
  Stored in directory: c:\users\hp\appdata\local\pip\cache\wheels\47\ab\06\76a30850b09cfa89a39a89f2b736ef6891d5d5a5fb53e3ab2f
Successfully built resources
Installing collected packages: resources
Successfully installed resources-0.0.1
```

```
C:\Users\HP>pip install cloudant
Collecting cloudant
  Downloading cloudant-2.15.0-py3-none-any.whl (80 kB)
----- 80.5/80.5 kB 33.8 kB/s eta 0:00:00
Requirement already satisfied: requests<3.0.0,>=2.7.0 in c:\python310\lib\site-packages (from cloudant) (2.28.1)
Requirement already satisfied: charset-normalizer<3,>=2 in c:\python310\lib\site-packages (from requests<3.0.0,>=2.7.0->cloudant) (2.1.1)
Requirement already satisfied: idna<4,>=2.5 in c:\python310\lib\site-packages (from requests<3.0.0,>=2.7.0->cloudant) (3.4)
Requirement already satisfied: urllib3<1.27,>=1.21.1 in c:\python310\lib\site-packages (from requests<3.0.0,>=2.7.0->cloudant) (1.26.12)
Requirement already satisfied: certifi>=2017.4.17 in c:\python310\lib\site-packages (from requests<3.0.0,>=2.7.0->cloudant) (2022.9.24)
Installing collected packages: cloudant
Successfully installed cloudant-2.15.0
```

C:\Users\HP>

C:\Windows\system32\cmd.exe

```
C:\Users\HP>pip install boto3
Collecting boto3
  Using cached boto3-1.26.0-py3-none-any.whl (132 kB)
Requirement already satisfied: jmespath<2.0.0,>=0.7.1 in c:\python310\lib\site-packages (from boto3) (0.10.0)
Collecting s3transfer<0.7.0,>=0.6.0
  Using cached s3transfer-0.6.0-py3-none-any.whl (79 kB)
Collecting botocore<1.30.0,>=1.29.0
  Downloading botocore-1.29.0-py3-none-any.whl (9.8 MB)
----- 9.8/9.8 MB 111.5 kB/s eta 0:00:00
Requirement already satisfied: python-dateutil<3.0.0,>=2.1 in c:\python310\lib\site-packages (from botocore<1.30.0,>=1.29.0->boto3) (2.8.2)
Requirement already satisfied: urllib3<1.27,>=1.25.4 in c:\python310\lib\site-packages (from botocore<1.30.0,>=1.29.0->boto3) (1.26.12)
Requirement already satisfied: six>=1.5 in c:\python310\lib\site-packages (from python-dateutil<3.0.0,>=2.1->botocore<1.30.0,>=1.29.0->boto3) (1.16.0)
Installing collected packages: botocore, s3transfer, boto3
Successfully installed boto3-1.26.0 botocore-1.29.0 s3transfer-0.6.0
```

C:\Users\HP>

```
C:\Users\HP>pip install -U ibm-cos-sdk
Requirement already satisfied: ibm-cos-sdk in c:\python310\lib\site-packages (2.12.0)
Requirement already satisfied: ibm-cos-sdk-core==2.12.0 in c:\python310\lib\site-packages (from ibm-cos-sdk) (2.12.0)
Requirement already satisfied: jmespath<1.0.0,>=0.10.0 in c:\python310\lib\site-packages (from ibm-cos-sdk) (0.10.0)
Requirement already satisfied: ibm-cos-sdk-s3transfer==2.12.0 in c:\python310\lib\site-packages (from ibm-cos-sdk) (2.12.0)
Requirement already satisfied: python-dateutil<3.0.0,>=2.8.2 in c:\python310\lib\site-packages (from ibm-cos-sdk-core==2.12.0->ibm-cos-sdk) (2.8.2)
Requirement already satisfied: requests<3.0,>=2.27.1 in c:\python310\lib\site-packages (from ibm-cos-sdk-core==2.12.0->ibm-cos-sdk) (2.28.1)
Requirement already satisfied: urllib3<1.27,>=1.26.9 in c:\python310\lib\site-packages (from ibm-cos-sdk-core==2.12.0->ibm-cos-sdk) (1.26.12)
Requirement already satisfied: six>=1.5 in c:\python310\lib\site-packages (from python-dateutil<3.0.0,>=2.8.2->ibm-cos-sdk-core==2.12.0->ibm-cos-sdk) (1.16.0)
Requirement already satisfied: certifi>=2017.4.17 in c:\python310\lib\site-packages (from requests<3.0,>=2.27.1->ibm-cos-sdk-core==2.12.0->ibm-cos-sdk) (2022.9.24)
Requirement already satisfied: charset-normalizer<3,>=2 in c:\python310\lib\site-packages (from requests<3.0,>=2.27.1->ibm-cos-sdk-core==2.12.0->ibm-cos-sdk) (2.1.1)
Requirement already satisfied: idna<4,>=2.5 in c:\python310\lib\site-packages (from requests<3.0,>=2.27.1->ibm-cos-sdk-core==2.12.0->ibm-cos-sdk) (3.4)
```

ACCOUNT CREATION IN CLARIFAI:

The image displays two screenshots from the Clarifai website. The top screenshot shows the 'portal.clarifai.com/signup' page. On the left, a blue banner with a network diagram of people and AI icons promotes exploring the community. The right side features a 'Get Started with a Free Account' form with fields for First Name (Peravali), Last Name (Anjani kumar), Email (anjanikumar171331@gmail.com), and Password (Anji@171331). It includes a checkbox for terms of service, a reCAPTCHA, and a 'Sign up for free' button. The bottom screenshot shows the 'portal.clarifai.com/users/gluybfwp9su/apps' dashboard. It has a 'CREATE APPLICATION' button and a list of applications, with 'my-first-application' (ID: a97a4dd0a55749119feaf70b86fde3e) created on November 7, 2022. A red warning banner at the top of the dashboard asks the user to verify their email. A 'What's New' sidebar on the right lists recent updates, including ASR models for noisy telephone data and less common languages, and a new Platform-Object Model.

IBM Clarifai Portal

portal.clarifai.com/signup

Keep exploring!

Be sure to continue to browse Clarifai Community for new models and workflows added daily.

Explore now

clarifai

Get Started with a Free Account

First Name: Peravali

Last Name: Anjani kumar

Email: anjanikumar171331@gmail.com

Password: Anji@171331

☒ I agree to [Clarifai Terms of Service](#) and have read and acknowledge the [Privacy Policy](#).

☒ I'm not a robot

Sign up for free

Already have an account? Log In

IBM Applications | Clarifai Portal

portal.clarifai.com/users/gluybfwp9su/apps

CREATE APPLICATION

Applications 1

! Important: Please check your email inbox and verify your email address before continuing to use our services, including the API and operations.

ID: a97a4dd0a55749119feaf70b86fde3e

my-first-application

Created at: November 7, 2022

What's New

NOVEMBER 30, 2021

Marketplace Model: ASR model of noisy telephone data: Wav2Vec2-Large-Robust fine-tuned on Switchboard

Facebook's Wav2Vec2 is a fine-tuned version of the wav2vec2-large-robust model.

NOVEMBER 30, 2021

Marketplace Model: ASR models of less common languages

The base model was pre-trained on 16kHz sampled speech audio. When using the model, make sure that your speech input is also sampled at 16Khz. Note that you should fine-tune this model on a downstream task, like Automatic Speech Recognition.

NOVEMBER 30, 2021

Platform-Object Model: Added