SPRINT-3

Application Building

Date	19 NOVEMBER 2022
Team ID	PNT2022TMID48373
Project Name	AI-Powered Nutrition Analyzer for fitness enthusiasts

Creating HTML Pages

0.html

```
<html lang="en" dir="ltr">
<head>
                <meta charset="utf-8">
                <title>Nutrition Image Analysis</title>
                <link rel="shortcut icon" href="{{ url_for('static', filename='diabetes-</pre>
favicon.ico') }}">
                 k rel="stylesheet" type="text/css" href="{{ url for('static',
filename='style.css') }}">
                <script src="https://kit.fontawesome.com/5f3f547070.js"</pre>
crossorigin="anonymous"></script>
                 k href="https://fonts.googleapis.com/css2?family=Pacifico&display=swap"
rel="stylesheet">
        </head>
                <!-- Result -->
                <div class="results">
                     <h4 style="color:blue;">Food
Classified is: <h4><b><h4 style="color:red;"><u>{{showcase1}}<h4><br><h4
style="color:red;"><u>{{showcase}}<h4>
                </div>
                 <br>
                 <br>
  </div>
        </body>
</html>
HOME.html
<!DOCTYPE html>
<html>
<head>
 <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta http-equiv="X-UA-Compatible" content="ie=edge">
  <title>Home</title>
  <link href="https://cdn.bootcss.com/bootstrap/4.0.0/css/bootstrap.min.css" rel="stylesheet">
  <script src="https://cdn.bootcss.com/popper.js/1.12.9/umd/popper.min.js"></script>
  <script src="https://cdn.bootcss.com/jquery/3.3.1/jquery.min.js"></script>
  <script src="https://cdn.bootcss.com/bootstrap/4.0.0/js/bootstrap.min.js"></script>
  <link href="{{ url_for('static', filename='css/main.css') }}" rel="stylesheet">
<style>
body
  background-image: url("https://www.livingproofnyc.com/wp-
content/themes/livingproof/assets/img/hero-background.jpg");
  background-size: cover;
.bar
```

```
margin: 0px;
padding:20px;
background-color:white;
opacity:0.6;
color:black;
font-family: 'Roboto', sans-serif;
font-style: italic;
border-radius:20px;
font-size:25px;
h3
margin: 0px;
padding:20px;
background-color:#9ACD32;
width: 800px;
opacity:0.6;
color:#000000;
font-family: 'Roboto', sans-serif;
font-style: italic;
border-radius:20px;
font-size:25px;
a
{
color:grey;
float:right;
text-decoration:none;
font-style:normal;
padding-right:20px;
a:hover{
background-color:black;
color:white;
border-radius:15px;0
font-size:30px;
padding-left:10px;
.div1{
 background-color: lightgrey;
 width: 500px;
 border: 10px solid peach;
 padding: 20px;
 margin: 20px;
 height: 500px;
.header {
                 position: relative;
                          top:0;
                           margin:0px;
                           z-index: 1;
                          left: 0px;
                           right: 0px;
                           position: fixed;
                           background-color: #8B008B;
                           color: white;
                           box-shadow: 0px 8px 4px grey;
                           overflow: hidden;
                          padding-left:20px;
                           font-family: 'Josefin Sans'
```

```
font-size: 2vw;
                          width: 100%;
                          height:8%;
                          text-align: center;
                 .topnav {
 overflow: hidden;
background-color: #FCAD98;
.topnav-right a {
 float: left;
 color: black;
 text-align: center;
 padding: 14px 16px;
text-decoration: none;
 font-size: 22px;
.topnav-right a:hover {
background-color: #FF69B4;
 color: black;
.topnav-right a.active {
background-color: #DA70D6;
color: black;
}
.topnav-right {
float: right;
padding-right:100px;
</style>
</head>
<body>
<!--Brian Tracy-->
<div class="header">
<div style="width:50%;float:left;font-size:2vw;text-align:left;color:black; padding-top:1%;padding-</pre>
left:5%;">Nutrtion Image Analysis</div>
 <div class="topnav-right"style="padding-top:0.5%;">
  <a class="active" href="{{ url_for('home')}}}">Home</a>
  <a href="{{ url_for('image1')}}}">Classify</a>
 </div>
</div>
</div>
<br>
<br>
<br/>br>
<br/>br>
<br>>
<br>>
<br>>
<br>>
<h1>
<center>
```

```
<h3>Food is essential for human life and has been the concern of
many healthcare conventions. Nowadays new dietary assessment
and nutrition analysis tools enable more opportunities to help
people understand their daily eating habits, exploring nutrition
patterns and maintain a healthy diet. Nutritional analysis is the
process of determining the nutritional content of food. It is a
vital part of analytical chemistry that provides information about
the chemical composition, processing, quality control and contamination
of food. It ensures compliance with trade and food laws.</h3>
</center>
</h1>
</body>
</html>
Image.html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Title</title>
</head>
<body>
{% extends "imageprediction.html" %} {% block content %}
<div style="float:left">
  <br>>
  <br>
  <h5>
    <font color="black" size="3" font-family="sans-serif"><b>Upload image to classify</b></font>
  </h5>
  <div>
    <form id="upload-file" method="post" enctype="multipart/form-data">
       <label for="imageUpload" class="upload-label">
         Choose...
       <input type="file" name="file" id="imageUpload" accept=".png, .jpg, .jpeg">
    </form>
    <center>
       <div class="image-section" style="display:none;">
         <div class="img-preview">
           <div id="imagePreview">
           </div>
    </center>
  </div>
  <center>
       <button type="button" class="btn btn-primary btn-lg" id="btn-predict">Classify</button>
    </div>
  </center>
</div>
<div class="loader" style="display:none;margin-left: 450px;"></div>
<h3 id="result">
    <h4>Food Classified is : <h4><b><u>
              {{showcase}}{{showcase1}}
              </span>
```

</h3>

```
</div>
</div>
{% endblock %}
</body>
</html>
ImagePrediction.html
<!DOCTYPE html>
<html>
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta http-equiv="X-UA-Compatible" content="ie=edge">
  <title>Predict</title>
  <link href="https://cdn.bootcss.com/bootstrap/4.0.0/css/bootstrap.min.css" rel="stylesheet">
  <script src="https://cdn.bootcss.com/popper.js/1.12.9/umd/popper.min.js"></script>
  <script src="https://cdn.bootcss.com/jquery/3.3.1/jquery.min.js"></script>
  <script src="https://cdn.bootcss.com/bootstrap/4.0.0/js/bootstrap.min.js"></script>
  k href="{{ url for('static', filename='css/main.css') }}" rel="stylesheet">
<style>
body
  background-image:
url("https://i.pinimg.com/originals/be/21/1a/be211ad5043a8d05757a3538bdd8f450.jpg");
  background-size: cover;
.bar
margin: 0px;
padding:20px;
background-color:white;
opacity:0.6;
color:black;
font-family:'Roboto',sans-serif;
font-style: italic;
border-radius:20px;
font-size:25px;
a
color:grey;
float:right;
text-decoration:none;
font-style:normal;
padding-right:20px;
a:hover{
background-color:black;
color:white;
border-radius:15px;0
font-size:30px;
padding-left:10px;
.div1{
 background-color: lightgrey;
 width: 500px;
 border: 10px solid peach;
 padding: 20px;
 margin: 20px;
 height: 500px;
```

```
.header {
                 position: relative;
                          top:0;
                          margin:0px;
                          z-index: 1;
                          left: 0px;
                          right: 0px;
                          position: fixed;
                          background-color: #8B008B;
                          color: white;
                          box-shadow: 0px 8px 4px grey;
                          overflow: hidden;
                          padding-left:20px;
                           font-family: 'Josefin Sans';
                           font-size: 2vw;
                           width: 100%;
                          height:8%;
                          text-align: center;
                  .topnav {
 overflow: hidden;
background-color: #FCAD98;
.topnav-right a {
 float: left;
 color: black;
 text-align: center;
 padding: 14px 16px;
 text-decoration: none;
 font-size: 18px;
.topnav-right a:hover {
background-color: #FF69B4;
color: black;
.topnav-right a.active {
background-color: #DA70D6;
color: black;
.topnav-right {
 float: right;
padding-right:100px;
</style>
</head>
<body>
<div class="header">
<div style="width:50%;float:left;font-size:2vw;text-align:left;color:black; padding-top:1%;padding-</pre>
left:5%;">Nutrtion Image Analysis</div>
 <div class="topnav-right"style="padding-top:0.5%;">
  <a href="{{ url for('home')}}">Home</a>
  <a class="active" href="{{ url for('image1')}}}">Classify</a>
 </div>
</div>
<br>
```

```
</div>
<div class="container">
    <center>
<div id="content" style="margin-top:2em">{% block content %} {% endblock %}</div></center>
  </div>
</body>
<footer>
  <script src="{{ url for('static', filename='js/main.js') }}" type="text/javascript"></script>
</footer>
</html>
Routing to Html Page
App.py
from flask import Flask, render template, request
import os
import numpy as np
import tensorflow
from keras.models import load model
from keras.preprocessing import image
app = Flask(__name__, template_folder="template")
model = load model('nutrition.h5')
print("Loaded model from disk")
@ app.route('/')
def home():
  return render_template('home.html')
@ app.route('/image1', methods=['GET', 'POST'])
def image1():
  return render template("image.html")
@ app.route('/predict', methods=['GET', 'POST'])
def lanuch():
  if request.method == 'POST':
    f = request.files['file']
    basepath = os.path.dirname(' file ')
    filepath = os.path.join(basepath, "uploads", f.filename)
    f.save(filepath)
    img = tensorflow. keras.utils.load img(filepath, target size=(64, 64))
    x=image.image utils.img to array(img)
    x = np.expand dims(x, axis=0)
    pred = np.argmax(model.predict(x), axis=1)
    print("prediction", pred)
    index = ['APPLE', 'BANANA', 'ORANGE', 'PINEAPPLE', 'WATERMELON']
    result = str(index[pred[0]])
    print(result)
    x = result
    result = nutrition(result)
    print(result)
    return render template("0.html", showcase=(result), showcase1=(x))
def nutrition(index):
  import requests
```

```
url = "https://calorieninjas.p.rapidapi.com/v1/nutrition"
querystring = {"query": "tomato"}
headers = {
    "X-RapidAPI-Key": "e6843bfa04msh49abdb9bbcf3420p1a9e13jsn06dc99b07347",
    "X-RapidAPI-Host": "calorieninjas.p.rapidapi.com"
}
response = requests.request("GET", url, headers=headers, params=querystring)
print(response.text)
return response.json()["items"]

if __name__ == "__main__":
    app.run(debug=True)
```

Nutrtion Image Analysis

Home

lassify

Food is essential for human life and has been the concern of many healthcare conventions. Nowadays new dietary assessment and nutrition analysis tools enable more opportunities to help people understand their daily eating habits, exploring nutrition patterns and maintain a healthy diet.Nutritional analysis is the process of determining the nutritional content of food. It is a vital part of analytical chemistry that provides information about the chemical composition, processing, quality control and contamination of food. It ensures compliance with trade and food laws.



