# **Assignment-4**

Date	24 October 2022
Name	M Gomathi
Roll Number	620119106023
Team ID	PNT2022TMID30849
Project Name	Industry -specific intelligent firemanagement
	system

#### Question:

Write code and connections in wokwi for ultrasonic sensors. That whenever distance is less than 100 cms send "alert" to ibm cloud and display in device recent events.

Upload document with wokwi share link and images.

#### Wokwi:

https://wokwi.com/projects/348472933950161491


#### Code:

```
#include <WiFi.h>
#include
<PubSubClient.h>
WiFiClient wifiClient;
#define ORG "sj55vi"
#define DEVICE_TYPE "Gomathi"
#define DEVICE_ID "Murugan"
#define TOKEN "dsfrhfTyIDO*Cx)+Bg"
#define speed 0.034
char server[] = ORG".messaging.internetofthings.ibmcloud.com";
char publishTopic[] = "iot-2/evt/status1/fmt/json"; char
topic[] = "iot-2/cmd/home/fmt/String"; char authMethod[] =
"use-token-auth"; char token[] = TOKEN;
char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;
PubSubClient client(server, 1883, wifiClient); void
publishData(); const int trigpin=5; const int echopin=18;
String command;
String data=""; long
duration; float
dist;
void
setup()
      Serial.begin(115200);
```


```
pinMode(trigpin, OUTPUT);
      pinMode(echopin, INPUT);
      wifiConnect(); mqttConnect();
} void loop() {
publishData(); delay(500);
if (!client.loop()) {
mqttConnect();
      }
}
void wifiConnect() {
      Serial.print("Connecting to ");
      Serial.print("Wifi"); WiFi.begin("Wokwi-GUEST", "",
      6); while (WiFi.status() != WL_CONNECTED) {
      delay(500);
             Serial.print(".");
      Serial.print("WiFi connected, IP address: ");
      Serial.println(WiFi.localIP());
} void mqttConnect() { if
(!client.connected()) {
             Serial.print("Reconnecting MQTT client to ");
             Serial.println(server);
             while (!client.connect(clientId, authMethod, token))
                    { Serial.print("."); delay(500);
      }
      initManagedDevice();
      Serial.println();
      } }
void initManagedDevice() { if
      (client.subscribe(topic)) {
      Serial.println("subscribe to cmd OK");
      } else
      {
             Serial.println("subscribe to cmd FAILED");
} }
void publishData()
{ digitalWrite(trigpin,LOW);
      digitalWrite(trigpin,HIGH);
      delayMicroseconds(10);
      digitalWrite(trigpin,LOW);
      duration=pulseIn(echopin,HIGH);
      dist=duration*speed/2;
      if(dist<100){</pre>
             String payload = "{\"Alert
             distance\":"; payload += dist; payload
             += "}"; Serial.print("\n");
             Serial.print("Sending payload: ");
             Serial.println(payload);
             if (client.publish(publishTopic, (char*) payload.c_str())){
                    Serial.println("Publish OK");
             } else
             {
                    Serial.println("Publish FAILED");
                }
```


```
}
```

# Diagram:



### **Wokwi Output:**





## **IBM cloud output:**

