

CREATE UI TO INTERACT WITH APPLICATION

Design an application with following specification

1. registration page
2. login page
3. add the expenditure
4. wallet page

index.html

```
<!DOCTYPE html>

<html lang="en" dir="ltr">

<head>

<meta charset="utf-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Login Form | CodingLab</title>

<link rel="stylesheet" href="style.css">

<script src="https://kit.fontawesome.com/a076d05399.js"></script>

</head>

<body>

<div class="container">

<div class="wrapper">

<div class="title"><span>Login Form</span></div>

<form action="#">

<div class="row">

<i class="fas fa-user"></i>

<input type="text" placeholder="Email or Phone" required>

</div>

<div class="row">
```

```
<i class="fas fa-lock"></i>

<input type="password" placeholder="Password" required>
</div>

<div class="pass"><a href="#">Forgot password?</a></div>

<div class="row button">

<input type="submit" value="Login">

</div>

<div class="signup-link">Not a member? <a href="#">Signup now</a></div>

</form>

</div>

</div>

</body>

</html>
```

Style.css

```
@import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@400;500;600;700&display=
s wap'); *{ margin: 0; padding: 0; box-sizing: border-box; font-family: 'Poppins',sans serif;
}

body{ background:
#1abc9c; overflow:
hidden;
}

::selection{ background:
rgba(26,188,156,0.3);
}

.container{ max
width: 440px;
```

```
padding: 0 20px;
margin: 170px auto;
}

.wrapper{ width: 100%; background: #fff;
border-radius: 5px; box-shadow: 0px 4px 10px
1px rgba(0,0,0,0.1);
}

.wrapper .title{ height:
90px; background:
#16a085; border-radius:
5px 5px 0 0;
color: #fff; font
size: 30px; font
weight: 600;
display: flex; align
items: center; justify
content: center;
}

.wrapper form{ padding: 30px
25px 25px 25px;
}

.wrapper form .row{
height: 45px;
margin-bottom: 15px;
position: relative;
}

.wrapper form .row input{
height: 100%; width:
```

```
100%; outline: none;

padding-left: 60px;

border-radius: 5px;
border: 1px solid lightgrey;

font-size: 16px; transition:

all 0.3s ease;

}

form .row input:focus{ border-color: #16a085; box

shadow: inset 0px 0px 2px 2px rgba(26,188,156,0.25);

}

form .row input::placeholder{

color: #999;

}

.wrapper form .row i{

position: absolute;

width: 47px; height:

100%;

color: #fff; font

size: 18px;

background: #16a085;

border: 1px solid #16a085;

border-radius: 5px 0 0 5px;

display: flex; align-items:

center; justify-content:

center;

}

.wrapper form .pass{

margin: -8px 0 20px 0;
```

```
}  
  
.wrapper form .pass a{  
  
color: #16a085; font-  
size: 17px; text  
  
decoration: none;  
  
}  
  
.wrapper form .pass a:hover{ text  
  
decoration: underline;  
  
}  
  
.wrapper form .button input{  
  
color: #fff; font-size:  
  
20px; font-weight: 500;  
  
padding-left: 0px;  
  
background: #16a085;  
  
border: 1px solid #16a085;  
  
cursor: pointer;  
  
}  
  
form .button input:hover{  
  
background: #12876f;  
  
}  
  
.wrapper form .signup-link{  
  
text-align: center;  
  
margin-top: 20px; font  
  
size: 17px;  
  
}  
  
.wrapper form .signup-link a{  
  
color: #16a085; text
```

decoration: none;

}

form .signup-link a:hover{ text

decoration: underline;

}