## **PROJECT DEVELOPMENT PHASE**

#### **SPRINT - 4**

| Date          | 18 NOVEMBER 2022                   |
|---------------|------------------------------------|
| Team ID       | PNT2022TMID31320                   |
| Project Name  | PERSON EXPENSE TRACKER APPLICATION |
| Maximum Marks | 8 Marks                            |

```
app.py
from flask import Flask, render_template, request, redirect, session
import ibm_db
import re
import smtplib
from email.mime.multipart import MIMEMultipart
from email.mime.text import MIMEText
from email.mime.base import MIMEBase
app = Flask(
             name
app.secret_key = 'a'
conn=ibm_db.connect(")
#HOME--PAGE
@app.route('/home')
def home():
return render template('homepage.html')
@app.route('/')
def add():
return render template('home.html')
#SIGN--UP--OR--REGISTER
@app.route('/signup')
def signup():
```

```
return render template('signup.html')
```

```
@app.route('/register', methods =['GET', 'POST'])
def register():
msg = ''
if request.method == 'POST':
username = request.form['username']
email = request.form['email']
password = request.form['password']
```

```
sql = 'SELECT * FROM REGISTER WHERE USERNAME = ?'
stmt = ibm_db.prepare(conn, sql)
ibm_db.bind_param(stmt,1,username)
ibm_db.execute(stmt)
account = ibm_db.fetch_assoc(stmt)
print(account)
```

```
if account:

msg = 'Account already exists!'
elif not re.match(r'[ \ @]+@[ \ @]+\.[ \ @]+', email):

msg = 'Invalid email address!'
elif not re.match(r'[A-Za-z0-9]+', username):

msg = 'name must contain only characters and numbers!'
else:

sql1='INSERT INTO REGISTER(USERNAME,PASSWORD,EMAIL) VALUES(?,?,?)'
stmt1 = ibm_db.prepare(conn, sql1)
ibm_db.bind_param(stmt1,1,username)
ibm_db.bind_param(stmt1,2,password)
ibm_db.bind_param(stmt1,3,email)
ibm_db.execute(stmt1)

msg = 'You have successfully registered!'
return render_template('signup.html', msg = msg)
```

```
#LOGIN--PAGE
@app.route('/signin')
def signin():
return render_template('login.html')
@app.route('/login',methods =['GET', 'POST'])
def login():
```

```
global userid
msg = ''
if request.method == 'POST':
username = request.form['username']
password = request.form['password']
sql = 'SELECT * FROM REGISTER WHERE USERNAME = ? AND PASSWORD = ?'
stmt = ibm db.prepare(conn, sql)
ibm db.bind param(stmt,1,username)
ibm db.bind param(stmt,2,password)
ibm db.execute(stmt)
account = ibm db.fetch assoc(stmt)
print(account)
if account:
session['loggedin'] = True
session['id'] = account['ID']
userid= account['ID']
session['username'] = account['USERNAME']
session['email']=account['EMAIL']
return redirect('/home')
else:
```

```
#ADDING----DATA
```

msg = 'Incorrect username / password !'

return render template('login.html', msg = msg)

```
@app.route('/add')
def adding():
return render_template('add.html')
```

```
@app.route('/addexpense',methods=['GET', 'POST'])
def addexpense():
date = request.form['date']
```

```
expensename = request.form['expensename']
amount = request.form['amount']
paymode = request.form['paymode']
category = request.form['category']
time=request.form['time']
sql = 'INSERT INTO
EXPENSES( USERID, DATE, EXPENSENAME, AMOUNT, PAYMENTMODE, CATEGORY, TIME)
VALUES( ?, ?, ?, ?, ?, ?, ?)
stmt = ibm db.prepare(conn, sql)
ibm db.bind param(stmt,1,session['id'])
ibm db.bind param(stmt,2,date)
ibm db.bind param(stmt,3,expensename)
ibm db.bind param(stmt,4,amount)
ibm db.bind param(stmt,5,paymode)
ibm db.bind param(stmt,6,category)
ibm db.bind param(stmt,7,time)
ibm db.execute(stmt)
print(date + ' ' + expensename + ' ' + amount + ' ' + paymode + ' ' + category)
sql1 = 'SELECT * FROM EXPENSES WHERE USERID=? AND
MONTH(date)=MONTH(DATE(NOW()))
stmt1 = ibm db.prepare(conn, sql1)
ibm db.bind param(stmt1,1,session['id'])
ibm db.execute(stmt1)
list2=[]
expense1 = ibm db.fetch tuple(stmt1)
while(expense 1):
list2.append(expense1)
expense1 = ibm db.fetch tuple(stmt1)
total=0
for x in list2:
total += x[4]
sql2 = 'SELECT EXPLIMIT FROM LIMITS ORDER BY LIMITS.ID DESC LIMIT 1'
stmt2 = ibm db.prepare(conn, sql2)
ibm db.execute(stmt2)
limit=ibm db.fetch tuple(stmt2)
if(total|limit[0]):
mail from = '19i304@psgtech.ac.in'
```

```
mail to = session['email']
msg = MIMEMultipart()
msg['From'] = mail from
msg['To'] = mail to
msg['Subject'] = 'Expense Alert Limit'
mail body = ""
Dear User, You have exceeded the specified monthly expense Limit!!!!
msg.attach(MIMEText(mail_body))
try:
server = smtplib.SMTP_SSL('smtp.sendgrid.net', 465)
server.ehlo()
server.login('apikey',
'SG.abtZTw0XTv6MWJXdiVW2sg.r 1bDQUJUwsDAtcxaVKQClBW9akQCV0cOy02XtN1
server.sendmail(mail from, mail to, msg.as string())
server.close()
print('mail sent')
except:
print('issue')
return redirect('/display')
#DISPLAY---graph
@app.route('/display')
def display():
```

```
@app.route('/display')
def display():
print(session['username'],session['id'])
sql = 'SELECT * FROM EXPENSES WHERE USERID= ?'
stmt = ibm_db.prepare(conn, sql)
ibm_db.bind_param(stmt,1,session['id'])
ibm_db.execute(stmt)
list1=[]
row = ibm_db.fetch_tuple(stmt)
while(row):
list1.append(row)
row = ibm_db.fetch_tuple(stmt)
```

```
print(list1)
total=0
 food=0
 entertainment=0
business=0
t rent=0
t EMI=0
t other=0
for x in list1:
total += x[4]
if x[6] == 'food':
t food += x[4]
elif x[6] == 'entertainment':
t entertainment += x[4]
elif x[6] == 'business':
t business += x[4]
elif x[6] == 'rent':
t rent += x[4]
elif x[6] == 'EMI':
t EMI += x[4]
elif x[6] == 'other':
t other += x[4]
return render template('display.html',expense = list1,total = total,
t food = t food,t entertainment = t entertainment,
t business = t business, t rent = t rent,
 _EMI = t_EMI, t_other = t_other)
@app.route('/delete/<string:id|', methods = ['POST', 'GET'])
def delete(id):
print(id)
sql = 'DELETE FROM expenses WHERE id = ?"
stmt = ibm db.prepare(conn, sql)
ibm db.bind param(stmt,1,id)
ibm db.execute(stmt)
return redirect('/display')
```

```
#UPDATE---DATA
@app.route('/edit/<id|', methods = ['POST', 'GET'])
def edit(id):
sql = 'SELECT * FROM expenses WHERE id = ?"
stmt = ibm db.prepare(conn, sql)
ibm db.bind param(stmt,1,id)
ibm db.execute(stmt)
row=ibm db.fetch tuple(stmt)
print(row)
return render template('edit.html', expenses = row)
@app.route('/update/<id|', methods = ['POST'])
def update(id):
if request.method == 'POST':
date = request.form['date']
expensename = request.form['expensename']
amount = request.form['amount']
paymode = request.form['paymode']
category = request.form['category']
time=request.form['time']
sql = 'UPDATE expenses SET date =?, expensename =?, amount =?, paymentmode =?,
category =?, time=? WHERE expenses.id =? '
stmt = ibm db.prepare(conn, sql)
ibm db.bind param(stmt,1,date)
ibm db.bind param(stmt,2,expensename)
ibm db.bind param(stmt,3,amount)
ibm_db.bind_param(stmt,4,paymode)
ibm db.bind param(stmt,5,category)
ibm db.bind param(stmt,6,time)
ibm db.bind param(stmt,7,id)
ibm db.execute(stmt)
print('successfully updated')
return redirect('/display')
```

#limit

```
@app.route('/limit')
def limit():
return redirect('/limitn')
@app.route('/limitnum', methods = ['POST'])
def limitnum():
if request.method == 'POST':
number= request.form[<mark>'number</mark>']
sql = 'INSERT INTO LIMITS(USERID,EXPLIMIT) VALUES(?,?)
stmt = ibm db.prepare(conn, sql)
ibm db.bind param(stmt,1,session['id'])
ibm_db.bind_param(stmt,2,number)
ibm db.execute(stmt)
return redirect('/limitn')
@app.route('/limitn')
def limitn():

m sql= 'SELECT EXPLIMIT FROM LIMITS ORDER BY LIMITS.ID DESC LIMIT 1'
stmt = ibm db.prepare(conn, sql)
ibm db.execute(stmt)
row=ibm db.fetch tuple(stmt)
return render template('limit.html', y= row)
#REPORT
@app.route('/today')
def today():
sql = 'SELECT * FROM expenses WHERE userid =? AND date = DATE(NOW())'
stmt = ibm db.prepare(conn, sql)
ibm db.bind param(stmt,1,session['id'])
ibm db.execute(stmt)
list2=[]
texpense=ibm db.fetch tuple(stmt)
print(texpense)
sql = 'SELECT * FROM EXPENSES WHERE USERID=? AND DATE(date) = DATE(NOW())'
stmt = ibm db.prepare(conn, sql)
ibm db.bind param(stmt,1,session['id'])
ibm db.execute(stmt)
list1=[]
expense = ibm db.fetch tuple(stmt)
```

```
while(expense):
list1.append(expense)
expense = ibm_db.fetch_tuple(stmt)
total=0
 food=0
 entertainment=0
 business=0
t rent=0
EMI=0
t other=0
for x in list1:
total += x[4]
if x[6] == 'food':
t \text{ food } += x[4]
elif x[6] == 'entertainment':
t entertainment += x[4]
elif x[6] == 'business':
t business += x[4]
elif x[6] == 'rent':
t rent += x[4]
elif x[6] == 'EMI':
t EMI += x[4]
elif x[6] == 'other':
t other += x[4]
return render template('today.html', texpense = list1, expense = expense, total = total,
t food = t food,t entertainment = t entertainment,
t business = t business, t rent = t rent,
 _EMI = t_EMI, t_other = t_other )
@app.route('/month')
def month():
sql = 'SELECT MONTHNAME(DATE),SUM(AMOUNT) FROM EXPENSES WHERE
USERID=? GROUP BY MONTHNAME(DATE)
stmt = ibm_db.prepare(conn, sql)
ibm db.bind param(stmt,1,session['id'])
ibm db.execute(stmt)
list2=[]
texpense = ibm db.fetch tuple(stmt)
```

```
while(texpense):
list2.append(texpense)
texpense = ibm_db.fetch_tuple(stmt)
print(list2)
```

```
sql = 'SELECT * FROM EXPENSES WHERE USERID=? AND
MONTH(date)=MONTH(DATE(NOW()))
stmt = ibm db.prepare(conn, sql)
ibm_db.bind_param(stmt,1,session['id'])
ibm db.execute(stmt)
list1=[]
expense = ibm db.fetch tuple(stmt)
while(expense):
list1.append(expense)
expense = ibm db.fetch tuple(stmt)
total=0
t food=0
t entertainment=0
t business=0
t rent=0
t EMI=0
t other=0
for x in list1:
total += x[4]
if x[6] == 'food':
t food += x[4]
elif x[6] == 'entertainment':
t entertainment += x[4]
elif x[6] == 'business':
t business += x[4]
elif x[6] == 'rent':
t rent += x[4]
elif x[6] == 'EMI':
t EMI += x[4]
elif x[6] == 'other':
t other += x[4]
print(total)
print(t food)
print(t entertainment)
print(t business)
```

```
print(t_rent)
print(t_EMI)
print(t_other)
```

```
return render template('month.html', texpense = list2, expense = expense, total = total
t food = t food,t entertainment = t entertainment,
t_business = t_business, t_rent = t_rent,
t EMI = t EMI, t other = t other)
@app.route('/year')
def year():
sql = 'SELECT YEAR(DATE),SUM(AMOUNT) FROM EXPENSES WHERE USERID=?
GROUP BY YEAR(DATE)
stmt = ibm db.prepare(conn, sql)
ibm db.bind param(stmt,1,session['id'])
ibm db.execute(stmt)
list2=[]
texpense = ibm db.fetch tuple(stmt)
while(texpense):
list2.append(texpense)
texpense = ibm_db.fetch_tuple(stmt)
print(list2)
```

```
sql = 'SELECT * FROM EXPENSES WHERE USERID=? AND
YEAR(date)=YEAR(DATE(NOW()))
stmt = ibm db.prepare(conn, sql)
ibm db.bind param(stmt,1,session['id'])
ibm db.execute(stmt)
list1=[]
expense = ibm_db.fetch_tuple(stmt)
while(expense):
list1.append(expense)
expense = ibm db.fetch tuple(stmt)
total=0
 food=0
 entertainment=0
 business=0
t rent=0
 EMI=0
```

```
t other=0
for x in list1:
total += x[4]
if x[6] == 'food':
t \text{ food } += x[4]
elif x[6] == 'entertainment':
t entertainment += x[4]
elif x[6] == 'business':
t business += x[4]
elif x[6] == 'rent':
t rent += x[4]
elif x[6] == 'EMI':
t EMI += x[4]
elif x[6] == 'other':
t other += x[4]
print(total)
print(t food)
print(t entertainment)
print(t business)
print(t_rent)
print(t_EMI)
print(t other)
return render template('year.html', texpense = list2, expense = expense, total = total,
 food = t food,t entertainment = t entertainment,
t business = t business, t rent = t rent,
EMI = t EMI, t other = t other)
#log-out
@app.route('/logout')
def logout():
session.pop('loggedin', None)
session.pop('id', None)
session.pop('username', None)
session.pop('email',None)
return render template('home.html')
if name == ' main ':
app.run(debug=True)
```

#### **Dockerfile**

```
FROM python

WORKDIR /python-expense

COPY requirements.txt requirements.txt

RUN pip install -r requirements.txt

COPY . .

EXPOSE 8080

CMD ['python', '-m' , 'flask', 'run', '--host=0.0.0.0']
```

### add.html

```
{% extends 'base.html' %}
{% block body %}
<style |
body{
font-family: 'Poppins', sans-serif;
overflow: hidden;
<div class='container'
<div class='row'|
<div class='col-md-6'|
<h3|Add Expense</h3|
<form action='/addexpense' method='POST'|</pre>
<div class='form-group'|
<label for="|Date</label|
<input class='form-control' type='date' name='date' id='date' |</div|
<div class='form-group'|
<label for="ITime</label|
<input class='form-control' type='time' name='time' id='time' |</div|
<div class='form-group' | <label for="|Expense name</label|</pre>
<input class='form-control' type='text' name='expensename' id='expensename' |</pre>
<div class='form-group'|
<label for="|Expense Amount</label|
<input class='form-control' type='number' min='0' name='amount' id='amount' |</pre>
```

```
<div class='form-group'|
<label for="\(\)|</label\(\)
<select class='form-control' name='paymode' id='paymode'|</pre>
<option selected hidden|Pay-Mode</pre>/option|
<option name='cash' value='cash' |cash</pre>/option |
<option name='debitcard' value='debitcard' |debitcard</pre>/option |
<option name='creditcard' value='creditcard' |creditcard</pre>/option|
<option name='epayment' value='epayment' |epayment</pre>/option |
<option name='onlinebanking' value='onlinebanking' onlinebanking</pre>/option
<div class='form-group'|
<label for="\(\)|</label
<select class='form-control' name='category' id='category'|</pre>
<option selected hidden|Category</pre>/option|
<option name = 'food' value='food'|food</pre>
<option name = 'entertainment' value='entertainment' |Entertainment < /option |</pre>
<option name = 'business' value='business' |Business</pre>/option|
<option name ='rent' value='rent' |Rent</pre>
<option name = 'EMI' value='EMI' |EMI </option |</pre>
<option name = 'other' value='other' other</pre>/option |
</select)
<input class='btn btn-danger' type='submit' value='Add' id=''|
<div style='position: relative; left: 590px; top: -460px;' class='imagge'|</pre>
<img width='90%' height='90%' src='../static/images/addd.jpg' class='rounded
float-left' alt='...'।
</div
</div
{% endblock %}
```

```
!DOCTYPE html
<html lang='en'|
<head |
<link rel='stylesheet'</pre>
href='https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dist/css/bootstrap.min.css'
integrity='sha384-TX8t27EcRE3e/ihU7zmQxVncDAy5uIKz4rEkgIXeMed4M0jlfIDPvg6u
qKI2xXr2' crossorigin='anonymous'|
<script src='https://cdn.jsdelivr.net/npm/chart.js@3.2.1/dist/chart.min.js' | </script |</pre>
<script src='https://code.jquery.com/jquery-3.5.1.slim.min.js'</pre>
integrity='sha384-DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+
OrCXaRkfj' crossorigin='anonymous' | < /script |
script src='https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js'
integrity='sha384-9/reFTGAW83EW2RDu2S0VKaIzap3H66lZH81PoYlFhbGU+6BZp6G7
niu735Sk7lN' crossorigin='anonymous' | </script|
<script src='https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js'</pre>
integrity='sha384-B4gt1jrGC7Jh4AgTPSdUtOBvfO8shuf57BaghqFfPlYxofvL8/KUEfYiJO
MMV+rV' crossorigin='anonymous' | < /script |
<link rel='stylesheet' href='https://pro.fontawesome.com/releases/v5.10.0/css/all.css'</pre>
integrity='sha384-AYmEC3Yw5cVb3ZcuHtOA93w35dYTsvhLPVnYs9eStHfGJvOvKxVfE
LGroGkvsg+p' crossorigin='anonymous'/
<title|Document</title|
</head)
<body|
<nav class='navbar sticky-top navbar-expand-lg navbar-light' style='background-color:</p>
#e3f2fd;'|
<a class='navbar-brand' href='#' |MyBudget</a|
<button class='navbar-toggler' type='button' data-toggle='collapse'</p>
data-target='#navbarSupportedContent' aria-controls='navbarSupportedContent'
aria-expanded='false' aria-label='Toggle navigation' |
<span class='navbar-toggler-icon' | </span |</pre>
<div class='collapse navbar-collapse' id='navbarSupportedContent'|
ul class='navbar-nav mr-auto'|
class='nav-item active'|
```

<a class='nav-link' href='/home' |Home <span class='sr-only' |(current)</pre>/span | /a |

class='nav-item'|

```
<a class='nav-link' href='/add'|Add</a|
class='nav-item'|
<a class='nav-link' href='/display'|History</a|
class='nav-item'|
<a class='nav-link' href='/limit'|LIMIT</a|
class='nav-item dropdown'|
<a class='nav-link dropdown-toggle' href='#' id='navbarDropdown' role='button'
data-toggle='dropdown' aria-haspopup='true' aria-expanded='false' |
Report
<div class='dropdown-menu' aria-labelledby='navbarDropdown'|
<a class='dropdown-item' href='/today'|TODAY</a|
<a class='dropdown-item' href='/month' | Month < /a |
<a class='dropdown-item' href='/year' |Year</a|
class='nav-item'|
<a class='nav-link' href='/logout'|Logout</a|
</div
{% block body %}
{% endblock %}
</body)
```

# display.html

```
{% extends 'base.html' %}
{% block body %}
```

```
<div class='container '|
```

```
<h3 class='mt-3'|EXPENSES</h3|
```

```
{% if expense is defined %}
{% for row in expense %}
<div class='row'|
<div class='col-md-12'|
<div class='card shadow-sm mb-2 bg-white rounded' | </div |</pre>
<div class='card-body' |
<div class='row'|
<div class='col-md-2'|
<span class='btn btn-outline-dark'|{{row[2]}}</span| </div|</pre>
<div class='col-md-2 mt-3'|<H6|{{row[3]}}</H6|</div|
<div class='col-md-2 mt-3' | ₹<span style=' color: rgb(255, 0, 0)' | {{row[4]}} </div|
<div class='col-md-2 mt-3'|
<span class='badge badge-pill badge-info'|{{row[5]}}</span|</pre>
</div
<div class='col-md-2 mt-3'|
<span class='badge badge-primary'|{{row[6]}}</span|</pre>
</div
<div class='col-md-1 mt-3'|
<a href='/edit/{{row[0]}} ' class='btn btn-sm btn-success'|Edit</a|
<div class='col-md-1 mt-3'|
<a href='/delete/{{row[0]}}' class='btn btn-sm btnDelete btn-success'|Delete</a|
</div
</div
</div
<!--when no DATA-Found--
{% else %}
<div class='card shadow-sm mb-2 bg-white rounded' | </div |</pre>
<div class='card-body' |
<div style='text-align: center ; font-family: monospace; color:red ; '|<h5|<a href='/add'</pre>
ADD-DATA </a| to Display </h3|</div|
<img width=60% src='../static/images/not-found.png'|
```

```
{% endfor %}
{% endif %}
<div class='row'|
<div class='col-md-6'|
<h3 class='mt-5'|Expense Breakdown</h3|
<div class='card shadow mb-2 bg-white rounded-bottom' |</pre>
<div class='card-body'
<div class='row'|
<div class='col-md-6'|Food</div|
<div id='tfood' class='col-md-6'| {{t food }} </div|
</div1
<div class='card shadow mb-2 bg-white rounded' |</pre>
<div class='card-body'|
<div class='row'|
<div class='col-md-6'|Entertainment</div|
<div id='tentertainment' class='col-md-6' | {{ t entertainment}} </div |</pre>
</div
 </div
<div class='card shadow mb-2 bg-white rounded'|
<div class='card-body' |
<div class='row'|
<div class='col-md-6'|Business</div
<div id='tbusiness' class='col-md-6'| {{t_business}} </div|
</div
</div
</div
<div class='card shadow mb-2 bg-white rounded' |</pre>
<div class='card-body' |
<div class='row'|
<div class='col-md-6' |Rent</div|
```

```
<div id='trent' class='col-md-6' | {{ t_rent }} </div |
</div |
</div |
</div |
</div class='card shadow mb-2 bg-white rounded' |
</div class='card-body' |
</div class='rount' |
</div class='rount' |
</pre>
```

```
<div class='card shadow mb-2 bg-white rounded'|
<div class='card-body'|
<div class='row'|
<div class='col-md-6'|EMI</div|
<div id='temi' class='col-md-6'|{{ t_EMI }} </div|
</div|
</div|
</div|
</div|
</div|</pre>
```

```
</div|
<div class='col-md-6'|
<canvas id='myChart' width='400' height='400'|</canvas|
<script|
let food = document.getElementById('tfood').innerHTML
let entertainment = document.getElementById('tentertainment').innerHTML
let business = document.getElementById('tbusiness').innerHTML</pre>
```

```
let rent = document.getElementById('trent').innerHTML
let emi = document.getElementById('temi').innerHTML
let other = document.getElementById('tother').innerHTML
var ctx = document.getElementById('myChart').getContext('2d');
var myChart = new Chart(ctx, {
type: 'doughnut',
data: {
labels: ['Food', 'Entertainment', 'Business', 'Rent', 'EMI', 'Other'],
datasets: [{
label: 'Expenses Chart',
data: [food, entertainment, business, rent, emi, other],
backgroundColor: [
'rgb(255, 99, 132)',
'rgb(0, 0, 0)',
'rgb(255, 205, 86)',
'rgb(201, 203, 207)',
'rgb(54, 162, 235)',
'rgb(215, 159, 64)'
}]
options: {
responsive: true,
plugins: {
legend: {
position: 'bottom',
title: {
display: true,
text: 'EXPENSE BREAKDOWN'
```

```
</script|
</div|
</div|
```

```
</div|
{% endblock %}
```

#### edit.html

```
{% extends 'base.html' %}

{% block body %}

<div class='container' |

<div class='row' |

<div class='col-md-6' |

<h3|Edit Expense</h3|

<form action='/update/{{expenses[0]}}' method='POST' |
```

```
<input type='hidden' class='form-control' name='' value = '{{expenses[0]}}' id='' |

<div class='form-group' |

<label for=''|Date</label|

<input class='form-control' type='date' name='date' value='{{expenses[2]}}'

id='date'|</div|
```

```
<div class='form-group' |
<label for=''|Time</label|
<input class='form-control' type='time' name='time' value='{{expenses[7]}}'
id='time' | </div|
```

```
<!--<script type='text/javascript'|
var d = new Date(value='{{expenses[2]}}');
var elem = document.getElementById('date');
elem.value = d.toISOString().slice(0,16);
</script|--|
```

```
<div class='form-group'| <label for="|Expense name</label|
<input class='form-control' type='text' name='expensename' value='{{expenses[3]}}'
id='expensename'|
</div|
<div class='form-group'|
<label for="|Expense Amount</label|</pre>
```

```
<input class='form-control' type='number' min='0' name='amount'
value='{{expenses[4]}}' id='amount'|
<div class='form-group'|
<label for="\|</label|
<select class='form-control' name='paymode' value='{{expenses[5]}}' id='paymode'|</pre>
<option selected hidden|{{expenses[5]}}</option|</pre>
<option value='cash'|cash</option|</pre>
<option value='debitcard' | debitcard < /option |</pre>
<option value='creditcard' | creditcard < / option |</pre>
<option value='epayment' | epayment < / option |</pre>
<option value='onlinebanking' |onlinebanking</pre>/option|
<div class='form-group'|
<label for="\(\)|</label\(\)
<select class='form-control' name='category' value='{{expenses[6]}}' id='category'|</pre>
<option selected hidden|{{expenses[6]}}</option|</pre>
<option value='food'|food</option|</pre>
<option value='entertainment' |Entertainment</pre>/option |
<option value='business '|Business</pre>/option|
<option value='rent' | Rent < / option |</pre>
<option value='EMI'|EMI</option|</pre>
<option value='other' |other < /option |</pre>
<input class='btn btn-danger' type='submit' value='Update' id=''|</pre>
</form!
</div
{% endblock %}
```

#### home.html

```
<!DOCTYPE html|
<html lang='en'|
<head|
<meta charset='UTF-8' /|
```

```
<meta name='viewport' content='width=device-width, initial-scale=1.0' /|

<li>k rel='stylesheet' href='..\static\css\home.css' /|

<title|My Website</title|

</head|
```

```
<!-- Header --।
<section id='header'|
<div class='header container'|
<div class='nav-bar'|
<div class='brand'|
<a href='#hero'|
<h1|<span|M</span|y <span|B</span|udget</h1|
</div
<div class='nav-list'|
<div class='hamburger'|
<div class='bar' |</div|
</div
<a href='#hero' data-after='Home'|Home</a|</li>
<a href='#services' data-after='Service'
|Services</a
<a href='/signin' data-after='Login'|-Login-</a|
</div
</section |
<!-- End Header --।
```

```
<!-- Hero Section --|
<section id='hero'|
<div class='hero container'|
```

```
<h1|Hello, <span|</span|</h1|
<h1|Welcome To <span|</span|</h1|
<h1|Expense Tracker Web application <span|</span|</h1|
<a href='/signup' type='button' class='cta' |Sign-up</a |
</div
</div
</section |
<!-- End Hero Section -- |
<script src='..\static\js\home.js' | </script |</pre>
</body1
homepage.html
{% extends 'base.html' %}
{% block body %}
<style।
body{
font-family: 'Poppins', sans-serif;
overflow: hidden;
H1 {
position: relative;
right: -790PX;
top: -400PX;
color:rgb(43, 198, 143);
position: relative;
right: -800px;
top: -350px;
```

```
span{
position: relative;
right: -800px;
top: -360px;
.ccc {
position: relative;
top:80px;
left:-100px;
<div id=aa class='container'
<div class='ccc'|
src='https://img.freepik.com/free-vector/mobile-expense-management-abstract-concept-
vector-illustration-charges-control-system-satelite-devices-checking-mobile-network-en
terprise-economy-manage-telephony-costs-abstract-metaphor_335657-2906.jpg?w=60
0'1
<h1|LET START JOURNEY</h1|
</div
<br
<br
<span class='btn btn-outline-dark' | <a href='/add' | Let's Begin | </a | </span |</pre>
{% endblock %}
limit.html
{% extends 'base.html' %}
{% block body %}
<p| Currently your MONTHLY limit is ₹ {{y}} </p|
<style।
body{
font-family: 'Poppins', sans-serif;
overflow: hidden;
```

```
</style|
<form action='/limitnum' method='POST'|
<pre>ENTER the MONTHLY LIMIT to avoid over EXPENSES/p! <br/>
<input type='number' name='number' required/! <span!
<br/>button class='btn btn-warning' type='submit'!ENTER</button!
</span!</pre>
```

```
</form|
{% endblock %}
```

# login.html

```
< !DOCTYPE html
<head1
<title|Login Form</title|
<link rel='stylesheet' type='text/css' href='..\static\css\login.css' |</pre>
<link href='https://fonts.googleapis.com/css?family=Poppins:600&display=swap'</pre>
rel='stylesheet' |
<script src='https://kit.fontawesome.com/a81368914c.js' | </script |</pre>
<meta name='viewport' content='width=device-width, initial-scale=1'|</pre>
</head)
<body |
<img class='wave' src='..\static\images\wave.png'|
<div class='container'
<div class='img'|
<div id='png' | <a href='/' title='HOME' | <img style='width:75px; height:75px; '</pre>
src='..\static\images\home-page.png'\</a\</div\</pre>
<img src='..\static\images\bg.svg'|
<div class='login-content'|
<form action='/login' method='POST' |</pre>
<div class='msg' | {{ msg }} < /div |
<img src='..\static\images\avatar.svg'|
<h2 class='title' |Login</h2|
<div class='input-div one'|
```

```
<div class='i'|
<i class='fas fa-user' |</i|
<div class='div'|
<h5|Username</h5|
<input type='text' name='username' class='input' required|</pre>
<div class='input-div pass'|
<div class='i'|
<i class='fas fa-lock' |</i|
<div class='div'|
<h5|Password</h5|
<input type='password' name='password' class='input' required|</pre>
</div
<a href='#'|Forgot Password?</a|
<input type='submit' class='btn' value='Login'|</pre>
<a href='/signup' class='btn' style='text-decoration: none; padding-top: 15px; font-size:
12px; transition: none; <a href="mailto:renter">(<a href="mailto:renter")</a>)</a>
</div
<script type='text/javascript' src='..\static\js\login.js' | < /script |</pre>
</body)
```

### month.html

```
{% extends 'base.html' %}

{% block body %}

<div class='container'|

<style|

body{
font-family: 'Poppins', sans-serif;</pre>
```

```
overflow: hidden;
</style1
<div class='row'|
<div class='col-md-5'|
<h3 class='mt-5'|MONTH Expense Breakdown</h3|
<div class='card shadow mb-2 bg-white rounded-pill'|</p>
<div class='card-body' |
<div class='row'|
<div class='col-md-6' | MONTH </div |
<div class='col-md-6' | AMOUNT </div |
</div
</div
</div
{% for row in texpense %}
<div class='card shadow mb-2 bg-white rounded-bottom' |</pre>
<div class='card-body'
<div class='row'|
<div id ='ttime' class='col-md-6'|{{row[0]}}</div|</pre>
<div id='tamount' class='col-md-6' | {{row[1] }} </div |</pre>
</div
</div
</div
{% endfor %}
</div
</div
```

```
<div class='row'|
<div class='col-md-6'|
<h3 class='mt-5'|Expense Breakdown BY Category: CURRENT MONTH</h3|
<div class='card shadow mb-2 bg-white rounded-bottom'|
<div class='card-body'|
<div class='row'|
<div class='col-md-6'|Food</div|
<div id='tfood' class='col-md-6'| {{ t_food}} </div|
</td>
```

```
<div class='card-body' |
<div class='row'|
<div class='col-md-6'|Entertainment</div|
<div id='tentertainment' class='col-md-6' | {{ t entertainment}} </div |</pre>
</div
</div
<div class='card shadow mb-2 bg-white rounded'।</pre>
<div class='card-body' |
<div class='row'|
<div class='col-md-6'|Business</div|
<div id='tbusiness' class='col-md-6'| {{t business}} </div|
</div
<div class='card shadow mb-2 bg-white rounded' |</pre>
<div class='card-body'|
<div class='row'|
<div class='col-md-6'|Rent</div|
<div id='trent' class='col-md-6' | {{ t_rent }} </div |
</div
</div
<div class='card shadow mb-2 bg-white rounded'|</pre>
<div class='card-body'|
<div class='row'|
<div class='col-md-6' |EMI < /div |
<div id='temi' class='col-md-6'|{{ t EMI }} </div|</pre>
</div
</div
</div
<div class='card shadow mb-2 bg-white rounded'।</pre>
<div class='card-body' |
<div class='row'|
<div class='col-md-6' |Other</div|
<div id='tother' class='col-md-6' | {{ t other}}</div |</pre>
</div
</div
</div
<div class='card shadow mb-2 btn-outline-danger rounded-pill' |</p>
```

```
<div class='card-body' |
<div class='row'|
<div class='col-md-6'|Total</div|
<div class='col-md-6' |₹ {{total}} </div
</div
</div
<div class='col-md-6'|
<canvas id='myChart' width='400' height='400' |</canvas|</pre>
let food = document.getElementById('tfood').innerHTML
let entertainment = document.getElementById( 'tentertainment').innerHTML
let business = document.getElementById('tbusiness').innerHTML
let rent = document.getElementById('trent').innerHTML
let emi = document.getElementById('temi').innerHTML
let other = document.getElementById('tother').innerHTML
var ctx = document.getElementById('myChart').getContext('2d');
var myChart = new Chart(ctx, {
type: 'doughnut',
data: {
labels: ['Food', 'Entertainment', 'Business', 'Rent', 'EMI', 'Other'],
datasets: [{
label: 'Expenses Chart',
data: [food, entertainment, business, rent, emi, other],
backgroundColor: [
'rgb(255, 99, 132)',
rgb(0, 0, 0),
'rgb(255, 205, 86)',
'rgb(201, 203, 207)',
'rgb(54, 162, 235)',
'rgb(215, 159, 64)'
}]
options: {
responsive: true,
plugins: {
legend: {
position: 'bottom',
```

```
title: {
display: true,

text: 'EXPENSE BREAKDOWN'
}
}
}
}

// 
// 
// 
// div |

// div |

// div |

// div |
```

```
</section|
```

```
</div|
```

```
{% endblock %}
```

## signup.html

```
<!DOCTYPE html
<html1
<title|Register</title|
<link rel='stylesheet' type='text/css' href='..\static\css\login.css'|</pre>
<link href='https://fonts.googleapis.com/css?family=Poppins:600&display=swap'</pre>
rel='stylesheet' |
<script src='https://kit.fontawesome.com/a81368914c.js' | </script |</pre>
<meta name='viewport' content='width=device-width, initial-scale=1'|</pre>
</head)
<body |
<img class='wave' src='..\static\images\wave.png'|</pre>
<div class='container'
<div class='img'|
<div id='png' | <a href='/' title='HOME' | <img style='width:75px; height:75px; '</pre>
src='..\static\images\home-page.png'|</a|</div|</pre>
<img src='..\static\images\bg.svg'|
```

```
<div class='login-content'|
 <form action='/register' method='POST' |</pre>
 <div class='msg' | {{ msg }} </div |
 <img src='..\static\images\avatar.svg'|
<h2 class='title' |Register</h2|
 <div class='input-div one'
 <div class='i'|
 <i class='fas fa-user' | </i|
 <div class='div'|
 <h5|Username</h5|
<input type='text' name='username' class='input' required|</pre>
</div
<div class='input-div one'
<div class='i'|
 <i class='fas fa-user' |</i|
</div
 <div class='div'|
<h5|E-Mail</h5|
 <input type='email' name='email' class='input' required|</pre>
<div class='input-div pass'|
<div class='i'|
 <i class='fas fa-lock' | </i|
</div
<div class='div'|
<h5|Password</h5|
 <input type='password' name='password' class='input' required|
 <input type='submit' class='btn' value='Create Account'|</pre>
<a href='/signin' class='btn' style='text-decoration: none; padding-top: 15px; font-size:
12px; transition: none; <a href="mailto:learngray">(center)</a> / <a hre
</br
```

```
</div|
<script type='text/javascript' src='..\static\js\login.js'|</script|
</body|
</html|
```

# today.html

```
{% extends 'base.html' %}

{% block body %}

<div class='container'|

<style|

body {
font-family: 'Poppins', sans-serif;

overflow: hidden;
}

</style|

<div class='row'|

<div class='col-md-5'|

<h3 class='mt-5'|Today Expense Breakdown</h3|</pre>
```

```
{% endfor %}
</div|
</div|
<section|
```

```
<div class='row'|
<div class='col-md-6'|
<h3 class='mt-5'|Expense Breakdown BY Category</h3|
<div class='card shadow mb-2 bg-white rounded-bottom' |</p>
<div class='card-body' |
<div class='row'|
<div class='col-md-6' |Food</div|
<div id='tfood' class='col-md-6' | {{ t food}}} </div |</pre>
</div
</div
</div
<div class='card shadow mb-2 bg-white rounded' |</pre>
<div class='card-body'|
<div class='row'|
<div class='col-md-6' |Entertainment</div |
<div id='tentertainment' class='col-md-6' | {{ t entertainment}} </div |</pre>
</div
</div
<div class='card shadow mb-2 bg-white rounded' |</pre>
<div class='card-body'|
<div class='row'|
<div class='col-md-6'|Business</div|
<div id='tbusiness' class='col-md-6'| {{t_business}} </div|
</div
</div
</div
<div class='card shadow mb-2 bg-white rounded'|</pre>
<div class='card-body' |
<div class='row'|
<div class='col-md-6' |Rent</div
<div id='trent' class='col-md-6' | {{ t_rent }} </div |
</div
```

```
<div class='card shadow mb-2 bg-white rounded'|</pre>
<div class='card-body'|
<div class='row'|
<div class='col-md-6' |EMI < /div |
<div id='temi' class='col-md-6'|{{ t EMI }} </div|</pre>
</div
</div
<div class='card shadow mb-2 bg-white rounded'</pre>
<div class='card-body' |
<div class='row'|
<div class='col-md-6'|Other</div|
<div id='tother' class='col-md-6' | {{ t other}}</div|</pre>
</div
</div
<div class='card shadow mb-2 btn-outline-danger rounded-pill'</pre>
<div class='card-body'|
<div class='row'|
<div class='col-md-6'|Total</div|
<div class='col-md-6' |₹ {{total}} </div
</div
</div
</div
</div
<div class='col-md-6'|
<canvas id='myChart' width='400' height='400' |</canvas|</pre>
let food = document.getElementById('tfood').innerHTML
let entertainment = document.getElementById( 'tentertainment').innerHTML
let business = document.getElementById('tbusiness').innerHTML
let rent = document.getElementById('trent').innerHTML
let emi = document.getElementById('temi').innerHTML
let other = document.getElementById('tother').innerHTML
var ctx = document.getElementById('myChart').getContext('2d');
var myChart = new Chart(ctx, {
type: 'doughnut',
data: {
labels: ['Food', 'Entertainment', 'Business', 'Rent', 'EMI', 'Other'],
datasets: [{
```

```
label: 'Expenses Chart',
data: [food, entertainment, business, rent, emi, other],
backgroundColor: [
'rgb(255, 99, 132)',
'rgb(0, 0, 0)',
'rgb(255, 205, 86)',
'rgb(201, 203, 207)',
'rgb(54, 162, 235)',
'rgb(215, 159, 64)'
}]
options: {
responsive: true,
plugins: {
legend: {
position: 'bottom',
title: {
display: true,
text: 'EXPENSE BREAKDOWN'
});
</script)
</div
</div
</div
</section1
</div
{% endblock %}
```

## year.html

```
{% extends 'base.html' %}

{% block body %}

<div class='container'|

<style|
```

```
body{
font-family: 'Poppins', sans-serif;
overflow: hidden;
</style।
<div class='row'|
<div class='col-md-5'|
<h3 class='mt-5'|YEAR Expense Breakdown</h3|
<div class='card shadow mb-2 bg-white rounded-pill'</pre>
<div class='card-body' |
<div class='row'|
<div value = 'month' class='col-md-6' |YEAR </div |</pre>
<div class='col-md-6' | AMOUNT </div |
</div
</div
{% for row in texpense %}
<div class='card shadow mb-2 bg-white rounded-bottom' |</pre>
<div class='card-body'
<div class='row'|
<div id ='ttime' class='col-md-6'|{{row [0]}}</div
<div id='tamount' class='col-md-6' | {{row[1] }} </div|</pre>
</div
</div
{% endfor %}
</div
</div
<div class='row'|
<div class='col-md-6'|
<h3 class='mt-5' | Expense Breakdown BY Category: CURRENT YEAR < /h3 |
<div class='card shadow mb-2 bg-white rounded-bottom' |</pre>
<div class='card-body' |
<div class='row'|
<div class='col-md-6' |Food</div|
<div id='tfood' class='col-md-6' | {{ t food}}} </div |
```

```
</div
</div
</div
<div class='card shadow mb-2 bg-white rounded' |</pre>
<div class='card-body'|
<div class='row'|
<div class='col-md-6'|Entertainment</div
<div id='tentertainment' class='col-md-6' | {{ t entertainment}} </div |</pre>
</div
</div
<div class='card shadow mb-2 bg-white rounded'|</pre>
<div class='card-body' |
<div class='row'|
<div class='col-md-6'|Business</div|
<div id='tbusiness' class='col-md-6'| {{t_business}} </div|
</div
</div
<div class='card shadow mb-2 bg-white rounded'।</pre>
<div class='card-body' |
<div class='row'|
<div class='col-md-6' |Rent</div|
<div id='trent' class='col-md-6' | {{ t rent }} </div |</pre>
</div
</div
<div class='card shadow mb-2 bg-white rounded'।</pre>
<div class='card-body' |
<div class='row'|
<div class='col-md-6' |EMI</div
<div id='temi' class='col-md-6' | {{ t EMI }} </div |
</div
</div
</div
<div class='card shadow mb-2 bg-white rounded'|</pre>
<div class='card-body'|
<div class='row'|
<div class='col-md-6' |Other < /div |
<div id='tother' class='col-md-6'| {{ t_other}}</div|
```

```
</div
</div
<div class='card shadow mb-2 btn-outline-danger rounded-pill'|</p>
<div class='card-body' |
<div class='row'|
<div class='col-md-6' |Total</div
<div class='col-md-6' |₹ {{total}} </div|</pre>
</div
</div
<div class='col-md-6'|
<canvas id='myChart' width='400' height='400' |</canvas|</pre>
<script|
let food = document.getElementById('tfood').innerHTML
let entertainment = document.getElementById( 'tentertainment').innerHTML
let business = document.getElementById('tbusiness').innerHTML
let rent = document.getElementById('trent').innerHTML
let emi = document.getElementById( 'temi').innerHTML
let other = document.getElementById('tother').innerHTML
var ctx = document.getElementById('myChart').getContext('2d');
var myChart = new Chart(ctx, {
type: 'doughnut',
data: {
labels: ['Food', 'Entertainment', 'Business', 'Rent', 'EMI', 'Other'],
datasets: [{
label: 'Expenses Chart',
data: [food, entertainment, business, rent, emi, other],
backgroundColor: [
'rgb(255, 99, 132)',
'rgb(0, 0, 0)',
'rgb(255, 205, 86)',
'rgb(201, 203, 207)',
'rgb(54, 162, 235)',
'rgb(215, 159, 64)'
}]
options: {
```

```
responsive: true,
plugins: {
legend: {
position: 'bottom',
},
title: {
display: true,
text: 'EXPENSE BREAKDOWN'
}
}
}
}
}

// Continue of the continue
```

## home.css

```
@import 'https://fonts.googleapis.com/css?family=Montserrat:300, 400,
700&display=swap';

* {
padding: 0;
margin: 0;
box-sizing: border-box;
}
html {
font-size: 10px;
font-family: 'Montserrat', sans-serif;
scroll-behavior: smooth;
}
a {
text-decoration: none;
}
.container {
min-height: 100vh;
width: 100%;
display: flex;
```

```
align-items: center;
justify-content: center;
img {
height: 100%;
width: 100%;
object-fit: cover;
p {
color: black;
font-size: 1.4rem;
margin-top: 5px;
line-height: 2.5rem;
font-weight: 300;
letter-spacing: 0.05rem;
.section-title {
font-size: 4rem;
font-weight: 300;
color: black;
margin-bottom: 10px;
text-transform: uppercase;
letter-spacing: 0.2rem;
text-align: center;
.section-title span {
color: rgb(43, 198, 143);
.cta {
display: inline-block;
padding: 10px 30px;
color: white;
background-color: transparent;
border: 2px solid rgb(43, 198, 143);
font-size: 2rem;
text-transform: uppercase;
letter-spacing: 0.1 rem;
margin-top: 30px;
transition: 0.3s ease;
transition-property: background-color, color;
```

```
cta:hover {
color: white;
background-color: rgb(43, 198, 143);
}
.brand h1 {
font-size: 3rem;
text-transform: uppercase;
color: white;
}
.brand h1 span {
color: rgb(43, 198, 143);
}
```

```
* Header section */
#header {
position: fixed;
z-index: 1000;
left: 0;
top: 0;
width: 100vw;
height: auto;
#header .header {
min-height: 8vh;
background-color: rgba(31, 30, 30, 0.24);
transition: 0.3s ease background-color;
#header .nav-bar {
display: flex;
align-items: center;
justify-content: space-between;
width: 100%;
height: 100%;
max-width: 1300px;
padding: 0 10px;
#header .nav-list ul {
list-style: none;
position: absolute;
background-color: rgb(31, 30, \overline{30});
```

```
width: 100vw;
height: 100vh;
left: 100%;
top: 0;
display: flex;
flex-direction: column;
justify-content: center;
align-items: center;
z-index: 1;
overflow-x: hidden;
transition: 0.5s ease left;
#header .nav-list ul.active {
left: 0%;
#header .nav-list ul a {
font-size: 2.5rem;
font-weight: 500;
letter-spacing: 0.2rem;
text-decoration: none;
color: white;
text-transform: uppercase;
padding: 20px;
display: block;
#header .nav-list ul a::after {
content: attr(data-after);
position: absolute;
top: 50%;
left: 50%;
transform: translate(-50%, -50%) scale(0);
color: rgba(240, 248, 255, 0.021);
font-size: 13rem;
letter-spacing: 50px;
z-index: -1;
transition: 0.3s ease letter-spacing;
#header .nav-list ul li:hover a::after {
transform: translate(-50%, -50%) scale(1);
letter-spacing: initial;
```

```
#header .nav-list ul li:hover a {
color: rgb(43, 198, 143);
#header .hamburger {
height: 60px;
width: 60px;
display: inline-block;
border: 3px solid white;
border-radius: 50%;
position: relative;
display: flex;
align-items: center;
justify-content: center;
z-index: 100;
cursor: pointer;
transform: scale(0.8);
margin-right: 20px;
#header .hamburger:after {
position: absolute;
content: ";
height: 100%;
width: 100%;
border-radius: 50%;
border: 3px solid white;
animation: hamburger puls 1s ease infinite;
#header .hamburger .bar {
height: 2px;
width: 30px;
position: relative;
background-color: white;
z-index: -1;
#header .hamburger .bar::after,
#header .hamburger .bar::before {
content: ";
position: absolute;
height: 100%;
width: 100%;
```

```
left: 0;
background-color: white;
transition: 0.3s ease;
transition-property: top, bottom;
}
#header .hamburger .bar::after {
top: 8px;
}
#header .hamburger .bar::before {
bottom: 8px;
}
#header .hamburger.active .bar::before {
bottom: 0;
}
#header .hamburger.active .bar::after {
top: 0;
}
#header .hamburger.active .bar::after {
top: 0;
}
#End Header section */
```

```
#hero {
background-image: url(../images/hero-bg.png);
background-size: cover;
background-position: top center;
position: relative;
z-index: 1;
#hero::after {
content: ";
position: absolute;
left: 0;
top: 0;
height: 100%;
width: 100%;
background-color: black;
opacity: 0.7;
z-index: -1;
#hero .hero {
max-width: 1200px;
margin: 0 auto;
```

```
padding: 0 50px;
justify-content: flex-start;
#hero h1 {
display: block;
width: fit-content;
font-size: 4rem;
position: relative;
color: transparent;
animation: text_reveal 0.5s ease forwards;
animation-delay: 1s;
#hero h1:nth-child(1) {
animation-delay: 1s;
#hero h1:nth-child(2) {
animation-delay: 2s;
#hero h1:nth-child(3) {
animation: text_reveal_name 0.5s ease forwards;
animation-delay: 3s;
#hero h1 span {
position: absolute;
top: 0;
left: 0;
height: 100%;
width: 0;
background-color: rgb(43, 198, 143);
animation: text reveal box 1s ease;
animation-delay: 0.5s;
#hero h1:nth-child(1) span {
animation-delay: 0.5s;
#hero h1:nth-child(2) span {
animation-delay: 1.5s;
#hero h1:nth-child(3) span {
animation-delay: 2.5s;
```

```
* Services Section */
#services .services {
flex-direction: column;
text-align: center;
max-width: 1500px;
margin: 0 auto;
padding: 100px 0;
#services .service-top {
max-width: 500px;
margin: 0 auto;
#services .service-bottom {
display: flex;
align-items: center;
justify-content: center;
flex-wrap: wrap;
margin-top: 50px;
#services .service-item {
flex-basis: 80%;
display: flex;
align-items: flex-start;
justify-content: center;
flex-direction: column;
padding: 30px;
border-radius: 10px;
background-image: url('../images/img-1.png');
background-size: cover;
margin: 10px 5%;
position: relative;
z-index: 1;
overflow: hidden;
#services .service-item::after {
content: '';
position: absolute;
left: 0;
top: 0;
```

```
height: 100%;
width: 100%;
background-image: linear-gradient(60deg, #29323c 0%, #485563 100%);
opacity: 0.9;
z-index: -1;
#services .service-bottom .icon {
height: 80px;
width: 80px;
margin-bottom: 20px;
#services .service-item h2 {
font-size: 2rem;
color: white;
margin-bottom: 10px;
text-transform: uppercase;
#services .service-item p {
color: white;
text-align: left;
* End Services Section */
```

```
/* Projects section */

#projects .projects {

flex-direction: column;

max-width: 1200px;

margin: 0 auto;

padding: 100px 0;

}

#projects .projects-header h1 {

margin-bottom: 50px;

}

#projects .all-projects {

display: flex;

align-items: center;

justify-content: center;

flex-direction: column;

}

#projects .project-item {

display: flex;
```

```
align-items: center;
justify-content: center;
flex-direction: column;
width: 80%;
margin: 20px auto;
overflow: hidden;
border-radius: 10px;
#projects .project-info {
padding: 30px;
flex-basis: 50%;
height: 100%;
display: flex;
align-items: flex-start;
justify-content: center;
flex-direction: column;
background-image: linear-gradient(60deg, #29323c 0%, #485563 100%);
color: white;
#projects .project-info h1 {
font-size: 4rem;
font-weight: 500;
#projects .project-info h2 {
font-size: 1.8rem;
font-weight: 500;
margin-top: 10px;
#projects .project-info p {
color: white;
#projects .project-img {
flex-basis: 50%;
height: 300px;
overflow: hidden;
position: relative;
#projects .project-img:after {
content: '';
position: absolute;
left: 0;
```

```
top: 0;
height: 100%;
width: 100%;
background-image: linear-gradient(60deg, #29323c 0%, #485563 100%);
opacity: 0.7;
}
#projects .project-img img {
transition: 0.3s ease transform;
}
#projects .project-item:hover .project-img img {
transform: scale(1.1);
}
/* End Projects section */
```

```
* About Section */
#about .about {
flex-direction: column-reverse;
text-align: center;
max-width: 1200px;
margin: 0 auto;
padding: 100px 20px;
#about .col-left {
width: 250px;
height: 360px;
#about .col-right {
width: 100%;
#about .col-right h2 {
font-size: 1.8rem;
font-weight: 500;
letter-spacing: 0.2rem;
margin-bottom: 10px;
#about .col-right p {
margin-bottom: 20px;
#about .col-right .cta {
color: black;
margin-bottom: 50px;
```

```
padding: 10px 20px;
font-size: 2rem;
#about .col-left .about-img {
height: 100%;
width: 100%;
position: relative;
border: 10px solid white;
#about .col-left .about-img::after {
content: ";
position: absolute;
left: -33px;
top: 19px;
height: 98%;
width: 98%;
border: 7px solid rgb(43, 198, 143);
z-index: -1;
* End About Section */
```

```
* contact Section */
#contact .contact {
flex-direction: column;
max-width: 1200px;
margin: 0 auto;
width: 90%;
#contact .contact-items {
width: 100%;
#contact .contact-item {
width: 80%;
padding: 20px;
text-align: center;
border-radius: 10px;
padding: 30px;
margin: 30px;
display: flex;
justify-content: center;
```

```
align-items: center;
flex-direction: column;
box-shadow: 0px 0px 18px 0 #0000002c;
transition: 0.3s ease box-shadow;
#contact .contact-item:hover {
box-shadow: 0px 0px 5px 0 #0000002c;
#contact .icon {
width: 70px;
margin: 0 auto;
margin-bottom: 10px;
#contact .contact-info h1 {
font-size: 2.5rem;
font-weight: 500;
margin-bottom: 5px;
#contact .contact-info h2 {
font-size: 1.3rem;
line-height: 2rem;
font-weight: 500;
```

```
/* Footer */
#footer {
background-image: linear-gradient(60deg, #29323c 0%, #485563 100%);
}
#footer .footer {
min-height: 200px;
flex-direction: column;
padding-top: 50px;
padding-bottom: 10px;
}
#footer h2 {
color: white;
font-weight: 500;
font-size: 1.8rem;
letter-spacing: 0.1rem;
margin-top: 10px;
```

```
margin-bottom: 10px;
#footer .social-icon {
display: flex;
margin-bottom: 30px;
#footer .social-item {
height: 50px;
width: 50px;
margin: 0 5px;
#footer .social-item img {
filter: grayscale(1);
transition: 0.3s ease filter;
#footer .social-item:hover img {
filter: grayscale(0);
#footer p {
color: white;
font-size: 1.3rem;
 * End Footer */
```

```
/* Keyframes */
@keyframes hamburger_puls {
0% {
0 pacity: 1;
transform: scale(1);
}
100% {
0 pacity: 0;
transform: scale(1.4);
}
}
@keyframes text_reveal_box {
50% {
width: 100%;
left: 0;
}
100% {
width: 0;
```

```
left: 100%;
@keyframes text_reveal {
100% {
color: white;
@keyframes text reveal name {
100% {
color: rgb(43, 198, 143);
font-weight: 500;
* End Keyframes */
* Media Query For Tablet */
@media only screen and (min-width: 768px) {
.cta {
font-size: 2.5rem;
padding: 20px 60px;
h1.section-title {
font-size: 6rem;
 * Hero */
#hero h1 {
font-size: 7rem;
* End Hero */
 * Services Section */
#services .service-bottom .service-item {
flex-basis: 45%;
margin: 2.5%;
* End Services Section */
#projects .project-item {
flex-direction: row;
```

```
#projects .project-item:nth-child(even) {
flex-direction: row-reverse;
#projects .project-item {
height: 400px;
margin: 0;
width: 100%;
border-radius: 0;
#projects .all-projects .project-info {
height: 100%;
#projects .all-projects .project-img {
height: 100%;
* End Project */
* About */
#about .about {
flex-direction: row;
#about .col-left {
width: 600px;
height: 400px;
padding-left: 60px;
#about .about .col-left .about-img::after {
left: -45px;
top: 34px;
height: 98%;
width: 98%;
border: 10px solid rgb(43, 198, 143)
```

```
#about .col-right {

text-align: left;

padding: 30px;

}
#about .col-right h1 {

text-align: left;

}
/* End About */
```

```
#contact .contact {
flex-direction: column;
padding: 100px 0;
align-items: center;
justify-content: center;
min-width: 20vh;
#contact .contact-items {
width: 100%;
display: flex;
flex-direction: row;
justify-content: space-evenly;
margin: 0;
#contact .contact-item {
width: 30%;
margin: 0;
flex-direction: row;
#contact .contact-item .icon {
height: 100px;
width: 100px;
#contact .contact-item .icon img {
object-fit: contain;
#contact .contact-item .contact-info {
width: 100%;
text-align: left;
padding-left: 20px;
* End contact */
* End Media Query For Tablet */
```

```
/* Media Query For Desktop */
@media only screen and (min-width: 1200px) {
/* header */
#header .hamburger {
display: none;
```

```
#header .nav-list ul {
position: initial;
display: block;
height: auto;
width: fit-content;
background-color: transparent;
#header .nav-list ul li {
display: inline-block;
#header .nav-list ul li a {
font-size: 1.8rem;
#header .nav-list ul a:after {
display: none;
* End header */
#services .service-bottom .service-item {
flex-basis: 22%;
margin: 1.5%;
* End Media Query For Desktop */
```

## login.css

```
*{
padding: 0;
margin: 0;
box-sizing: border-box;
}
body{
font-family: 'Poppins', sans-serif;
overflow: hidden;
}
```

```
.wave{
position: fixed;
```

```
bottom: 0;
left: 0;
height: 100%;
z-index: -1;
.container{
width: 100vw;
height: 100vh;
display: grid;
grid-template-columns: repeat(2, 1fr);
grid-gap :7rem;
padding: 0 2rem;
.img{
display: flex;
justify-content: flex-end;
align-items: center;
.login-content{
display: flex;
justify-content: flex-start;
align-items: center;
text-align: center;
.img img{
width: 500px;
form{
width: 360px;
.login-content img{
height: 100px;
.login-content h2{
margin: 15px 0;
color: #333;
```

```
text-transform: uppercase;
font-size: 2.9rem;
.login-content .input-div{
position: relative;
display: grid;
grid-template-columns: 7% 93%;
margin: 25px 0;
padding: 5px 0;
border-bottom: 2px solid #d9d9d9;
.login-content .input-div.one{
margin-top: 0;
color: #d9d9d9;
display: flex;
justify-content: center;
align-items: center;
.i i{
transition: .3s;
.input-div | div{
position: relative;
height: 45px;
.input-div | div | h5{
position: absolute;
left: 10px;
top: 50%;
transform: translateY(-50%);
color: #999;
font-size: 18px;
transition: .3s;
```

```
.input-div:before, .input-div:after{
content: ";
position: absolute;
bottom: -2px;
width: 0%;
height: 2px;
background-color: #38d39f;
transition: .4s;
.input-div:before{
right: 50%;
.input-div:after{
left: 50%;
.input-div.focus:before, .input-div.focus:after{
width: 50%;
.input-div.focus | div | h5{
top: -5px;
font-size: 15px;
.input-div.focus | .i | i{
color: #38d39f;
.input-div | div | input{
position: absolute;
left: 0;
top: 0;
width: 100%;
height: 100%;
border: none;
outline: none;
background: none;
padding: 0.5rem 0.7rem;
font-size: 1.2rem;
color: #555;
```

```
font-family: 'poppins', sans-serif;
}
.input-div.pass{
margin-bottom: 4px;
}

a{
display: block;
text-align: right;
text-decoration: none;
color: #999;
font-size: 0.9rem;
transition: .3s;
}
```

```
.btn{
display: block;
width: 100%;
height: 50px;
border-radius: 25px;
outline: none;
border: none;
background-image: linear-gradient(to right, #32be8f, #38d39f, #32be8f);
background-size: 200%;
font-size: 1.2rem;
color: #fff;
font-family: 'Poppins', sans-serif;
text-transform: uppercase;
margin: 1 rem 0;
cursor: pointer;
}
```

```
@media screen and (max-width: 1050px){
.container{
grid-gap: 5rem;
}
```

```
@media screen and (max-width: 1000px){
form{
width: 290px;
.login-content h2{
font-size: 2.4rem;
margin: 8px 0;
.img img{
width: 400px;
@media screen and (max-width: 900px){
.container{
grid-template-columns: 1fr;
.img{
display: none;
.wave{
display: none;
.login-content{
justify-content: center;
.container{
overflow:scroll
.container::-webkit-scrollbar {
display: none;
ul {
position:relative;
top:-20px;
left:0%;
right:10%;
transform: translate(-50%, -50%);
```

```
margin: 75px;
padding:0;
display:flex;
flex:auto;
ul li {
list-style: none;
ul li a {
position: relative;
width:60px;
height:60px;
display:block;
text-align:center;
margin:0 10px;
border-radius: 50%;
padding: 6px;
box-sizing: border-box;
text-decoration:none;
box-shadow: 0\ 10px\ 15px\ rgba(0,0,0,0.3);
background: linear-gradient(0deg, #ddd, #fff);
transition: .5s;
ul li a:hover {
box-shadow: 0 2px 5px rgba(0,0,0,0.3);
text-decoration:none;
ul li a .fab {
width: 100%;
height:100%;
display:block;
background: linear-gradient(0deg, #fff, #ddd);
border-radius: 50%;
line-height: calc(60px - 12px);
font-size:24px;
color: #262626;
transition: .5s;
ul li:nth-child(1) a:hover .fab {
color: #3b5998;
```

```
ul li:nth-child(2) a:hover .fab {
color: #00aced;
}
ul li:nth-child(3) a:hover .fab {
color: #dd4b39;
}
ul li:nth-child(4) a:hover .fab {
color: #007bb6;
}
ul li:nth-child(5) a:hover .fab {
color: #e4405f;
}
.app{
position: relative;
top: -70px;
height: 5%;
```

```
#app1{
font-style: oblique;
color:blue;
}
#png{
position: relative;
top: -300px;
right: 50px;
}
```

## signup.css

```
@charset 'utf-8';
/* CSS Document */
body{
background-color:#eef1f8;
margin:0px;
padding:0px;
}
a{
text-decoration:none;
}
```

```
.container{
width:100%;
height:100%;
background-color:#FFFFFF;
position: absolute;
left:50%:
top:49%;
transform:translate(-50%,-50%);
box-shadow:2px 2px 30px rgba(66,57,238,0.2);
border-radius:20px;
display:flex;
justify-content: center;
align-items:center;
background-image: url('../images/bg.gif');
background-repeat:no-repeat;
background-size:cover;
.sign-up{
position: relative;
left: -250px;
width:50%;
display:flex;
flex-direction:column;
align-items: center;
.text-container{
position: relative;
top:-100px; padding-bottom:-50px;
width:50%;
height:100%;
display:flex;
flex-direction:column;
justify-content: center;
align-items: center;
margin-left:700px;
margin-bottom:-10px;
top:-40px
.heading{
font-family:calibri;
```

```
color:rgba(30,30,30,1);
position: relative;
left:80px;
.text{
width:350px;
height:50px;
box-shadow:2px 6px 18px rgba(66,57,238,0.3);
border-radius: 30px;
display:flex;
align-items:center;
margin:10px;
.text input{
height:40px;
width:80%;
outline:none;
border:none;
font-size:14px;
margin:5px;
.text img{
margin-left:20px;
.conditions{
font-family:myriad pro;
color:#bbc1cb;
font-size:14px;
.trems{
top:20px;
position: relative;
left:37px;
display: flex;
align-items:center;
.conditions a{
color:#7d22e3;
font-weight:500;
```

```
button{
width:200px;
height:40px;
outline:none;
border:none;
border-radius:20px;
background:linear-gradient(-30deg,#3b02ed,#8e2ae0 55%);
box-shadow:2px 6px 16px rgba(66,57,238,0.3);
color:#FFFFF;
font-weight:600;
letter-spacing:1px;
font-weight: 13px;
button:active{
transform:scale(1.1);
.text-container p{
width:70%;
text-align: center;
font-family:arial;
font-size: 15px;
font-weight: 400;
line-height:0px;
ul {
position:relative;
top:40px;
left:25%;
right:100px;
transform: translate(-50%, -50%);
margin: 75px;
padding:0;
display:flex;
flex:auto;
ul li {
list-style: none;
ul li a {
position: relative;
width:60px;
```

```
height:60px;
display:block;
text-align:center;
margin:0 10px;
border-radius: 50%;
padding: 6px;
box-sizing: border-box;
text-decoration:none;
box-shadow: 0\ 10px\ 15px\ rgba(0,0,0,0.3);
background: linear-gradient(0deg, #ddd, #fff);
transition: .5s;
ul li a:hover {
box-shadow: 0 2px 5px rgba(0,0,0,0.3);
text-decoration:none;
ul li a .fab {
width: 100%;
height:100%;
display:block;
background: linear-gradient(0deg, #fff, #ddd);
border-radius: 50%;
line-height: calc(60px - 12px);
font-size:24px;
color: #262626;
transition: .5s;
ul li:nth-child(1) a:hover .fab {
color: #3b5998;
ul li:nth-child(2) a:hover .fab {
color: #00aced;
ul li:nth-child(3) a:hover .fab {
color: #dd4b39;
ul li:nth-child(4) a:hover .fab {
color: #007bb6;
ul li:nth-child(5) a:hover .fab {
color: #e4405f;
```

```
.toop{
position: relative;
top: 20px;
left: 75px;
.check{
position: relative;
top: -8px;
left: -5px;
.para{
position: relative;
top: 0px;
left: -45px;
.diag{
position: relative;
top:0px;
margin: 0px;
padding: 0px;
left:-10px;
.fig1{
position: relative;
size:200%;
#png{
position: relative;
left: -270px;
top: -45px;
.or{
position: relative;
left:180px;
.s1{
position: relative;
left: 140px;
```

```
.t{
position: relative;
left:-100px;
top:10px;
}
```

#### home.js

```
const hamburger = document.querySelector('.header .nav-bar .nav-list .hamburger');
const mobile menu = document.querySelector('.header .nav-bar .nav-list ul');
const menu item = document.querySelectorAll('.header .nav-bar .nav-list ul li a');
const header = document.querySelector('.header.container');
hamburger.addEventListener('click', () = | {
hamburger.classList.toggle('active');
mobile menu.classList.toggle('active');
});
document.addEventListener('scroll', ( ) = | {
var scroll position = window.scrollY;
if (scroll position | 250) {
header.style.backgroundColor = '#29323c';
} else {
header.style.backgroundColor = 'transparent';
});
menu item.forEach((item) = | {
item.addEventListener('click', () = | {
hamburger.classList.toggle('active');
mobile menu.classList.toggle('active');
});
});
```

## login.js

```
const inputs = document.querySelectorAll('.input');
function addcl(){
let parent = this.parentNode.parentNode;
parent.classList.add('focus');
```

```
function remcl(){
let parent = this.parentNode.parentNode;
if(this.value == "){
parent.classList.remove('focus');
}
inputs.forEach(input =| {
input.addEventListener('focus', addel);
input.addEventListener('blur', remcl);
});
```

# **Output:**

An alert message from the sendGrid official Mail