PROJECT DEVELOPMENT PHASE

SPRINT - 1

Date	28 OCTOBER 2022
Team ID	PNT2022TMID31320
Project Name	PERSON EXPENSE TRACKER APPLICATION
Maximum Marks	8 Marks

app.py

```
from flask import Flask, render_template, request, redirect, session

import ibm_db
import re

app = Flask(__name__)
```

```
app.secret_key = 'a'
```

conn=ibm_db.connect('DATABASE=bludb;HOSTNAME='';PORT='';SECURITY=SSL;SSLServerCertificate
=DigiCertGlobalRootCA.crt;UID='';PWD='';','','')

```
#HOME--PAGE

@app.route('/home')

def home():

return render_template('homepage.html')
```

```
@app.route('/')
def add():
return render_template('home.html')
```

```
#SIGN--UP--OR--REGISTER
```

```
@app.route('/signup')
def signup():
return render_template('signup.html')
```

```
@app.route('/register', methods =['GET', 'POST'])
def register():
msg = ''
if request.method == 'POST':
username = request.form['username']
email = request.form['email']
password = request.form['password']
sql = 'SELECT * FROM REGISTER WHERE USERNAME = ?'
```

```
sql = 'SELECT * FROM REGISTER WHERE USERNAME = ?'
stmt = ibm_db.prepare(conn, sql)
ibm_db.bind_param(stmt,1,username)
ibm_db.execute(stmt)
account = ibm_db.fetch_assoc(stmt)
print(account)
```

```
if account:

msg = 'Account already exists!'

elif not re.match(r'[ \ @]+@[ \ @]+\.[ \ @]+', email):

msg = 'Invalid email address!'

elif not re.match(r'[A-Za-z0-9]+', username):

msg = 'name must contain only characters and numbers!'

else:

sql1='INSERT INTO REGISTER(USERNAME,PASSWORD,EMAIL) VALUES(?,?,?)'

stmt1 = ibm_db.prepare(conn, sql1)

ibm_db.bind_param(stmt1,1,username)

ibm_db.bind_param(stmt1,2,password)

ibm_db.bind_param(stmt1,3,email)

ibm_db.execute(stmt1)

msg = 'You have successfully registered!'

return render_template('signup.html', msg = msg)
```

```
#LOGIN--PAGE
@app.route('/signin')
def signin():
return render_template('login.html')
@app.route('/login',methods = ['GET', 'POST'])
def login():
global userid
msg = ''
if request.method == 'POST':
```

```
username = request.form['username']
```

```
password = request.form['password']
sql = 'SELECT * FROM REGISTER WHERE USERNAME = ? AND PASSWORD = ?'
stmt = ibm db.prepare(conn, sql)
ibm db.bind param(stmt,1,username)
ibm db.bind param(stmt,2,password)
ibm db.execute(stmt)
account = ibm_db.fetch_assoc(stmt)
print(account)
if account:
session['loggedin'] = True
session['id'] = account['ID']
userid= account['ID']
session['username'] = account['USERNAME']
session['email']=account['EMAIL']
return redirect('/home')
else:
msg = 'Incorrect username / password !'
return render template('login.html', msg = msg)
```

```
@app.route('/logout')

def logout():
session.pop('loggedin', None)
session.pop('id', None)
session.pop('username', None)
session.pop('email',None)
return render_template('home.html')

if __name__ == '__main__':
app.run(debug=True)
```

base.html

```
<!DOCTYPE html|
<html lang='en' |
<head|
<li>link rel='stylesheet' href='https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dist/css/bootstrap.min.css'
integrity='sha384-TX8t27EcRE3e/ihU7zmQxVncDAy5uIKz4rEkgIXeMed4M0jlfIDPvg6uqKI2xXr2'
crossorigin='anonymous' |
<script src='https://cdn.jsdelivr.net/npm/chart.js@3.2.1/dist/chart.min.js' | </script |</pre>
```

```
<script src='https://code.jquery.com/jquery-3.5.1.slim.min.js' integrity='sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj'
crossorigin='anonymous'|</script|
<script src='https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js' integrity='sha384-
9/reFTGAW83EW2RDu2S0VKaIzap3H66lZH81PoYlFhbGU+6BZp6G7niu735Sk7lN'
crossorigin='anonymous'|</script|</pre>
```

<script src='https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js' integrity='sha384B4gt1jrGC7Jh4AgTPSdUtOBvfO8shuf57BaghqFfPlYxofvL8/KUEfYiJOMMV+rV'
crossorigin='anonymous' | </script |</pre>

```
<link rel='stylesheet' href='https://pro.fontawesome.com/releases/v5.10.0/css/all.css'</pre>
integrity='sha384-AYmEC3Yw5cVb3ZcuHtOA93w35dYTsvhLPVnYs9eStHfGJvOvKxVfELGroGkvsg+p'
crossorigin='anonymous'/|
<title|Document</title|
</head)
<body1
<nav class='navbar sticky-top navbar-expand-lg navbar-light' style='background-color: #e3f2fd;'|</p>
<a class='navbar-brand' href='#'|MyBudget</a|
<button class='navbar-toggler' type='button' data-toggle='collapse' data-
target='#navbarSupportedContent' aria-controls='navbarSupportedContent' aria-expanded='false'
aria-label='Toggle navigation'।
<span class='navbar-toggler-icon' | </span |</pre>
<div class='collapse navbar-collapse' id='navbarSupportedContent' |</p>
ul class='navbar-nav mr-auto'|
class='nav-item active'|
<a class='nav-link' href='/home' |Home <span class='sr-only' |(current) < /span | </a|
class='nav-item'|
<a class='nav-link' href='/add'|Add</a|
class='nav-item' |
<a class='nav-link' href='/display' |History</a|
class='nav-item'|
<a class='nay-link' href='/limit'|LIMIT</a|
class='nav-item dropdown'|
<a class='nav-link dropdown-toggle' href='#' id='navbarDropdown' role='button' data-
toggle='dropdown' aria-haspopup='true' aria-expanded='false'|
Report
```

```
</al
<div class='dropdown-menu' aria-labelledby='navbarDropdown' |
<a class='dropdown-item' href='/today' |TODAY </a|
<a class='dropdown-item' href='/month' |Month </a|
<a class='dropdown-item' href='/year' |Year </a|
</div|
</div|
</li>
li class='nav-item' |
<a class='nav-link' href='/logout' |Logout </a|
</li>
</div|
</di>
</dr>
```

home.html

```
<!DOCTYPE html
<html lang='en' |
<head|
<meta charset='UTF-8' /|
<meta name='viewport' content='width=device-width, initial-scale=1.0' /|
<li>link rel='stylesheet' href='..\static\css\home.css' /|
<title|My Website</title|
</head|</pre>
```

```
<body
<!-- Header --|
<section id='header'|
<div class='header container'|
<div class='nav-bar'|
<div class='brand'|
<a href='#hero'|
<h1|<span|M</span|y <span|B</span|udget</h1|
</al>
</div|
<div class='nav-list'|
<div class='hamburger'|
<div class='hamburger'|
<div class='bar'|</div|</pre>
```

```
</div|
<ul>
|<a href='#hero' data-after='Home'|Home</a|</li>
|<a href='/signin' data-after='Login'|-Login-</a|</li>

</div|
</div|
</div|
</div|
</div|
</div|
</div|
</fre>

/bi
|<a href='/signin' data-after='Login'|-Login-</a>
/a|

/div|

/div|

/section|
<!-- End Header --|</pre>
```

```
<!-- Hero Section --|

<section id='hero'|

<div class='hero container'|

<div|

<h1|Hello, <span| </span| </h1|

<h1|Welcome To <span| </span| </h1|

<h1|Expense Tracker Web application <span| </span| </h1|

<a href='/signup' type='button' class='cta'|Sign-up</a|

</div|

</div|

</section|

<!-- End Hero Section --|
```

```
<script src='..\static\js\home.js' | </script |
</body |
</html |
```

login.html

```
<!DOCTYPE html|
<html|
<head|
<title|Login Form</title|
<li>link rel='stylesheet' type='text/css' href='..\static\css\login.css'|
link href='https://fonts.googleapis.com/css?family=Poppins:600&display=swap' rel='stylesheet'|
<script src='https://kit.fontawesome.com/a81368914c.js'|</script|
<meta name='viewport' content='width=device-width, initial-scale=1'|
</head|
<br/>body |
<img class='wave' src='..\static\images\wave.png'|</pre>
```

```
<div class='container'|
<div class='img'|
<div id='png' | <a href='/' title='HOME' | <img style='width:75px; height:75px; '</pre>
src='..\static\images\home-page.png'|</a|</div|</pre>
<img src='..\static\images\bg.svg'|
<div class='login-content'|
<form action='/login' method='POST' |
<div class='msg' |{{ msg }}</div|
<img src='..\static\images\avatar.svg'|</pre>
<h2 class='title' |Login</h2|
<div class='input-div one'|
<div class='i'|
<i class='fas fa-user' | </i|
</div
<div class='div'|
<h5|Username</h5|
<input type='text' name='username' class='input' required|</pre>
</div
</div
<div class='input-div pass'|
<div class='i'|
<i class='fas fa-lock' |</i|
</div
<div class='div'|
<h5|Password</h5|
<input type='password' name='password' class='input' required|</pre>
</div
</div
<a href='#'|Forgot Password?</a|
<input type='submit' class='btn' value='Login'|</pre>
<a href='/signup' class='btn' style='text-decoration: none; padding-top: 15px; font-size: 12px;
transition: none; <a href="mailto:renter">(<a href="mailto:renter")</a>)</a>
</div
</div
<script type='text/javascript' src='..\static\js\login.js' |</script|</pre>
</body1
 </html
```

```
<!DOCTYPE html
<head।
<title|Register</title|
<link rel='stylesheet' type='text/css' href='..\static\css\login.css' |</pre>
k href='https://fonts.googleapis.com/css?family=Poppins:600&display=swap' rel='stylesheet' |
<script src='https://kit.fontawesome.com/a81368914c.js' | </script |</pre>
<meta name='viewport' content='width=device-width, initial-scale=1'|</pre>
</head)
<body |
<img class='wave' src='..\static\images\wave.png'|</pre>
<div class='container' |
<div class='img'|
<div id='png' | <a href='/' title='HOME' | <img style='width:75px; height:75px; '</pre>
src='..\static\images\home-page.png'|</a|</div|</pre>
<img src='..\static\images\bg.svg'|
</div
<div class='login-content'|
<form action='/register' method='POST' |</pre>
<div class='msg' | {{ msg }} < /div |
<img src='..\static\images\avatar.svg'|
<h2 class='title' | Register < /h2 |
<div class='input-div one' |
<div class='i'|
<i class='fas fa-user' | </i|
</div
<div class='div'|
<h5|Username</h5|
<input type='text' name='username' class='input' required|</pre>
</div
<div class='input-div one'|
<div class='i'
<i class='fas fa-user' |</i|
</div
<div class='div'|
<h5|E-Mail</h5|
<input type='email' name='email' class='input' required|</pre>
</div
<div class='input-div pass'|
<div class='i'|
<i class='fas fa-lock' |</i|
```

```
</div|
<div class='div'|
<h5|Password</h5|
<input type='password' name='password' class='input' required|
</div|
</div|
<input type='submit' class='btn' value='Create Account'|
<a href='/signin' class='btn' style='text-decoration: none; padding-top: 15px; font-size: 12px; transition: none;'|<center|| Already have an account</center|</a|
</br/>
<br/>
</br/>
<br/>
</br/>
<br/>
<b
```

home.css

```
@import 'https://fonts.googleapis.com/css?family=Montserrat:300, 400, 700&display=swap';
padding: 0;
margin: 0;
box-sizing: border-box;
html {
font-size: 10px;
font-family: 'Montserrat', sans-serif;
scroll-behavior: smooth;
a {
text-decoration: none;
.container {
min-height: 100vh;
width: 100%;
display: flex;
align-items: center;
justify-content: center;
img {
height: 100%;
```

```
width: 100%;
object-fit: cover;
p {
color: black;
font-size: 1.4rem;
margin-top: 5px;
line-height: 2.5rem;
font-weight: 300;
letter-spacing: 0.05rem;
.section-title {
font-size: 4rem;
font-weight: 300;
color: black;
margin-bottom: 10px;
text-transform: uppercase;
letter-spacing: 0.2rem;
text-align: center;
.section-title span {
color: rgb(43, 198, 143);
.cta {
display: inline-block;
padding: 10px 30px;
color: white;
background-color: transparent;
border: 2px solid rgb(43, 198, 143);
font-size: 2rem;
text-transform: uppercase;
letter-spacing: 0.1 rem;
margin-top: 30px;
transition: 0.3s ease;
transition-property: background-color, color;
.cta:hover {
color: white;
background-color: rgb(43, 198, 143);
.brand h1 {
font-size: 3rem;
text-transform: uppercase;
color: white;
```

```
}
.brand h1 span {
color: rgb(43, 198, 143);
}
```

```
* Header section */
#header {
position: fixed;
z-index: 1000;
left: 0;
top: 0;
width: 100vw;
height: auto;
#header .header {
min-height: 8vh;
background-color: rgba(31, 30, 30, 0.24);
transition: 0.3s ease background-color;
#header .nav-bar {
display: flex;
align-items: center;
justify-content: space-between;
width: 100%;
height: 100%;
max-width: 1300px;
padding: 0 10px;
#header .nav-list ul {
list-style: none;
position: absolute;
background-color: rgb(31, 30, 30);
width: 100vw;
height: 100vh;
left: 100%;
top: 0;
display: flex;
flex-direction: column;
justify-content: center;
align-items: center;
z-index: 1;
overflow-x: hidden;
transition: 0.5s ease left;
#header .nav-list ul.active {
```

```
left: 0%;
#header .nav-list ul a {
font-size: 2.5rem;
font-weight: 500;
letter-spacing: 0.2rem;
text-decoration: none;
color: white:
text-transform: uppercase;
padding: 20px;
display: block;
#header .nav-list ul a::after {
content: attr(data-after);
position: absolute;
top: 50%;
left: 50%;
transform: translate(-50\%, -50\%) scale(0);
color: rgba(240, 248, 255, 0.021);
font-size: 13rem;
letter-spacing: 50px;
z-index: -1;
transition: 0.3s ease letter-spacing;
#header .nav-list ul li:hover a::after {
transform: translate(-50%, -50%) scale(1);
letter-spacing: initial;
#header .nav-list ul li:hover a {
color: rgb(43, 198, 143);
#header .hamburger {
height: 60px;
width: 60px;
display: inline-block;
border: 3px solid white;
border-radius: 50%:
position: relative;
display: flex;
align-items: center;
justify-content: center;
z-index: 100;
cursor: pointer;
transform: scale(0.8);
```

```
margin-right: 20px;
#header .hamburger:after {
position: absolute;
content: ";
height: 100%;
width: 100%;
border-radius: 50%;
border: 3px solid white;
animation: hamburger puls 1s ease infinite;
#header .hamburger .bar {
height: 2px;
width: 30px;
position: relative;
background-color: white;
z-index: -1;
#header .hamburger .bar::after,
#header .hamburger .bar::before {
content: ":
position: absolute;
height: 100%;
width: 100%;
left: 0;
background-color: white;
transition: 0.3s ease;
transition-property: top, bottom;
#header .hamburger .bar::after {
top: 8px;
#header .hamburger .bar::before {
bottom: 8px;
#header .hamburger.active .bar::before {
bottom: 0;
#header .hamburger.active .bar::after {
top: 0;
* End Header section */
```

```
/* Hero Section */
#hero {
```

```
background-image: url(../images/hero-bg.png);
background-size: cover;
background-position: top center;
position: relative;
z-index: 1;
#hero::after {
content: ":
position: absolute;
left: 0;
top: 0;
height: 100%;
width: 100%;
background-color: black;
opacity: 0.7;
z-index: -1;
#hero .hero {
max-width: 1200px;
margin: 0 auto;
padding: 0 50px;
justify-content: flex-start;
#hero h1 {
display: block;
width: fit-content;
font-size: 4rem;
position: relative;
color: transparent;
animation: text_reveal 0.5s ease forwards;
animation-delay: 1s;
#hero h1:nth-child(1) {
animation-delay: 1s;
#hero h1:nth-child(2) {
animation-delay: 2s;
#hero h1:nth-child(3) {
animation: text_reveal_name 0.5s ease forwards;
animation-delay: 3s;
#hero h1 span {
position: absolute;
```

```
top: 0;
left: 0;
height: 100%;
width: 0;
background-color: rgb(43, 198, 143);
animation: text_reveal_box 1s ease;
animation-delay: 0.5s;
}
#hero h1:nth-child(1) span {
animation-delay: 0.5s;
}
#hero h1:nth-child(2) span {
animation-delay: 1.5s;
}
#hero h1:nth-child(3) span {
animation-delay: 2.5s;
}
```

/* End Hero Section */

```
Services Section */
#services .services {
flex-direction: column;
text-align: center;
max-width: 1500px;
margin: 0 auto;
padding: 100px 0;
#services .service-top {
max-width: 500px;
margin: 0 auto;
#services .service-bottom {
display: flex;
align-items: center;
justify-content: center;
flex-wrap: wrap;
margin-top: 50px;
#services .service-item {
flex-basis: 80%;
display: flex;
align-items: flex-start;
justify-content: center;
flex-direction: column:
```

```
padding: 30px;
border-radius: 10px;
background-image: url('../images/img-1.png');
background-size: cover;
margin: 10px 5%;
position: relative;
z-index: 1;
overflow: hidden;
#services .service-item::after {
content: ";
position: absolute;
left: 0:
top: 0;
height: 100%;
width: 100%;
background-image: linear-gradient(60deg, #29323c 0%, #485563 100%);
opacity: 0.9;
z-index: -1;
#services .service-bottom .icon {
height: 80px;
width: 80px;
margin-bottom: 20px;
#services .service-item h2 {
font-size: 2rem;
color: white;
margin-bottom: 10px;
text-transform: uppercase;
#services .service-item p {
color: white;
text-align: left;
* End Services Section */
```

```
#projects section */

#projects .projects {

flex-direction: column;

max-width: 1200px;

margin: 0 auto;

padding: 100px 0;

}

#projects .projects-header h1 {
```

```
margin-bottom: 50px;
#projects .all-projects {
display: flex;
align-items: center;
justify-content: center;
flex-direction: column;
#projects .project-item {
display: flex;
align-items: center;
justify-content: center;
flex-direction: column;
width: 80%;
margin: 20px auto;
overflow: hidden;
border-radius: 10px;
#projects .project-info {
padding: 30px;
flex-basis: 50%;
height: 100%;
display: flex;
align-items: flex-start;
justify-content: center;
flex-direction: column;
background-image: linear-gradient(60deg, #29323c 0%, #485563 100%);
color: white;
#projects .project-info h1 {
font-size: 4rem;
font-weight: 500;
#projects .project-info h2 {
font-size: 1.8rem;
font-weight: 500;
margin-top: 10px;
#projects .project-info p {
color: white;
#projects .project-img {
flex-basis: 50%;
height: 300px;
```

```
overflow: hidden;
position: relative;
#projects .project-img:after {
content: ";
position: absolute;
left: 0;
top: 0;
height: 100%;
width: 100%;
background-image: linear-gradient(60deg, #29323c 0%, #485563 100%);
opacity: 0.7;
#projects .project-img img {
transition: 0.3s ease transform;
#projects .project-item:hover .project-img img {
transform: scale(1.1);
* End Projects section */
```

```
* About Section */
#about .about {
flex-direction: column-reverse;
text-align: center;
max-width: 1200px;
margin: 0 auto;
padding: 100px 20px;
#about .col-left {
width: 250px;
height: 360px;
#about .col-right {
width: 100%;
#about .col-right h2 {
font-size: 1.8rem;
font-weight: 500;
letter-spacing: 0.2rem;
margin-bottom: 10px;
#about .col-right p {
margin-bottom: 20px;
```

```
#about .col-right .cta {
color: black;
margin-bottom: 50px;
padding: 10px 20px;
font-size: 2rem;
#about .col-left .about-img {
height: 100%;
width: 100%;
position: relative;
border: 10px solid white;
#about .col-left .about-img::after {
content: ";
position: absolute;
left: -33px;
top: 19px;
height: 98%;
width: 98%;
border: 7px solid rgb(43, 198, 143);
z-index: -1;
* End About Section */
```

```
* contact Section */
#contact .contact {
flex-direction: column;
max-width: 1200px;
margin: 0 auto;
width: 90%;
#contact .contact-items {
width: 100%;
#contact .contact-item {
width: 80%;
padding: 20px;
text-align: center;
border-radius: 10px;
padding: 30px;
margin: 30px;
display: flex;
justify-content: center;
```

```
align-items: center;
flex-direction: column;
box-shadow: 0px 0px 18px 0 #0000002c;
transition: 0.3s ease box-shadow;
#contact .contact-item:hover {
box-shadow: 0px 0px 5px 0 #0000002c;
#contact .icon {
width: 70px;
margin: 0 auto;
margin-bottom: 10px;
#contact .contact-info h1 {
font-size: 2.5rem;
font-weight: 500;
margin-bottom: 5px;
#contact .contact-info h2 {
font-size: 1.3rem;
line-height: 2rem;
font-weight: 500;
```

```
* Footer */
#footer {
background-image: linear-gradient(60deg, #29323c 0%, #485563 100%);
#footer .footer {
min-height: 200px;
flex-direction: column;
padding-top: 50px;
padding-bottom: 10px;
#footer h2 {
color: white;
font-weight: 500;
font-size: 1.8rem;
letter-spacing: 0.1 rem;
margin-top: 10px;
margin-bottom: 10px;
#footer .social-icon {
display: flex;
```

```
margin-bottom: 30px;

#footer .social-item {
height: 50px;
width: 50px;
margin: 0 5px;
}

#footer .social-item img {
filter: grayscale(1);
transition: 0.3s ease filter;
}

#footer .social-item:hover img {
filter: grayscale(0);
}

#footer p {
color: white;
font-size: 1.3rem;
}

**End Footer */
```

```
@keyframes hamburger_puls {
0% {
opacity: 1;
transform: scale(1);
100% {
opacity: 0;
transform: scale(1.4);
@keyframes text_reveal_box {
50% {
width: 100%;
left: 0;
100% {
width: 0;
left: 100%;
@keyframes text_reveal {
100% {
color: white;
@keyframes text reveal name {
```

```
100% {
color: rgb(43, 198, 143);
font-weight: 500;
* End Keyframes */
* Media Query For Tablet */
@media only screen and (min-width: 768px) {
.cta {
font-size: 2.5rem;
padding: 20px 60px;
h1.section-title {
font-size: 6rem;
#hero h1 {
font-size: 7rem;
* End Hero */
* Services Section */
#services .service-bottom .service-item {
flex-basis: 45%;
margin: 2.5%;
* End Services Section */
* Project */
#projects .project-item {
flex-direction: row;
#projects .project-item:nth-child(even) {
flex-direction: row-reverse;
#projects .project-item {
height: 400px;
margin: 0;
width: 100%;
border-radius: 0;
#projects .all-projects .project-info {
height: 100%;
```

```
#projects .all-projects .project-img {
height: 100%;
* End Project */
#about .about {
flex-direction: row;
#about .col-left {
width: 600px;
height: 400px;
padding-left: 60px;
#about .about .col-left .about-img::after {
left: -45px;
top: 34px;
height: 98%;
width: 98%;
border: 10px solid rgb(43, 198, 143)
#about .col-right {
text-align: left;
padding: 30px;
#about .col-right h1 {
text-align: left;
/* End About */
/* contact */
#contact .contact {
flex-direction: column;
padding: 100px 0;
align-items: center;
justify-content: center;
min-width: 20vh;
#contact .contact-items {
width: 100%;
display: flex;
flex-direction: row;
justify-content: space-evenly;
margin: 0;
```

```
#contact .contact-item {
width: 30%;
margin: 0;
flex-direction: row;
}
#contact .contact-item .icon {
height: 100px;
width: 100px;
}
#contact .contact-item .icon img {
object-fit: contain;
}
#contact .contact-item .contact-info {
width: 100%;
text-align: left;
padding-left: 20px;
}
/* End contact */
}
```

```
/* Media Query For Desktop */
@media only screen and (min-width: 1200px) {
/* header */
#header .hamburger {
display: none;
#header .nav-list ul {
position: initial;
display: block;
height: auto;
width: fit-content:
background-color: transparent;
#header .nav-list ul li {
display: inline-block;
#header .nav-list ul li a {
font-size: 1.8rem;
#header .nav-list ul a:after {
display: none;
* End header */
```

```
flex-basis: 22%;
margin: 1.5%;
/* End Media Query For Desktop */
```

login.css

```
padding: 0;
margin: 0;
box-sizing: border-box;
body{
font-family: 'Poppins', sans-serif;
overflow: hidden;
.wave{
position: fixed;
bottom: 0;
left: 0;
height: 100%;
z-index: -1;
.container{
width: 100vw;
height: 100vh;
display: grid;
grid-template-columns: repeat(2, 1fr);
grid-gap :7rem;
padding: 0 2rem;
.img{
display: flex;
justify-content: flex-end;
```

```
align-items: center;
```

.login-content{

```
display: flex;
justify-content: flex-start;
align-items: center;
text-align: center;
.img img{
width: 500px;
form{
width: 360px;
.login-content img{
height: 100px;
.login-content h2{
margin: 15px 0;
color: #333;
text-transform: uppercase;
font-size: 2.9rem;
.login-content .input-div{
position: relative;
display: grid;
grid-template-columns: 7% 93%;
margin: 25px 0;
padding: 5px 0;
border-bottom: 2px solid #d9d9d9;
.login-content .input-div.one{
margin-top: 0;
color: #d9d9d9;
display: flex;
justify-content: center;
align-items: center;
.i i{
transition: .3s;
```

```
.input-div | div{
position: relative;
height: 45px;
.input-div | div | h5{
position: absolute;
left: 10px;
top: 50%;
transform: translateY(-50%);
color: #999;
font-size: 18px;
transition: .3s;
.input-div:before, .input-div:after{
content: ";
position: absolute;
bottom: -2px;
width: 0%;
height: 2px;
background-color: #38d39f;
transition: .4s;
.input-div:before{
right: 50%;
.input-div:after{
left: 50%;
.input-div.focus:before, .input-div.focus:after{
width: 50%;
.input-div.focus | div | h5{
top: -5px;
font-size: 15px;
.input-div.focus | .i | i{
color: #38d39f;
.input-div | div | input{
```

```
position: absolute;
left: 0;
top: 0;
width: 100%;
height: 100%;
border: none;
outline: none;
background: none;
padding: 0.5rem 0.7rem;
font-size: 1.2rem;
color: #555;
font-family: 'poppins', sans-serif;
.input-div.pass{
margin-bottom: 4px;
display: block;
text-align: right;
text-decoration: none;
color: #999;
font-size: 0.9rem;
transition: .3s;
```

```
.btn{
display: block;
width: 100%;
height: 50px;
border-radius: 25px;
outline: none;
border: none;
background-image: linear-gradient(to right, #32be8f, #38d39f, #32be8f);
background-size: 200%;
font-size: 1.2rem;
color: #fff;
font-family: 'Poppins', sans-serif;
text-transform: uppercase;
margin: 1 rem 0;
cursor: pointer;
}
```

```
@media screen and (max-width: 1050px){
.container{
grid-gap: 5rem;
@media screen and (max-width: 1000px){
form{
width: 290px;
.login-content h2{
font-size: 2.4rem;
margin: 8px 0;
.img img{
width: 400px;
@media screen and (max-width: 900px){
.container{
grid-template-columns: 1fr;
.img{
display: none;
.wave{
display: none;
.login-content{
justify-content: center;
.container{
overflow:scroll
.container::-webkit-scrollbar {
display: none;
ul {
position:relative;
```

```
top:-20px;
left:0%;
right:10%;
transform: translate(-50%, -50%);
margin: 75px;
padding:0;
display:flex;
flex:auto;
ul li {
list-style: none;
ul li a {
position: relative;
width:60px;
height:60px;
display:block;
text-align:center;
margin:0 10px;
border-radius: 50%;
padding: 6px;
box-sizing: border-box;
text-decoration:none;
box-shadow: 0\ 10px\ 15px\ rgba(0,0,0,0.3);
background: linear-gradient(0deg, #ddd, #fff);
transition: .5s;
ul li a:hover {
box-shadow: 0 2px 5px rgba(0,0,0,0.3);
text-decoration:none;
ul li a .fab {
width: 100%;
height:100%;
display:block;
background: linear-gradient(0deg, #fff, #ddd);
border-radius: 50%;
line-height: calc(60px - 12px);
font-size:24px;
color: #262626;
transition: .5s;
ul li:nth-child(1) a:hover .fab {
color: #3b5998;
```

```
ul li:nth-child(2) a:hover .fab {
color: #00aced;
}
ul li:nth-child(3) a:hover .fab {
color: #dd4b39;
}
ul li:nth-child(4) a:hover .fab {
color: #007bb6;
}
ul li:nth-child(5) a:hover .fab {
color: #e4405f;
}
.app{
position: relative;
top: -70px;
height: 5%;
```

```
#app1{
font-style: oblique;
color:blue ;
}
#png{
position: relative;
top: -300px;
right: 50px;
}
```

signup.css

```
@charset 'utf-8';
/* CSS Document */
body{
background-color:#eef1f8;
margin:0px;
padding:0px;
}
a{
text-decoration:none;
}
.container{
width:100%;
height:100%;
background-color:#FFFFFF;
```

```
position: absolute;
left:50%;
top:49%;
transform:translate(-50%,-50%);
box-shadow:2px 2px 30px rgba(66,57,238,0.2);
border-radius:20px;
display:flex;
justify-content: center;
align-items:center;
background-image: url('../images/bg.gif');
background-repeat:no-repeat;
background-size:cover;
.sign-up{
position: relative;
left: -250px;
width:50%;
display:flex;
flex-direction:column;
align-items: center;
.text-container{
position: relative;
top:-100px; padding-bottom:-50px;
width:50%;
height:100%;
display:flex;
flex-direction:column;
justify-content: center;
align-items: center;
margin-left:700px;
margin-bottom:-10px;
top:-40px
.heading{
font-family:calibri;
color:rgba(30,30,30,1);
position: relative;
left:80px;
.text{
width:350px;
height:50px;
box-shadow:2px 6px 18px rgba(66,57,238,0.3);
```

```
border-radius: 30px;
display:flex;
align-items:center;
margin:10px;
.text input{
height:40px;
width:80%;
outline:none;
border:none;
font-size:14px;
margin:5px;
.text img{
margin-left:20px;
.conditions{
font-family:myriad pro;
color:#bbc1cb;
font-size:14px;
.trems{
top:20px;
position: relative;
left:37px;
display: flex;
align-items:center;
.conditions a{
color:#7d22e3;
font-weight:500;
button{
width:200px;
height:40px;
outline:none;
border:none;
border-radius:20px;
background:linear-gradient(-30deg,#3b02ed,#8e2ae0 55%);
box-shadow:2px 6px 16px rgba(66,57,238,0.3);
color:#FFFFF;
font-weight:600;
letter-spacing:1px;
font-weight: 13px;
```

```
button:active{
transform:scale(1.1);
.text-container p{
width:70%;
text-align: center;
font-family:arial;
font-size: 15px;
font-weight: 400;
line-height:0px;
ul {
position:relative;
top:40px;
left:25%;
right:100px;
transform: translate(-50%, -50%);
margin: 75px;
padding:0;
display:flex;
flex:auto;
ul li {
list-style: none;
ul li a {
position: relative;
width:60px;
height:60px;
display:block;
text-align:center;
margin:0 10px;
border-radius: 50%;
padding: 6px;
box-sizing: border-box;
text-decoration:none;
box-shadow: 0 10px 15px rgba(0,0,0,0.3);
background: linear-gradient(0deg, #ddd, #fff);
transition: .5s;
ul li a:hover {
box-shadow: 0 2px 5px rgba(0,0,0,0.3);
text-decoration:none;
```

```
ul li a .fab {
width: 100%;
height:100%;
display:block;
background: linear-gradient(0deg, #fff, #ddd);
border-radius: 50%;
line-height: calc(60px - 12px);
font-size:24px;
color: #262626;
transition: .5s;
ul li:nth-child(1) a:hover .fab {
color: #3b5998;
ul li:nth-child(2) a:hover .fab {
color: #00aced;
ul li:nth-child(3) a:hover .fab {
color: #dd4b39;
ul li:nth-child(4) a:hover .fab {
color: #007bb6;
ul li:nth-child(5) a:hover .fab {
color: #e4405f;
.toop{
position: relative;
top: 20px;
left: 75px;
.check{
position: relative;
top: -8px;
left: -5px;
.para{
position: relative;
top: 0px;
left: -45px;
.diag{
```

position: relative;

top:0px;

```
margin: 0px;
padding: 0px;
left:-10px;
.fig1{
position: relative;
size:200%;
#png{
position: relative;
left: -270px;
top: -45px;
.or{
position: relative;
left:180px;
.s1{
position: relative;
left: 140px;
.t{
position: relative;
left:-100px;
top:10px;
```

home.js

```
const hamburger = document.querySelector('.header .nav-bar .nav-list .hamburger');
const mobile_menu = document.querySelector('.header .nav-bar .nav-list ul');
const menu_item = document.querySelectorAll('.header .nav-bar .nav-list ul li a');
const header = document.querySelector('.header.container');

hamburger.addEventListener('click', () = | {
    hamburger.classList.toggle('active');
    mobile_menu.classList.toggle('active');
});
```

```
document.addEventListener('scroll', () = | {
var scroll_position = window.scrollY;
if (scroll_position | 250) {
header.style.backgroundColor = '#29323c';
```

```
} else {
header.style.backgroundColor = 'transparent';
}
});

menu_item.forEach((item) = | {
   item.addEventListener('click', () = | {
      hamburger.classList.toggle('active');
   mobile_menu.classList.toggle('active');
});
});
```

login.js


```
const inputs = document.querySelectorAll('.input');
function addcl(){
let parent = this.parentNode.parentNode;
parent.classList.add('focus');
}
```

```
function remcl(){
let parent = this.parentNode.parentNode;
if(this.value == "){
parent.classList.remove('focus');
}
}
```


```
inputs.forEach(input = | {
input.addEventListener('focus', addcl);
input.addEventListener('blur', remcl);
});
```

Output:


Home Page:



Registration Page:



Login Page:



Forgot Password?