CREATE UI TO INTERACT WITH APPLICATION

Design an application with following specification

    1. registration page

    2. login page

    3. add the expenditure

    4. wallet page

<u>index.html</u>

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
 <head>
 <meta charset="utf-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Login Form | CodingLab</title>
 <link rel="stylesheet" href="style.css">
 <script src="https://kit.fontawesome.com/a076d05399.js"></script>
</head>
 <body>
 <div class="container">
<div class="wrapper">
 <div class="title"><span>Login Form</span></div>
 <form action="#">
 <div class="row">
 <i class="fas fa-user"></i>
 <input type="text" placeholder="Email or Phone" required>
</div>
 <div class="row">
```

```html
<i class="fas fa-lock"></i>

<input type="password" placeholder="Password" required>
</div>

<div class="pass"><a href="#">Forgot password?</a></div>

<div class="row button">

<input type="submit" value="Login">

</div>

<div class="signup-link">Not a member? <a href="#">Signup now</a></div>

</form>

</div>

</div>

</body>

</html>
```

Style.css

```css
@import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@400;500;600;700&display=
s wap'); *{ margin: 0; padding: 0; box-sizing: border-box; font-family: 'Poppins',sans serif;

}
body{ background:

#1abc9c; overflow:

hidden;

}
::selection{ background:

rgba(26,188,156,0.3);

}
.container{ max

width: 440px;
```

```css
padding: 0 20px;

margin: 170px auto;
}
.wrapper{ width: 100%; background: #fff;

border-radius: 5px; box-shadow: 0px 4px 10px

1px rgba(0,0,0,0.1);

}
.wrapper .title{ height:

90px; background:

#16a085; border-radius:

5px 5px 0 0;

 color: #fff; font

size: 30px; font

weight: 600;

display: flex; align

items: center; justify

content: center;

}
.wrapper form{ padding: 30px

25px 25px 25px;

}
.wrapper form .row{

 height: 45px;

  margin-bottom: 15px;

  position: relative;

}
.wrapper form .row input{

height: 100%; width:
```

```css
100%; outline: none;

padding-left: 60px;

border-radius: 5px;
border: 1px solid lightgrey;

font-size: 16px; transition:

all 0.3s ease;

}

form .row input:focus{ border-color: #16a085; box

shadow: inset 0px 0px 2px 2px rgba(26,188,156,0.25);

}

form .row input::placeholder{

color: #999;

}

.wrapper form .row i{

position: absolute;

width: 47px; height:

100%;

 color: #fff; font

size: 18px;

 background: #16a085;

border: 1px solid #16a085;

border-radius: 5px 0 0 5px;

display: flex; align-items:

center; justify-content:

center;

}

.wrapper form .pass{

margin: -8px 0 20px 0;
```

```
}
.wrapper form .pass a{
color: #16a085; font-
size: 17px; text
decoration: none;
}
.wrapper form .pass a:hover{ text
decoration: underline;
}
.wrapper form .button input{
color: #fff; font-size:
 20px; font-weight: 500;
padding-left: 0px;
background: #16a085;
border: 1px solid #16a085;
cursor: pointer;
}
form .button input:hover{
 background: #12876f;
}
.wrapper form .signup-link{
text-align: center;
  margin-top: 20px; font
  size: 17px;

}
.wrapper form .signup-link a{
color: #16a085; text
```

```
decoration: none;

}

form .signup-link a:hover{ text

decoration: underline;

}
```