Assignment -3
Problem Statement-Abalone Age Prediction

Assignment Date	06 October 2022
Student Name	Miss.Madhumitha N
Student Roll Number	620119106049
Maximum Marks	2 Marks

Question-1:

1.download the data set

2.load the dataset

import numpy **as** np
import pandas **as** pd
import seaborn **as** sns
import matplotlib.pyplot **as** plt
import sklearn

data=pd.read_csv("abalone.csv")data.head()

	Sex	Length	Diameter	Height	Whole weight	Shucked weight	Viscera weight	Shell weight	Rings
0	M	0.455	0.365	0.095	0.5140	0.2245	0.1010	0.150	15
1	M	0.350	0.265	0.090	0.2255	0.0995	0.0485	0.070	7
2	F	0.530	0.420	0.135	0.6770	0.2565	0.1415	0.210	9
3	M	0.440	0.365	0.125	0.5160	0.2155	0.1140	0.155	10
4	I	0.330	0.255	0.080	0.2050	0.0895	0.0395	0.055	7

Age=1.5+data.Ringsdata["Age"]=Agedata=data.rename(columns = {'Whole weight':'Whole_weight','Shucked weight': 'Shucked_weight','Viscera weight': 'Viscera_weight',
'Shell weight': 'Shell_weight'})data=data.drop(columns=["Rings"],axis=1)data.head()

	Sex	Length	Diameter	Height	Whole_weight	Shucked_weight	Viscera_weight	Shell_weight	Age
0	M	0.455	0.365	0.095	0.5140	0.2245	0.1010	0.150	16.5
1	M	0.350	0.265	0.090	0.2255	0.0995	0.0485	0.070	8.5
2	F	0.530	0.420	0.135	0.6770	0.2565	0.1415	0.210	10.5
3	M	0.440	0.365	0.125	0.5160	0.2155	0.1140	0.155	11.5
4	I	0.330	0.255	0.080	0.2050	0.0895	0.0395	0.055	8.5

3.perform below visualizations univariate analysis

Ans:

sns.displot(data["Age"], color='red')

Out[4]:

<seaborn.axisgrid.FacetGrid at 0x187953d26a0>



sns.histplot(y=data.Age,color='blue')

Out[5]:

<AxesSubplot:xlabel='Count', ylabel='Age'>



sns.histplot(x=data.Age,color='yellow')

```
<AxesSubplot:xlabel='Age', ylabel='Count'>
```



In [6]:
sns.boxplot(x=data.Age,color='green')

<AxesSubplot:xlabel='Age'>



sns.countplot(x=data.Age)

<AxesSubplot:xlabel='Age', ylabel='count'>



bi - variate analysis

sns.barplot(x=data.Height,y=data.Age)

<AxesSubplot:xlabel='Height', ylabel='Age'>



sns.lineplot(x=data.Age,y=data.Height, color='orange')

<AxesSubplot:xlabel='Age', ylabel='Height'>



sns.scatterplot(x=data.Age,y=data.Height,color='black')

```
<AxesSubplot:xlabel='Age', ylabel='Height'>
```



sns.pointplot(x=data.Age, y=data.Height, color="pink")

```
<AxesSubplot:xlabel='Age', ylabel='Height'>
```



sns.regplot(x=data.Age,y=data.Height,color='red')

<AxesSubplot:xlabel='Age', ylabel='Height'>



multi - variate analysis

In [9]:

sns.pairplot(data=data[["Height","Length","Diameter","Age","Whole_weight","Shucked_weight","Viscera_weight","Shell_weig

15]: <seaborn.axisgrid.PairGrid at 0x18795288400>



4. descriptive statistics

data.describe(include='all')

	Sex	Length	Diameter	Height	Whole_weight	Shucked_weight	Viscera_weight	Shell_weight	Age
count	4177	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000
unique	3	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN
top	M	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN
freq	1528	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN
mean	NaN	0.523992	0.407881	0.139516	0.828742	0.359367	0.180594	0.238831	11.433684
std	NaN	0.120093	0.099240	0.041827	0.490389	0.221963	0.109614	0.139203	3.224169
min	NaN	0.075000	0.055000	0.000000	0.002000	0.001000	0.000500	0.001500	2.500000
25%	NaN	0.450000	0.350000	0.115000	0.441500	0.186000	0.093500	0.130000	9.500000
50%	NaN	0.545000	0.425000	0.140000	0.799500	0.336000	0.171000	0.234000	10.500000
75%	NaN	0.615000	0.480000	0.165000	1.153000	0.502000	0.253000	0.329000	12.500000
max	NaN	0.815000	0.650000	1.130000	2.825500	1.488000	0.760000	1.005000	30.500000

5. Check for Missing values and deal with them

data.isnull().sum()

```
Sex               0
Length            0
Diameter          0
Height            0
Whole_weight      0
Shucked_weight    0
Viscera_weight    0
Shell_weight      0
Age               0
dtype: int64
```

6. Find the outliers and replace them outliers

In [18]:

outliers=data.quantile(q=(0.25,0.75))outliers

	Length	Diameter	Height	Whole_weight	Shucked_weight	Viscera_weight	Shell_weight	Age
0.25	0.450	0.35	0.115	0.4415	0.186	0.0935	0.130	9.5
0.75	0.615	0.48	0.165	1.1530	0.502	0.2530	0.329	12.5

a = data.Age.quantile(0.25)b = data.Age.quantile(0.75)c = b - alower_limit = a - 1.5 * cdata.median(numeric_only=**True**)

```
Length             0.5450
Diameter           0.4250
Height             0.1400
Whole_weight       0.7995
Shucked_weight     0.3360
Viscera_weight     0.1710
Shell_weight       0.2340
Age               10.5000
dtype: float64
```

data['Age'] = np.where(data['Age'] < lower_limit, 7, data['Age'])sns.boxplot(x=data.Age,showfliers = **False**)

```
<AxesSubplot:xlabel='Age'>
```



7. Check for Categorical columns and perform encoding

In [21]:

data.head()

Sex	Length	Diameter	Height	Whole_weight	Shucked_weight	Viscera_weight	Shell_weight	Age
M	0.455	0.365	0.095	0.5140	0.2245	0.1010	0.150	16.5
M	0.350	0.265	0.090	0.2255	0.0995	0.0485	0.070	8.5
F	0.530	0.420	0.135	0.6770	0.2565	0.1415	0.210	10.5
M	0.440	0.365	0.125	0.5160	0.2155	0.1140	0.155	11.5
I	0.330	0.255	0.080	0.2050	0.0895	0.0395	0.055	8.5

```
from sklearn.preprocessing import LabelEncoder
lab = LabelEncoder()data.Sex = lab.fit_transform(data.Sex)
data.head()
```

	Sex	Length	Diameter	Height	Whole_weight	Shucked_weight	Viscera_weight	Shell_weight	Age
0	2	0.455	0.365	0.095	0.5140	0.2245	0.1010	0.150	16.5
1	2	0.350	0.265	0.090	0.2255	0.0995	0.0485	0.070	8.5
2	0	0.530	0.420	0.135	0.6770	0.2565	0.1415	0.210	10.5
3	2	0.440	0.365	0.125	0.5160	0.2155	0.1140	0.155	11.5
4	1	0.330	0.255	0.080	0.2050	0.0895	0.0395	0.055	8.5

8. Split the data into dependent and independent variables

```
y = data["Sex"] y.head()
```

In [24]:

```
x=data.drop(columns=["Sex"],axis=1)x.head()
```

	Length	Diameter	Height	Whole_weight	Shucked_weight	Viscera_weight	Shell_weight	Age
0	0.455	0.365	0.095	0.5140	0.2245	0.1010	0.150	16.5
1	0.350	0.265	0.090	0.2255	0.0995	0.0485	0.070	8.5
2	0.530	0.420	0.135	0.6770	0.2565	0.1415	0.210	10.5
3	0.440	0.365	0.125	0.5160	0.2155	0.1140	0.155	11.5
4	0.330	0.255	0.080	0.2050	0.0895	0.0395	0.055	8.5

9. Scale the independent variables

In [25]:

```
from sklearn.preprocessing import scale
X_Scaled = pd.DataFrame(scale(x), columns=x.columns)
X_Scaled.head()
```

	Length	Diameter	Height	Whole_weight	Shucked_weight	Viscera_weight	Shell_weight	Age
0	0.455	0.365	0.095	0.5140	0.2245	0.1010	0.150	16.5
1	0.350	0.265	0.090	0.2255	0.0995	0.0485	0.070	8.5
2	0.530	0.420	0.135	0.6770	0.2565	0.1415	0.210	10.5
3	0.440	0.365	0.125	0.5160	0.2155	0.1140	0.155	11.5
4	0.330	0.255	0.080	0.2050	0.0895	0.0395	0.055	8.5

10. Split the data into training and testing

In [26]:

```
from sklearn.model_selection import train_test_split
X_Train, X_Test, Y_Train, Y_Test = train_test_split(X_Scaled, y, test_size=0.2,
random_state=0)
```

In [27]:

```
X_Train.shape,X_Test.shape
```

Output

((3341, 8), (836, 8))

```
Y_Train.shape,Y_Test.shape
```

output

((3341,), (836,))

In [29]:

```
X_Train.head()
```

	Length	Diameter	Height	Whole_weight	Shucked_weight	Viscera_weight	Shell_weight	Age
3141	-2.864726	-2.750043	-1.423087	-1.622870	-1.553902	-1.583867	-1.644065	-1.543234
3521	-2.573250	-2.598876	-2.020857	-1.606554	-1.551650	-1.565619	-1.626104	-1.387181
883	1.132658	1.230689	0.728888	1.145672	1.041436	0.286552	1.538726	1.577830
3627	1.590691	1.180300	1.446213	2.164373	2.661269	2.330326	1.377072	0.017298
2106	0.591345	0.474853	0.370226	0.432887	0.255175	0.272866	0.906479	1.265723

X_Test.head()

	Length	Diameter	Height	Whole_weight	Shucked_weight	Viscera_weight	Shell_weight	Age
3141	-2.864726	-2.750043	-1.423087	-1.622870	-1.553902	-1.583867	-1.644065	-1.543234
3521	-2.573250	-2.598876	-2.020857	-1.606554	-1.551650	-1.565619	-1.626104	-1.387181
883	1.132658	1.230689	0.728888	1.145672	1.041436	0.286552	1.538726	1.577830
3627	1.590691	1.180300	1.446213	2.164373	2.661269	2.330326	1.377072	0.017298
2106	0.591345	0.474853	0.370226	0.432887	0.255175	0.272866	0.906479	1.265723

Y_Train.head()

```
3141    1
3521    1
883     2
3627    2
2106    2
Name: Sex, dtype: int32
```

Y_Test.head()

11. Build the Model

In [33]:

```
from sklearn.ensemble import RandomForestClassifier
model = RandomForestClassifier(n_estimators=10,criterion='entropy')
```

In [34]:

```
model.fit(X_Train,Y_Train)
```

Output

RandomForestClassifier(criterion='entropy', n_estimators=10)

12. Train the Model

from sklearn.metrics **import** accuracy_score,confusion_matrix,classification_report

In [38]:

```
print('Training accuracy: ',accuracy_score(Y_Train,y_predict_train))
```

Output

Training accuracy: 0.9817419934151451

13.Test the Model

In [39]:

```
print('Testing accuracy: ',accuracy_score(Y_Test,y_predict))
```

Output

Testing accuracy: 0.5322966507177034

14. Measure the performance using Metrics

In [40]:

```
pd.crosstab(Y_Test,y_predict)
```

col_0	0	1	2
Sex			
0	116	29	104
1	37	216	38
2	125	58	113

print(classification_report(Y_Test,y_predict))

```
              precision    recall  f1-score   support

           0       0.42      0.47      0.44       249
           1       0.71      0.74      0.73       291
           2       0.44      0.38      0.41       296

    accuracy                           0.53       836
   macro avg       0.52      0.53      0.53       836
weighted avg       0.53      0.53      0.53       836
```